



Undercounter



Hood Type



Warewashers



Rack Type



Undercounter

Electrical Parts

Water Parts

Mechanical Parts

Electronic Parts

Gaskets

Accessories

Switches, Push Buttons, Selectors

354705

**Push Button 25x25 mm**

16A 250V - Tmax 100°C; connection 6,35x0,8 mm

130444

359769

**Cover for push button Ø 21,2x11,2 mm - ROLD**
shaft Ø 3,7 mm

450345

364250

**Push button unipolar 1NO 16A 250V - ROLD**

130449

359765

**Cover for push button Ø 21,2x11,2 mm - ROLD**
shaft Ø 3,7 mm

450340

411602

**Momentary rocker switch 16A 250V - ROLD**
T 150°C

130487

359764

**Cover for push button Ø 21mm - ROLD**
shaft Ø 3,7 mm

450339

357634

**Button holder Ø 24/30xh24 mm**
Øint. 21,5 mm

190155

359755

**Cover for push button Ø 21,2x11,2 mm - ROLD**
shaft Ø 3,7 mm

450326

357627

**Support for switch BC/BE/FC - ROLD**

190140

359766

**Push button Ø 21x9 mm**

450341

Switches, Push Buttons, Selectors

359767



Cover for push button \varnothing 21,2x11,2 mm -
ROLD
 shaft \varnothing 3,7 mm

450342

Lamps and Lamp Holders

420996



Red pilot lamp 240V \varnothing 9x60 mm
 Lens \varnothing 13 mm, with nut and silicon O-ring

130120

353402



Green pilot lamp 5V
 faston 6,3x0,8 mm

130182

435511



Green pilot lamp 240V \varnothing 9x60 mm
 Lens \varnothing 13 mm, with nut and silicon O-ring

300121

353553



Green pilot lamp 220V
 faston 6,3x0,8 mm

130188

353398



Green pilot lamp \varnothing 9,5x30 mm - a led
 lens \varnothing 6 mm cables L=250 mm

130181

353389



Pilot lamp 25x25 mm
 16A 220V - connection 6,35x0,8 mm

130176

340422



Green pilot lamp 250V \varnothing 9,5x30 mm
 lens \varnothing 6 mm cables L=250 mm

130157

353383



Red lamp 250V 50/60Hz
 dim. 80x60x80 mm

130156

Lamps and Lamp Holders

340411

Orange lamp lens Ø 6 mm - L=10 mm

130706

355599

White lamp lens Ø 6 mm - L=10 mm

130707

318084

Green lamp cap Ø 6 mm - L=10 mm

130708

Contactors and Relays

351299**Contactor B6-30-01**4kW 3P; 220/240V 50/60Hz 440V; 3 cont. NO
+ 1 aux NC

120461

351268**Relay 1 contacts 230VAC 50/60Hz 16A
250V**

Faston 6.3x0.8 mm

120460

350909**Contactor BF901A230**4,2kW 3P; 230ACV 50Hz 400V 3 cont. NO + 1
aux NO

120444

120481

351401**Relay 2 contacts 230V 16A**

Faston 6.3x0.8 mm

120495

Contactors and Relays

435162



Relay 3 contacts 230V 50/60Hz 16A
Faston 6.3x0.8 mm

120447

120459

350706



Timer Relay 1CO 8A 250VAC
coil 24-240V AC-DC; dim. 17x60,5x84 mm

120201

Microswitches

435262



Snap action microswitch 16A 250V
T125°C
thread M10x1, H=14 mm

120313

350880



Magnetic microswitch E521 1V NO 250V
0,04A "FC"
cable L=900 mm

120356

359399



Shaft microswitch Ø 7/10 mm L=23,5 mm

381002

359538



Magnet 35x11x6 mm

411004

350891



Magnetic microswitch E510 1NO 250V
0,04A
dim. 32,3x13,3x8 mm; cable L=580 mm; faston
6,3x0,8 mm

120366

350883



Micro Float switch Ø 18x55 mm
cabel L=1400 mm; thread M16

120358

Microswitches

358735



Bushing \varnothing 7,3x15 mm

330820

359202



Support for 435262
dim. 28x22x20 mm, hole \varnothing 10,5 mm

350725

Terminal Boards

336554



Terminal board 3-poles 6 mmq
capacity 450V 40A; Tmin-max -5/+150°C;
faston 6,3x0.8 mm

150226

439223



Terminal board 6-poles 6 mmq no
bypass installed
capacity 450V 40A; Tmin-max -5/+150°C;
faston 6,3x0,8 mm

130321

Pressure Switches

316092



Pressure switch 1 level 30/12 mbar
contacts capacity 16A 250V; Tmax 85°C

130629

355083



Pressure switch 1 level 45/22 mbar
contacts capacity 16A 250V; Tmax 85°C

130621

Pressure Switches

337838

Pressure switch 1 level 50/30 mbar
contacts capacity 16A 250V; Tmax 85°C

130605

130622

312107

Pressure switch 1 level 70/40 mbar
contacts capacity 16A 250V; Tmax 85°C

130604

355151

**Pressure switch 3 level 110/70 50/30
50/30 mbar**
contacts capacity 16A 250V; Tmax 85°C

130628

355403

**Pressure switch high pressure wp
28bar**
hose Ø 6,3x55 mm; cable L=2000 mm

130643

Timers

352798

Timer 5 chambers
40/150 seconds; 2 motors 230V 50/60Hz;
without shaft

121208

121217

350801

Timer 5 chambers
4" - 4" / 180"; 230V 50/60Hz; cable L=270 mm

120268

120269

Timers

352989**Timer 5 chambers**

dim. 105x90x45 mm; cable L=280 mm; with faston 6.3x0.8 mm

121220

353304**Electronic timer 230V 50/60Hz 2VA**

121279

Fuses, Capacitors, RFI Filters

418004**Capacitor for power factor correction 5 μF 400V 50/60Hz**

Ø 30x51 mm; with screw M8

631208

332311**Capacitor for power factor correction 10 μF 400/450V 50/60Hz**

Ø 30x71 mm; with screw M8

631206

610850**Capacitor for power factor correction 6,3 μF 450V 50/60Hz**

Ø 30x50 mm; with screw M8

631216

344822**Capacitor for power factor correction 12,5 μF 450V 50/60Hz**

Ø 30x71 mm; with screw M8

631207

H25555

342369**Capacitor for power factor correction 8 μF 450V 50/60Hz**

Ø 30x71 mm; with screw M8

631201

318417**Capacitor for power factor correction 14 μF 400/450V 50/60Hz**

Ø 30x71 mm; with screw M8

631220

Fuses, Capacitors, RFI Filters

344792



Capacitor for power factor correction
16µF 450V 50/60Hz
 Ø 30x71 mm; with screw M8

631202

312599



Fuse Ø 5x20 mm 1A 250V slow

130264

441189



Capacitor for power factor correction
10µF 400V 50/60Hz
 Ø 35x77 mm; with screw M8

631206_

397484



Fuse Ø 5x20 mm 1,6A 250V slow (10 Pcs)

130265

338358



RFI filter 250V Ø 32x32 mm
 0.47 µF (x2) + 2x0.025 µF(Y2) + 1MoHm; with
 screw M8

631209

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

130270

435516



Fuse Ø 5x20 mm 0,25A 250V slow

130273

451463



Fuse Ø 5x20 mm 4A slow

130266

435523



Fuse Ø 5x20 mm 0,4A 250V slow

130263

354335



Fuse Ø 5x20 mm 5A slow

130274

Fuses, Capacitors, RFI Filters

320007



Fuse Ø 5x20 mm 6,3A 250V slow (10 pcs)

130275

Pumps

348621



Drain pump 100W 230V 50Hz with filter inlet
inlet Ø 30 mm, outlet Ø 22 mm

100803

359996



Shell for pump with filter 348621

315306



Drain pump 100W 220V 50Hz
inlet Ø 30 mm, outlet Ø 23 mm

100342

347752



Drain pump 190W 230V 50Hz
inlet Ø 30 mm, outlet Ø 24 mm - faston 6,3x0,8 mm

100695

315374



Drain pump 30W 220/240V 50Hz
inlet Ø 30 mm, outlet Ø 24 mm - faston 6,3x0,8 mm

100893

315777



Drain pump 30W 220-240V 50/60Hz [KIT]
inlet Ø 30 mm, outlet Ø 24 mm

620993

349056



Drain pump 30W 220/240V 50Hz
inlet Ø 30 mm, outlet Ø 24 mm - faston connection 6,3x0,8 mm

100890

360211



Drain pump 30W 230/240V 60Hz
inlet Ø 30 mm, outlet Ø 23 mm

100893/1

Pumps

347791



**Wash pump 1 phase 150W 220-240V 50Hz
1,4A**
inlet Ø 28 mm; outlet Ø 26 mm; 2750 rpm; cable
L=420 mm

315315



Wash pump 1 phase 440W 230V 50Hz
inlet Ø 37 mm; outlet Ø 40 mm; as of S/N
4755/04/01

100661

100701

100375

100379

100399

100740

359985



Shell for pump

342290



Gasket for pump FIR H=3,5x4,5 mm

412572



**Shaft sealing Ø 24x10x14 mm/
counter-seal Ø 26x13x8 mm**

359987



Shell for pump

418004



**Capacitor for power factor correction 5 µF
400V 50/60Hz**

360133



Impeller Ø 93 mm 50Hz FIR

412572



**Shaft sealing Ø 24x10x14 mm/
counter-seal Ø 26x13x8 mm**

441189



**Capacitor for power factor correction 10µF
400V 50/60Hz**

Pumps

348658



Wash pump 1 phase 450W 230V 50Hz
inlet Ø 45 mm, outlet Ø 40 mm

100820

342290



Gasket for pump FIR H=3,5x4,5 mm

344822



Capacitor for power factor correction
12,5µF 450V 50/60Hz

360068



Shaft sealing Ø 24x11x15 mm/
counter-seal Ø 26x14x5,5 mm

360133



Impeller Ø 93 mm 50Hz FIR

315460



Wash pump 1 phase 730W 230V 50Hz
inlet Ø 49 mm, outlet Ø 38 mm, 2800 rpm

100819

360046



Gasket for pump LGB H=4x4 mm

360068



Shaft sealing Ø 24x11x15 mm/
counter-seal Ø 26x14x5,5 mm

360146



Impeller Ø 93 mm 50Hz LGB

312017



Rinse pump 1 phase 290W 230V 1,3A
50Hz
inlet Ø 27,5 mm, outlet Ø 25,5 mm, cable
L=500 mm

100802

359993



Shell for pump

360143



Impeller Ø 71 mm

610850



Capacitor for power factor correction
6,3µF 450V 50/60Hz

Pumps

315348



**Rinse pump 1 phase 360W 230V 1.83A
50Hz**
inlet Ø 30 mm, outlet Ø 30 mm; C=5µF/400V

100785

359992



Shell for pump

360064



**Shaft sealing Ø 24x12x15 mm /
counter-seal Ø 26x14x8 mm**

360141



Impeller Ø 86 mm

418004



**Capacitor for power factor correction 5 µF
400V 50/60Hz**

359996



Shell for pump with filter 348621
inlet Ø 30 mm; outlet Ø 22 mm

630139

359983



Shell for pump
inlet Ø 45 mm; outlet Ø 41 mm

630113

359992



Shell for pump
inlet Ø 30 mm; outlet Ø 30 mm

630135

359987



Shell for pump
inlet Ø 37 mm; outlet Ø 40 mm

630129

359993



Shell for pump
inlet Ø 27,5 mm; outlet Ø 25,5 mm; for pump
LGB zf131dx

630136

360009



Pump flange 1hp lgb
dim. 160x142x33 mm; hole Ø 15 mm

630241

359998



Pump cover
inlet Ø 31 mm; outlet Ø 37 mm

630144

Pumps

342532

Impeller Ø 96 mm

631619

360146Impeller Ø 93 mm 50Hz LGB
hole M8; Htot.=34 mm

631703

360143Impeller Ø 71 mm
for shaft Ø 8 mm; ZF131DX

631698

360145Impeller Ø 100 mm 50Hz
ZF3580SX

631702

360110Impeller Ø 85 mm
D-shaft Ø 8x9 mm

631617

360120

Impeller Ø 103 mm 50Hz

631627

631656

360141

Impeller Ø 86 mm

631695

360029

Cooling fan Ø 123 mm

630325

360133Impeller Ø 93 mm 50Hz FIR
D-shaft Ø 9x8,2 mm, H=32 mm

631683

631714

342290

Gasket for pump FIR H=3,5x4,5 mm

630419

630434

Pumps

360034



Gasket for pump

630410

360046



Gasket for pump LGB H=4x4 mm

630431

360003



Fan cover Ø 140 mm

630219

Heating Elements

350092



Boiler heating element 3200W 230V
 L=235 mm; flange Ø 64,4 mm; Øint. 50 mm; bulbe housing L=200 mm; faston 6,3 mm

110366

350039



Boiler heating element 2200W 230V
 L=225 mm; triangular flange H=87 mm Ø 53 mm

110361

350196



Boiler heating element 5000W 230V
 L=253 mm; flange Øest. 64 mm Øint. 47,5 mm; bulbe housing, fastons 6,3x0,8 mm

110391

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

Heating Elements

350241

Boiler heating element 2000W 230V
L=220 mm; triangular flange; faston 6,3x0,8 mm

110395

350254

Boiler heating element 2400W 230V
L=220 mm; triangular flange 83,5x78,7 mm; bulb housing L=195 mm; fastons 6,3x0,8 mm

110396

350041

Boiler heating element 3000W 230V
L=325 mm; triangular flange H=90 mm; bulb housing Ø 7,5 mm

110363

357339

Heating element cover Ø 58x61x54 mm

435067

O-ring 5,34x56,52 mm NBR

350262

Boiler heating element 3200W 230V
L=240 mm, triangular flange H=80 mm; bulb housing Ø 8 mm

110397

435303

O-ring 5,34x46,99 mm NBR

350012

Boiler heating element 4200W 230/400V
L=340 mm; triangular flange H=90 mm Ø 50 mm

110331

357339

Heating element cover Ø 58x61x54 mm

435067

O-ring 5,34x56,52 mm NBR

350297

Boiler heating element 5000W 230V [KIT]
L=255 mm; triangular flange 83,3x78,4 mm; Øint. 50 mm; bulb housing L=200 mm

110398

350018

Boiler heating element 5000W 230/400V
L=345 mm; triangular flange H=90 mm; bulb housing Ø 7,5 mm

110332

357339

Heating element cover Ø 58x61x54 mm

435067


O-ring 5,34x56,52 mm NBR

Heating Elements

350023

Boiler heating element 7000W 230/400V
L=350 mm; triangular flange H=90 mm; bulbe housing Ø 7 mm

110333

350000

Tank heating element 2000W 230V
dim. 435x180x60 mm; connection M10; faston 6,3x0,8 mm

110288

350234

Boiler heating element 14000W 230/400V
L=510 mm; triangular flange 92,4x89,4 mm Øint. 60 mm; with bulb housing L=285 mm

110392

349822

Tank heating element 2000W 230V
dim.318x85xh26mm; connection M12

110273

352113

Boiler heating element 6000W 230V
L=345 mm; triangular flange 92,5x89,5 mm; Øint. 60 mm; with bulb housing Ø 7,5x295 mm; connection M5

110349

349746

Tank heating element 2000W 230V
dim.305x110xh25 mm, connection M12

110269

435067

O-ring 5,34x56,52 mm NBR

349992

Tank heating element 500W 230V
dim.430x195xh60 mm; connection M10, faston 6,3x0,8 mm

110285

110287

349738

Tank heating element 2000W 230V
dim.137x355xh25 mm; connection M10

110263

350123

Tank heating element 2400W 230V
dim.383x83xh24 mm; faston 6,3x0,8 mm

110373

349720

Tank heating element 1500W 230V
dim.300x120xh25; connection M10

110261

Heating Elements

357347



Heating element cover Ø 58x61x42 mm

161123

357339



Heating element cover Ø 58x61x54 mm

161102

Commutators

351473



Commutator 0-1 position
shaft 5x5x25 mm - 16A 400V 50/60Hz

120712

351498



Commutator 0-3 positions
shaft 5x5x23 mm - 16A 400V 50/60HZ

120737

351490



Commutator 0-2 positions
shaft 5x5x25,5 mm

120734

351502



Commutator 0-3 positions
shaft 5x5x25 mm - 16A 400V 50/60HZ

120744

351485



Commutator 0-2 positions
shaft 5x5x24 mm - 16A 400V

120722

359669



Snap ring Ø 9,4x11x6 mm

440817

Cables

356305



Pressacavo

150833

Thermostats

351425

**Bi-metal thermostat 55/42°C**

flange 38x51 mm; faston 6,3; 1NA+1NC 15A 250V

120524

351413

**Safety thermostat 1P 110°C**

bulb Ø 6x50 mm

120523

351402

**Operating thermostat 1P 0÷90°C**

coated capillary L=1500 mm; bulb Ø 6,5x97 mm; D-shaft 6x4,6 mm; 1NC 16A 250V - 1NO 6A 250V

120501

351410

**Security thermostat 1P 95÷135°C**

bulb Ø 5x130 mm; 1CO 16A

120519

620527

351411

**Operating thermostat 1P 30÷90°C**

capillary L=1000 mm; bulb Ø 9x51, mm; D-shaft 6x4,5 mm

120522

351449

**Safety thermostat 2P 110°C**

bulb Ø 6x50 mm; 16A 400V

120526

351445

**Operating thermostat 2P 38÷78 - 47÷87°C**

capillary L=1500 mm; bulb Ø 6,5x90 mm, 1NC 16A 250V - 1NO 1A 250V, D-shaft 5x6 mm

120525

357866

**Gasket 51x36x7 mm for thermostat**

hole Ø 23 mm

200494

Wash units

359568



Wash/rinse arm 410x410 mm
6 nozzles wash e 4 ugelli rinse - LBC-BHC

359560



Wash/rinse arm 410x410 mm
6 nozzles wash e 4 ugelli rinse - F20-BC

420533

420551

35951



Plate for wash arm

420531

356952



Plug for wash arm F45

356952



Plug for wash arm F45

357480



Rinsing nozzle F45/55

357480



Rinsing nozzle F45/55

357486



Washing nozzle "B"

357486



Washing nozzle "B"

357947



O-ring 2,00x9,50 mm EPDM

358241



Knurled screws M6x8 mm Ø 28

415979



O-ring 1,78x17,17 mm NBR

Wash units

359559



Wash/rinse arm 500x500 mm
LF/LP/F45

359577



Wash/rinse arm L=520 mm
with shaft H=59 mm - C/F/FC/LC

420515

420526

420578

356948



Plug for rinse jets F45

315338



O-ring 3,53x50,80 mm

356952



Plug for wash arm F45

315344



Knurled nut M10 Ø 21 mm H=11 mm

357480



Rinsing nozzle F45/55

315347



Rinse arm shaft M10 Ltot=58 mm

357481



Washing nozzle F45/55

357654



Support for upper jets

357687



Flange bushing Ø 12,2x15,6 mm - H=13 mm

357658



Support for lower jets

358241



Knurled screws M6x8 mm Ø 28

Wash units

359579



Wash arm L=410 mm INOX
hub Øint 14 mm - BC / BHC

359567



Wash arm L=505 mm INOX
hub Ø 12,5 mm - C75 / FC53 / FC54 / FCHR /
LF / LFD

420581

357510



Ring nut 3/4" INOX

420548

357682



Flange bushing Ø 12x16x20 mm - H=12 mm

357713



Bushing 3/4" INOX

357783



Bushing H=44 mm

358280



Knurled nut M10 Ø 30 mm - H=6,6 mm

357784



Lock nut for wash arm center

359613



Rinse arm L=415 mm

Wash units

359613



Rinse arm L=415 mm
BHC/1

359612



Rinse arm L=500 mm
Ø 12 mm - 6 nozzles - FC / C75

430337

357491



Rinsing nozzle

430325

357491



Rinsing nozzle

430330

430332

357713



Bushing 3/4" INOX

357712



Flange bushing Ø 12x14x20 mm - H=7 mm

357950



O-ring 1,00x7,00 mm NBR

357950



O-ring 1,00x7,00 mm NBR

359744



Spring for nozzle

359744



Spring for nozzle

Wash units

359619



Rinse arm L=500 mm
 Ø 12 mm - 6 nozzles - LF322-325-700

430347

342316



Rinse arm shaft M10 Ø 12 mm

357491



Rinsing nozzle

357712



Flange bushing Ø 12x14x20 mm - H=7 mm

357950



O-ring 1,00x7,00 mm NBR

358280



Knurled nut M10 Ø 30 mm - H=6,6 mm

359744



Spring for nozzle

357764



Hub for jets

191022

357650



Support for lower jets

190223

357751



Support for lower jets
 rubber holder Ø 36 mm

190941

357753



Support for lower jets
 inlet Ø 36 mm; outlet Ø 12 mm; outlet Ø 17,5

190943

Wash units

315337



Support for lower jets
rubber holder Ø 11,5 mm - Ø 29 mm

190232

315338



O-ring 3,53x50,80 mm

315343



Support nut

315344



Knurled nut M10 Ø 21 mm H=11 mm

315347



Rinse arm shaft M10 Ltot=58 mm

357658



Support for lower jets

190238

357642



Support for upper jets

190209

357654



Support for upper jets
rubber holder Ø 11,5 mm - Ø 29 mm

190231

357752



Support for upper jets
inlet Ø 28 mm; outlet Ø 12 mm

190942

357779



Wash arm support with rinse arm shaft mounting bottom

191064

357765



Support for lower jets with rinse arm shaft

191025

358059



Feeder hose
Øint 36/est. 44 mm; Øint. 28/est. 36 mm

201090

Wash units

357873



Feeder hose

200611

357477



Blind jet
dim. 25x39x22 mm

170928


357920



Feeder hose

200791

356893



Plug 1/2" plastic

160727

356948



Plug for rinse jets F45

160734

358301



Brass End cap TE 1/2"xh13 mm
Htot. 20 mm; CH 27 mm

290105

356952



Plug for wash arm F45

160736

360251



Cap assembly WRIS

200973

621034/R

356883



Plug for rinse jets \varnothing 9,6/11,8x20 mm

160718

615065



Rinsing nozzle 1/8" - 80 L/h INOX

380314

Wash units

357470



Rinsing nozzle

170911

357487



Rinsing nozzle

170958

615068



Washing nozzle

170915

357481



Washing nozzle F45/55
Øint. 9,8 mm, Øext. 14/27,5 mm, H=18 mm

170947

357471



Washing nozzle

170916

357491



Rinsing nozzle

170963

357479



Blind nozzle

170930

357486



Washing nozzle "B"

170956

357478



Rinsing nozzle

170929

357480



Rinsing nozzle F45/55

170946

Wash units

583252



Washing nozzle

170950

583253



Washing nozzle red

170967

357523



Opposite support
center distance hole 31 mm

180213

615064



Rinse nozzle support 1/8" NEXL-S

315347



Rinse arm shaft M10 Ltot=58 mm

342790

342316



Rinse arm shaft M10 Ø 12 mm
Ltot. 37,5 mm

342772

357510



Ring nut 3/4" INOX

180148

357713



Bushing 3/4" INOX
Ø 14x40 mm

190667

357784



Lock nut for wash arm center
Ø 15,5x36x17,5 mm

191070

357783



Bushing H=44 mm

191069

357493



Ring nut 1"1/2 FC75

180102

Wash units

315343



Support nut

190233

357452



Nozzle support
dim. 12x37 mm; hole Ø 4,5 mm

170704

359744



Spring for nozzle

450236

355951



Plate for wash arm
dim. 56x12x1 mm

140106

140108

357861



Gasket for rinse connect Ø 14x26x10
mm
SE/1

200480

Air-gaps

357798

Air break (softener)
inlet/outlet \varnothing 11/5,5 mm; dim. 325x215x17 mm

191111

357556

Air break \varnothing ext 28x70 mm
connection \varnothing ext 9 mm

180420

357791

Air break
inlet/outlet \varnothing 28/10 mm; dim. 260x165x60 mm

191095

357370

Hose for air chamber 1/2" for F-C 70/75
Ltot 150 mm, pipe \varnothing ext 8 mm, \varnothing ext 6 mm

161306

357376

Air break BHC

161316

357511

Nut Air break \varnothing 65mm

180149

357377

Nut for air break

357929

O-ring 2,62x28,24 mm

357987

Flat gasket \varnothing 25x38x2,2 mm

357377

Nut for air break
connection for pipe \varnothing ext 6 mm

161317

357369

Air break \varnothing 44x110 mm for F45-55-80

161305

Dispensers and Peristaltic pump

315324



Rinse aid hydraulic dispenser
IN Ø 6x8 mm - OUT Ø 4x6 mm

620120

358187



Hexagonal nut M6

358211



Grower washer Ø 6,3 mm INOX

359644



Gasket for rinse Ø 22x32 mm for 315324

360077



Diaphragm rinse injector Ø 80 mm for 315324

700410



Inlet silicone valve for hydraulic pump

700428



Rinse aid hydraulic dispenser
IN Ø 4x6 mm - OUT Ø 4x6 mm

620788

315793



Rinse aid hydraulic dispenser
IN Ø 8x12 mm - OUT Ø 4x6 mm - x mod.
FC3-FC4-GF70-GF90

H35388

700411



Rinse aid peristaltic pump electronic adj. time-pause
mod. G300; max capacity 3,0 lt/h; 230V 50Hz;
hose Ø 5x8 mm

440617

440632

620242

700414



Hose for detergent pump thermoplastic

610862



Detergent peristaltic pump fixed capacity (internal use)
mod. PG-3; fixed flow rate 3 L/h; 0,1 bar;
230V 50Hz cable L=200 mm; hose in Santoprene; installation kit included

440627

365039



PVC transparent hose Ø 4x6 mm (sold by meter)

160105

337007



Filter with nonreturn valve Ø 17 mm
connection for pipe Ø 4x5

180719

180726

360077



Diaphragm rinse injector Ø 80 mm for 315324

630614

Dispensers and Peristaltic pump

359644



Gasket for rinse Ø 22x32 mm for 315324
H=5 mm

440405

700410



Inlet silicone valve for hydraulic pump
mod. S1000/2000/3000

200444

357672



Pipe fitting hydraulic dispenser Ø 7,5 mm
Dispenser 700428; pipe 356342

190339

311413



Pipe fitting 90° M12 mm inox
for hose Ø 4x6 mm

180308

251213

700413



Hose for detergent pump thermoplastic
L=175 mm - rubber holder Ø 5x8 mm

200608

700414



Hose for detergent pump thermoplastic
L=180 mm - in thermoplastic - rubber holder Ø 4x6 mm

200608/1

Solenoid Valves and Reducers

315701

**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 6,7 lt/min; Tmax 90°C

120196

350690

**Solenoid valve 90° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter IN da 6,7
L/m; Tmax 90°C

120197

352509

**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
inlet Ø 3/4" with filter and reducer 8 lt/min;
Tmax 90°C

121104

350485

**Solenoid valve 90° - 2 vie - 24V 50/60Hz -
Ø 10,5 mm - NC**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120124

315696

**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 12 lt/min; Tmax 90°C

120145

H120145

H30933

312259

**Solenoid valve 90° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120179

350660

**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and
reducer 16 lt/min; Tmax 90°C

120188

435409

**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120173

528246

**Solenoid valve 90° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120142

120144

200124

**Solenoid valve 180° - 2 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120146

Solenoid Valves and Reducers

352495



**Solenoid valve 180° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and
reducer 17 lt/min; outlet reducer 0,5 lt/min;
Tmax 90°C

121101

200121



**Solenoid valve 180° - 3 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120175

352592



**Solenoid brass valve L140 - NC - G1/2" -
230V 50/60Hz**
L=41 mm - Pmax. 16 bar - NBR membrane -
Fluid. Temp -10°C++90°C

121170

360085



Coil 220-240V 50/60Hz
faston 6,3x0,8 mm

630969

Ball valves, Pipe fittings

357546



Rubber holder L=53 mm Ø 6 - Ø 8 mm

180313

358354



Rubber holder G3/4" - outlet Ø 13 mm
with gasket Ø 14x23,8x2,1 mm

301001

Ball valves, Pipe fittings

358343



Rubber holder G3/4" - outlet Ø 13 mm
with gasket

300508

700462



T-connection Ø 13-13-13 mm

180403

438092



T-connection Ø 10-6-10 mm

180408

33817

H33817

357662



Y-connection Ø 8-8-5,5 mm

190314

357552



T-connection Ø 11,5x11,5xM11 mm for
by-pass

180411

441675



Backflow preventer dishwasher

190330
620243

280121
620535

460502

353166



T-connection Ø 12-12-12 mm

180413

357553



T-connection Ø 12-12-12-12 mm

180415

Hoses

358054



Hose Ø 28x36x720 mm

201076

358048



Formed hose 90° Ø 26x35 mm - for boiler

201070

H36028

316109



Formed hose EPDM Ø 16x23 mm

201065

358044



Formed hose 90° Ø 28x40 mm

201066

358043



Formed hose Øext/int 19/11 mm

201062

357874

Formed hose 90° Ø 48x59 mm - Ø 45x47 mm
dim. 185x70 mm

200612

357878

Formed hose Ø 24,5x33 mm
dim. 120x50x50 mm

200709

358036

Formed hose 90° Ø 47x57 mm - Ø 29x41 mm
dim. 215x70 mm

201054

358050



Formed hose Ø 23/28 mm

201072

200005



Hose EPDM Ø 5x12 mm (sold by meter)

160121

200129

Hoses

337176

Hose EPDM Ø 8x15 mm (sold by meter)
for hot water; Pmax 10 bar; working temp
-35°C+120°C; Pmax 10 bar

200117

356348

Hose polythene Ø 6,3x8,5 mm

160117

200004

Hose EPDM Ø 11x19 mm - blue - (sold by meter)
Pmax 10 bar; Work Temp. -35°C+110°C; FDA
approved

200118

200122

438475

Rubber feeder hose 3/4" L=2000 mm
straight connection + 90° connection; ring nut
in nickel-plated brass Ø 3/4"F; pipe Ø 10x17
mm; Pmax 15 bar; Tmax 90°C; WRC/WRAS
approved

201036

200002

Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp -35°C+120°C

200113

438436

Rubber feeder hose 3/4" L=2100 mm
straight connection 90° plastic connection;
plastic ring nut Ø 3/4"F; pipe Ø 13x19 mm;
Pmax 10 bar; Tmax 90°C; WRAS/VDE
approved

200764

700457

Hose EPDM Ø 65x74 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200108

615414

Feeder hose with armour 3/4" L=2000 mm
ring nut in nickel-plated brass Ø 3/4"F; Øint 13
mm; Pmax 25 bar; Tmax 100°C; WRAS
approved

200715

H37330

356342

Hose PVC Ø 5x8 mm blue (sold by meter)

160108

160132

358063

**Rubber feeder hose Ø 25 mm 180°+ Ø
12,5 mm L=870 mm**

201097

Hoses

357901

Rubber feeder hose Ø 25 mm 180°+ Ø 13 mm L= 630 mm
 Ø 25x30 mm; Ø 13x21 mm

200759

316102

Drain pipe PPE Ø 19 mm F 180°+ Ø 22 mm 90° L=3000 mm
 muff Ø 19/26 mm, muff 90° Ø 22/28 mm, pipe Ø ext 25 mm

200346

358068

Rubber feeder hose Ø 25 mm 180°+ Ø 10 mm L=1220 mm
 Ø 25x30 mm, Ø 10x18 mm

201111

357820

Drain pipe PPE Ø 28 mm 180° + Ø 28 mm 90° L=720 mm
 muffs Ø 21/28 mm, 90° Ø 21/28 mm, pipe Ø 25 mm

200303

316108

Drain pipe PPE Ø 21 mm 180°+ Ø 21 mm 180° L=3000 mm
 muffs Øint/ext 21/28, pipe Øext 25 mm

200616

438247

Drain pipe PPE Ø 21 mm 180°+ Ø 30 mm M 180° L=2150 mm
 muffs Øint/ext 21/28 mm and 30/34 mm, pipe Øext 26,5 mm

200779

700446

Drain pipe PPE Ø 34 mm 180°+ Ø 28 mm L=3000 mm
 muffs Øint/ext 34x40 mm, pipe Øext 35 mm

200721

Water conditioning

360108



Salt container Ø 123 mm - H=90 mm

631304

321588



Softener 390x200 mm
rubber holder Ø 10 mm

640209

360109



Salt container 1kg Ø 120 mm

631306

360106



Salt container Ø 120 mm - H=114 mm

631302

H25051

357854



Gasket for salt container Ø 67x81,5x6,5 mm

200454

357514



Adaptor for salt container

180158

Drain components

357652



Drain outlet
pipe Ø 30 mm

190225

700342



Drain plate Ø 39x68x39 mm
thread 1/2"

160301

160305

356363



Pipe for outlet 1"1/2 a 90°
Øint. 30 mm

160203

356657



Drain plate H=53 mm
overflow pipe hole Ø 40/38 mm

160310

357839



Flat gasket Ø 33x45x3 mm

200412

356446



Drain plate Ø 1"1/2
Ø 44x58 mm - Mod. FC

160308

315359



Lip gasket Ø 35,5x43x7 mm

200469

357496



Lock nut 1" 1/2

357973



Flat gasket Ø 48x59x2 mm - EPDM

357838



Flat gasket Ø 47x65x4 mm

200410

357496



Lock nut 1" 1/2

180109

Drain components

357508



Lock nut 1"3/4

180145

357454



Overflow pipe Ø 37,5x178 mm

170710

357593



Overflow pipe Øext 26x120 mm

180730

315359



Lip gasket Ø 35,5x43x7 mm

357594



Tank filter Ø 180 mm H=95 mm

357588



Overflow pipe Ø 27x102 mm
BHC

180724

357584



Overflow pipe Ø 25x175 mm

180716

357600



Pump suction filter Ø 100x100 mm

357971



Lip gasket Ø 23x40x6 mm

Drain components

316009



Overflow pipe Ø 37x180 mm

315267



Overflow pipe Ø 38x150 mm

170707

315359



Lip gasket Ø 35,5x43x7 mm

170711

315359



Lip gasket Ø 35,5x43x7 mm

357493



Ring nut 1"1/2 FC75

357496



Lock nut 1" 1/2

357594



Tank filter Ø 180 mm H=95 mm

357601



Tank filter Ø 240 mm H=95 mm

357839



Flat gasket Ø 33x45x3 mm

357838



Flat gasket Ø 47x65x4 mm

416280



O-ring 3,53x34,52 mm NBR

700342



Drain plate Ø 39x68x39 mm

357589



Cover overflow pipe BHC

180725

357509



Ring nut overflow pipe

180147

Drain components

357527



Tank suction basin without overflow Ø
228 mm
raccord 1"1/2

180228

Filters

359942



Water filter 1/2" L=76.5 mm

620209

357594



Tank filter Ø 180 mm H=95 mm
drain holes Ø 54 mm

180808

359007



Filter Ø 90 mm H=105 mm

333006

357601



Tank filter Ø 240 mm H=95 mm
drain holes Ø 54mm

180818

357608



Tank filter Ø 155xh175 mm FMC-LC411
hole Ø 50 mm

180840

357598



Inlet pump protection filter
dim. 50x160 mm

180814

357609



Tank filter Ø 155x200 mm

180842

357604



Tank filter 205x205x73 mm

180824

Filters

357606



Tank filter 250x265 mm

180831

H36266

357607



Filter for tank 250x265 mm

180832

357605



Tank strainer 205x205 mm

180828

358891



Pump suction filter Ø 62x87 mm
BHC

332029

357600



Pump suction filter Ø 100x100 mm

180817

Structural components

357338

Rear panel 613x440x50 mm

161101

161105

Doors

358503Door for dishwasher 565x465 mm
FC54/543/544/HR

322941

358601Door for dishwasher 555x360 mm
F3/F4

323914

358595Door for dishwasher 587x435x36 mm
LF321/LF322/LF324/LF325/LF700

323905

358547Door for dishwasher 600x455x32 mm
FC3E/FC44E/FC4E/FC4M

323163

323203

360253Door for dishwasher 590x435x30 mm
LF321M/LF324M/LF325E/LF700M

681046R

357120

Plug for door Ø 27,5x5 mm

160772

358596

Door for dishwasher 590x435x40 mm

323906

Hinges

359109



Shaft for hinge Ø 6xLtot. 60 mm
thread M6

341927

359896



Left hinge without bolt
dim. 100x28,5x13 mm

510138

359059



Shaft for hinge Ø 6x45 mm

341218

341240

358281



Bush M14 Ø 11x17/19x8,7 mm

280421

358630



Right side hinge with bolt
Ø 11 mm

324188

358629



Left side hinge with bolt
Ø 11 mm

324187

359897



Right hinge without bolt
dim. 100x28,5x13 mm

510139

Thermometers

416427



Thermometer Ø 52 mm 0÷120°C
coated capillary L=2500 mm; bulb Ø 6x38 mm

450907

Small Mechanical Parts

359690



Antivibration Ø 25xH20 mm - M6x18 mm
hole M6

441103

441139

362940



Hexagonal nut M4 - H=3,2 mm INOX
CH7

260402

357712



Flange bushing Ø 12x14x20 mm - H=7
mm

190663

337045



Hexagonal nut M5 - H=4 mm INOX

260403

H25774

357687



Flange bushing Ø 12,2x15,6 mm - H=13
mm

190624

358187



Hexagonal nut M6

260404

357682



Flange bushing Ø 12x16x20 mm - H=12
mm

190617

358196



Hexagonal nut "M6" inox A2 "5587"

260416

Small Mechanical Parts

357244



Plastic hexagonal nut M10 - H=7 mm - in plastic
CH19

160789

358280



Knurled nut M10 Ø 30 mm - H=6,6 mm

280417

H34998

334942



Hexagonal nut M12 - H=10 mm INOX (10 pcs)
CH19

260408

260410

358328



Spacer Ø 5x12x8 mm

290821

358201



Hexagonal nut M14x1 - H=3 mm
CH17

260432

310306



Double wire clamp Ø 7,8x8,3 mm

450115

358250



Hexagonal nut 1/2" - H=11 mm - INOX
CH30 mm

270121

359717



Double wire clamp Ø 8,8÷9,3 mm

450134

315344



Knurled nut M10 Ø 21 mm H=11 mm

280419

359714



Double wire clamps Ø 9,8x10,4 mm

450125

Small Mechanical Parts

359723



Double wire clamp Ø 34,6x36,4 mm

450149

322082



Hose clamp Ø 32÷52/9 mm - INOX

450106

359721



Double wire clamps Ø 37,7x39,7 mm

450143

438464



Hose clamp Ø 32÷50/9 mm - INOX

450107

359713



Hose clamp Ø 8÷14/9 mm - INOX

450123

518655



Hose clamp Ø 40÷60/9 mm - INOX

450135

438480



Hose clamp Ø 12÷22/9 mm - INOX

450102

450103

433052



Hose clamp Ø 16÷27/12 mm in INOX

450104

441699



Hose clamp Ø 25÷40/9 mm - INOX

450139

359703



Hose clamp Ø 25÷40/12 mm - INOX

450105

H25807

Small Mechanical Parts

438463



Hose clamp Ø 50÷70/12 mm - INOX

450109

H25809

356764



Screw Ø 5x16 mm

160550

359719



Hose clamp Ø 15÷20x7 mm

450137

358211



Grower washer Ø 6,3 mm INOX

260512

H25750

359660



Sliding roller Ø 6x37x6,8 mm

440517

H37382

358213

Grower washer Ø 10,2x18,1x2,2 mm
INOX

260514

357333

Sliding plate for tie rod
dim. 5x17x30 mm

160905

358209



Grower washer Ø 4,2x7,2x1 mm INOX

260510

358925



Pin Ø 7,7/5,8x21 mm

332153

358226



Grower washer M5 INOX

260542

Small Mechanical Parts

358203



Flat washer Ø 4,3x9x0,8 mm INOX

260502

H25743

358162



Raised countersunk head screw M4x12 mm

260226

358222



Flat washer M6 Ø 6,6x18x1,6 mm INOX

260538

350781

358160



Raised countersunk head screw TB M5x12 mm - INOX

260223

300156

432605



Flat washer M6 Ø 6,4x11,6x1,6 mm INOX

260504

H25746

H30940

358161



Raised countersunk head screw TB M6x20 mm - INOX

260224

260239

358216



Flat washer Ø 7,6x22 mm INOX

260530

358145



Cylinder head bolts TCP M3x10 - INOX

260201

358221



Flat washer Ø 13x2013x0,8 mm INOX

260537

358148



Cylinder head bolts TCP M4x16mm INOX

260205

Small Mechanical Parts

358149



Cylinder head bolts TCP M4x22 - INOX

260206

316196



Hexagon head screw TE M6x25 mm INOX

260106

310175



Hexagon head screw TE M4x12 mm

260151

358122



Hexagon head screw TE M6x35 mm INOX

260110

351982



Hexagon head screw TE M6x10 mm INOX

260100

260102

358123



Hexagon head screw TE M8x16 mm INOX A2

260112

260147

315421



Hexagon head screw TE M6x12 mm INOX CH10

260103

358127



Hexagon head screw M8x35 mm

260116

358118



Hexagon head screw TE M6x16 - INOX

260104

H25715

357243



Hexagon head screw M10x16 mm

160788

Small Mechanical Parts

381681



Countersunk screws M6x12 mm

260317

358241



Knurled screws M6x8 mm Ø 28

261004

261009

358233



Sheet metal screws 3,9x13 inox uni 6954

260706

Shaft sealing

412572



Shaft sealing Ø 24x10x14 mm/
counter-seal Ø 26x13x8 mm
for pump with shaft Ø 11 mm

630510
630543

630514

630523

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

630501

360068



Shaft sealing Ø 24x11x15 mm/
counter-seal Ø 26x14x5,5 mm

630526

630536

360064



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø 26x14x8 mm

630530

Shaft sealing

412354



Shaft sealing \varnothing 24x12x16 mm /
counter-seal \varnothing 26x12x8 mm
shaft sealing in TEFLON

630522

630524

630541

Lockings

357558



Snap lock "BR-BC-FC-F"
dim. 45x17,5 mm - H=23 mm

180506

357559



Snap lock If 2006
dim: 35x17,5 mm

180508

357575



Right guide L=76 mm

180656

H37784

Knobs

311704



Knob \varnothing 41,5 mm 0÷90 °C
D-shaft \varnothing 6x4,6 mm

450315

359754



Knob \varnothing 40 mm
connection 5x5 mm

450323

Knobs**359752**

Knob Ø 42 mm - H=27 mm
connection 5x5 mm

450316

357771

Frame for thermostat knob Ø 56 mm

191040

Boilers**358684**

Boiler 1 Heating element
Ø 140x420 mm; Ltot.=565 mm

330372

358682

Boiler 1 Heating element LF2004
Ø 150x450 mm; hole Ø 58 mm, bulbholder

330368

358672

Boiler 1 Heating element
C1000/1300-FC-LC
Ø 155x500 mm

330331

330342

Springs

359742



Compression springs BHC \O ext 41xH60 mm

450232

359439



Tension spring \O 13x195 mm
FC4

391334

359440



Torsion spring wire \O 3 mm
for shaft \O 12 mm

391335

357721



Bush \O int. 4/8 mm \O ext. 11/30 mm: H14 mm

190679

359441



Tension spring \O 12xLtot185 mm
wire \O 1,5 mm - FC3

391336

356765



Spring support \O 6,3x8,5x7 mm

160552

359748



Tension spring \O 13x78 mm
wire \O 2,5 mm - LF2006/GF70

450288

H36860

360458



Door spring bracket
dim. 21x22x38 mm

H36626

359750



Tension spring \O 13x145 mm
wire \O 2 mm - LFD/BC

450290

H37675

359037



Shaft for spring M3x10,5 mm

340416

Printed Circuit Boards

353358



Motherboard 100x100 mm
F3E / F4E / LC / LF 322E

121313

353184



Motherboard 180x100 mm
FC5 / GF90 / LF320LA / LF400A

121237

353344



Motherboard 100x100 mm
LFD 32M

121310

H37845

353310



Motherboard 230V 50/60Hz
BHC / C / FC / GF / LB / LC / LF

121287

353364



Motherboard 100x100 mm
F3M / F4M

121318

353333



Motherboard 145x105 mm
FC3E / FC44E / FC4E

121301

353340



Motherboard 100x100 mm
BC 2E / BC 33E / BC 3E / LFD 32E

121307

H37577

353359



Motherboard 145x105 mm
C 800E RCD / F3EHR

121315

353334



Motherboard
FC3M / FC4M

121302

353343



Motherboard 105x145 mm

121309

Printed Circuit Boards

319044



Motherboard serie
BHC30E / LF325E

121354

353332



Interface board
C / F3EHR / F4EHR / FC3E / FC4E

121300

353321



Motherboard 100x70 mm

121291

353361



Interface board 170x28 mm
BC / F3E / F4E / GE / LC

121316

353338



Interface board 170x28 mm
BC / GE / LFD

121305

350439



Cable for pcb L=500 mm 10 poles

110498

353339



Interface board 85x28 mm
BC / GE / LC / LFD

121306

350394



Cable for pcb L=1250 mm
FC06-C-G

110482

353366



Interface board 9.3.00.80g
F3E / F4E / GF70E / LF 322E

121319

358747



Bushing for Pcb fixing
Øext. 6/15 H=9 mm, for screw M3

330893

Printed Circuit Boards

356736



Electronic card spacer

160537

Probes

351996



Probe NTC C-G
cable L=250 mm

120960

351988



Short probe for bhc Ø 4 mm
thread M4/M10

120951

351983



Temperature probe PT100
bulb Ø 6x76 mm; cable L=680 mm

120943

351901



Temperature probe PT100
bulb Ø 6x60 mm; cable L=12 mt; CH27

120928

351995



Long probe for bhc Ø 4 mm
thread M4/M10

120954

Membranes

359863



Membrane keypads 585x44 mm

461343

359862



Membrane keypads 44x584 mm

461340

Gaskets for dishwashers

357999

Door gasket L=455 mm - BC
dim. 16x8 mm



200969

357817

Door gasket L=590 mm - LF2006 new
dim. 16x8 mm



200217

200219

200221

360235

Door gasket L=595 mm - LF
dim. 18,5x13,5 mm



200216R

357975

Door gasket 20x1000 mm



200901

200923

O-rings

357950

O-ring 1,00x7,00 mm NBR



200850

532922

O-ring 1,78x6,75 mm NBR



200818

O-rings

531952



O-ring 1,78x8,73 mm NBR

200809

583254



O-ring 2,40x9,60 mm NBR

200887

435313



O-ring 1,78x12,42 mm NBR

200824

200843

438166



O-ring 2,62x9,13 mm

200845

415979



O-ring 1,78x17,17 mm NBR

200812

357932



O-ring 2,62x9,92 mm

200810

438348



O-ring 1,78x20,35 mm NBR

200849

357930



O-ring 2,62x13,10 mm EPDM

200806

357947



O-ring 2,00x9,50 mm EPDM

200844

357929



O-ring 2,62x28,24 mm

200805

O-rings

357960



O-ring 2,62x45,69 mm

200867

H28226

425696



O-ring 3,53x37,69 mm EPDM

200822

200830

357955



O-ring 3,00x43,00 mm

200855

315338



O-ring 3,53x50,80 mm

200808


357956



O-ring 3,00x81,00 mm

200856

357946



O-ring 3,53x53,57 mm - NBR

200842

H31948

357961



O-ring 3,53x20,22 mm NBR

200869

357945



O-ring 3,53x78,97 mm NBR

200834

630416

416280



O-ring 3,53x34,52 mm NBR

200814

435303



O-ring 5,34x46,99 mm NBR

200820

O-rings

435067



O-ring 5,34x56,52 mm NBR

200815

357943



O-ring 5,34x81,92 mm EPDM

200829

Adhesive Gasket

357847



Gasket adhesive EPDM 6x3 mm (sold by meter)

200433

Flat gaskets

441494



Flat gasket Ø 27x37x2 mm - Fiber

460503

357987



Flat gasket Ø 25x38x2,2 mm

200944

582600



Flat gasket Ø 10x18x2 mm

200870

357327



Gasket 35x14x3 mm

160837

Flat gaskets

357840



Flat gasket Ø 10x18,5x3 mm - EPDM

200415

357967



Flat gasket Ø 66x92x2 mm - EPDM

200906

357858



Flat gasket Ø 11x15x2 mm - EPDM

200467

357322



Flat gasket Ø 6,2x13,75x2 mm - PTFE

160826

414967



Flat gasket Ø 16x24,5x2 mm - EPDM

200461

357315



Gasket Ø 8x16x4 mm

160805

357978



Flat gasket Ø 21x30x2,7 mm - EPDM
C95-155

200927

357841



Flat gasket Ø 13,5x24x2,2 mm -
Neoprene

200416

357973



Flat gasket Ø 48x59x2 mm - EPDM

200919

357869



Flat gasket Ø 47x65x2 mm - Neoprene

200498

Flat gaskets

357863



Flat gasket Ø 72x86x2 mm - Neoprene

200489

357971



Lip gasket Ø 23x40x6 mm

200917

357330



Flat gasket 1/2"

160841

Dishwashing Baskets

337095



Container cutlery 55x130x100 mm
2 compart

660519

Feet

358073



Foot M10x38 mm
Ø 60,5 mm - H=31 mm

210203

356702



Foot support plastic H=116,5 mm
flange 109x60 mm; thread M10

160509



Hood Type

Electrical Parts

Water Parts

Mechanical Parts

Electronic Parts

Gaskets

Accessories

Switches, Push Buttons, Selectors

354705

**Push Button 25x25 mm**

16A 250V - Tmax 100°C; connection 6,35x0,8 mm

130444

364250

**Push button unipolar 1NO 16A 250V - ROLD**

130449

354730

**Momentary rocker switch 25x25 mm**

16A 250V - Tmax 100°C; connection 6,35x0,8 mm

130447

411602

**Momentary rocker switch 16A 250V - ROLD**
T 150°C

130487

354743

**Momentary rocker switch grey 25x25 mm**

16A 250V - Tmax 100°C; connection 6,35x0,8 mm

130451

357627

**Support for switch BC/BE/FC - ROLD**

190140

354742

**Double-pole push button grey 25x25 mm**

16A 250V - Tmax 100°C; connection 6,35x0,8 mm

130450

359774

**Cover for push button Ø 23 mm**

450352

354944

**Push Buttons on/off green 2CO 250V 16A**

dim. 28,5x52,6mm - Tmax 150°C; connection 6,35x0,8 mm

130495

359769

**Cover for push button Ø 21,2x11,2 mm - ROLD**
shaft Ø 3,7 mm

450345

Lamps and Lamp Holders

420996



Red pilot lamp 240V Ø 9x60 mm
 Lens Ø 13 mm, with nut and silicon O-ring

130120

353385



Orange pilot lamp 230V Ø 9,5x30 mm
 lens Ø 6 mm - cables L=250 mm

130159

435511



Green pilot lamp 240V Ø 9x60 mm
 Lens Ø 13 mm, with nut and silicon O-ring

300121

353398



Green pilot lamp Ø 9,5x30 mm - a led
 lens Ø 6 mm cables L=250 mm

130181

316575



Orange pilot lamp 240V Ø 10 mm self-locking
 lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
 Tmax 120°C

130116

340422



Green pilot lamp 250V Ø 9,5x30 mm
 lens Ø 6 mm cables L=250 mm

130157

610374



Red pilot lamp Ø 10 mm 240V self-locking
 lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
 Tmax 120°C

130103

353389



Pilot lamp 25x25 mm
 16A 220V - connection 6,35x0,8 mm

130176

353555



Green pilot lamp led 5V Ø 9,5x30 mm
 cables L=170/200 mm

130196

353383



Red lamp 250V 50/60Hz
 dim. 80x60x80 mm

130156

Lamps and Lamp Holders

340411



Orange lamp lens Ø 6 mm - L=10 mm

130706

355599



White lamp lens Ø 6 mm - L=10 mm

130707

318084



Green lamp cap Ø 6 mm - L=10 mm

130708

Contactors and Relays

351299



Contactor B6-30-01
 4kW 3P; 220/240V 50/60Hz 440V; 3 cont. NO
 + 1 aux NC

120461

351725



Overload relay 2,0÷3,3A - contact
1NO+1NC
 contactor 350909

120869

350909



Contactor BF901A230
 4,2kW 3P; 230ACV 50Hz 400V 3 cont. NO + 1
 aux NO

120444

120481

351726



Overload relay 3,0÷5,0A - contact
1NO+1NC
 contactor 350909

120870

Contactors and Relays

350897



Contactor LC1D09M7 230V
4kW 3P; 230V 50Hz 400V 3 cont. 1NO+1NC

120434

351268



Relay 1 contacts 230VAC 50/60Hz 16A
250V
Faston 6.3x0.8 mm

120460

351401



Relay 2 contacts 230V 16A
Faston 6.3x0.8 mm

120495

435162



Relay 3 contacts 230V 50/60Hz 16A
Faston 6.3x0.8 mm

120447

120459

Microswitches

350831



Limit switch with wheel 1NO/1NC 3A 400V
L=98mm lar.40mm H=35mm kind of protection IP67

120320

358847



Support for 350831

350889



Limit switch with lever 1NO/1NC 3A 400V
L=141 mm lar.40mm H=35 mm kind of protection IP67

120335

120343

120364

350835



Limit switch with button 1NC/1NO 3A 400V
dim. 92x40x35 mm; kind of protection IP67

120322

350891



Magnetic microswitch E510 1NO 250V 0,04A
dim. 32,3x13,3x8 mm; cable L=580 mm; faston 6,3x0,8 mm

120366

350867



Magnetic microswitch E530 1C NO 250V 0.4A
cable L= 300 mm, micro 65x20x9 mm

120348

359536



Magnet Ø 8x40 mm SE/1

411001

359537



Magnet 24x12x5 mm se/1

411002

357734



Magnet holder 29x15 mm

190805

190806

350883



Micro Float switch Ø 18x55 mm
cabel L=1400 mm; thread M16

120358

Terminal Boards

439223



Terminal board 6-poles 6 mmq no bypass installed
 capacity 450V 40A; T_{min}-max -5/+150°C;
 faston 6,3x0,8 mm

130321

356005



Terminal board 3-poles 16 mmq
 capacity 600V; connection screw

150233

356006



Terminal block 16 mm²

150234

Pressure Switches

355083



Pressure switch 1 level 45/22 mbar
 contacts capacity 16A 250V; T_{max} 85°C

130621

312107



Pressure switch 1 level 70/40 mbar
 contacts capacity 16A 250V; T_{max} 85°C

130604

337838



Pressure switch 1 level 50/30 mbar
 contacts capacity 16A 250V; T_{max} 85°C

130605

130622

355278



Pressure switch 1 level 75/45 mbar
 contacts capacity 16A 250V; T_{max} 85°C

130632

Pressure Switches

312093

Pressure switch 1 level 190/80 mbar
contacts capacity 16A 250V; Tmax 85°C

130616

355151

**Pressure switch 3 level 110/70 50/30
50/30 mbar**
contacts capacity 16A 250V; Tmax 85°C

130628

355403

**Pressure switch high pressure wp
28bar**
hose Ø 6,3x55 mm; cable L=2000 mm

130643

Timers

310460

Timer 6 chambers
75-120-180 sec; 230V 50Hz; 230V 50Hz; cavi
L=290 mm

120207

120209

120266

120267

120275

121218

Fans

347475

**Tangential fan Ø 60x360 mm; 42W 230V
50Hz**
cables L=1730 mm

100555

Fuses, Capacitors, RFI Filters

418004



Capacitor for power factor correction 5 μ F 400V 50/60Hz
 Ø 30x51 mm; with screw M8

631208

318417



Capacitor for power factor correction 14 μ F 400/450V 50/60Hz
 Ø 30x71 mm; with screw M8

631220

610850



Capacitor for power factor correction 6,3 μ F 450V 50/60Hz
 Ø 30x50 mm; with screw M8

631216

344792



Capacitor for power factor correction 16 μ F 450V 50/60Hz
 Ø 30x71 mm; with screw M8

631202

342369



Capacitor for power factor correction 8 μ F 450V 50/60Hz
 Ø 30x71 mm; with screw M8

631201

441189



Capacitor for power factor correction 10 μ F 400V 50/60Hz
 Ø 35x77 mm; with screw M8

631206_

332311



Capacitor for power factor correction 10 μ F 400/450V 50/60Hz
 Ø 30x71 mm; with screw M8

631206

338358



RFI filter 250V Ø 32x32 mm
 0.47 μ F (x2) + 2x0.025 μ F(Y2) + 1MoHm; with screw M8

631209

344822



Capacitor for power factor correction 12,5 μ F 450V 50/60Hz
 Ø 30x71 mm; with screw M8

631207

H25555

435516



Fuse Ø 5x20 mm 0,25A 250V slow

130273

Fuses, Capacitors, RFI Filters

435523



Fuse Ø 5x20 mm 0,4A 250V slow

130263

354335



Fuse Ø 5x20 mm 5A slow

130274

312599



Fuse Ø 5x20 mm 1A 250V slow

130264

320007



Fuse Ø 5x20 mm 6,3A 250V slow (10 pcs)

130275

397484



Fuse Ø 5x20 mm 1,6A 250V slow (10 Pcs)

130265

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

130270

451463



Fuse Ø 5x20 mm 4A slow

130266

Motors

350868



**Sensor injection M12x1 - L=73 mm PNP
NO H S**

120355

Pumps

348621



**Drain pump 100W 230V 50Hz with filter
inlet**
inlet Ø 30 mm, outlet Ø 22 mm

100803

359996



Shell for pump with filter 348621

349056



Drain pump 30W 220/240V 50Hz
inlet Ø 30 mm, outlet Ø 24 mm - faston
connection 6,3x0,8 mm

100890

Pumps

348599



Wash pump 1 phase 740W 1,0Hp 230V 50Hz
inlet Ø 53 mm; outlet Ø 63 mm

348299



Wash pump 3 phases 1100W 1,5Hp 220/380V 50Hz
inlet Ø 63 mm, outlet Ø 53 mm

100801

344792



Capacitor for power factor correction 16µF 450V 50/60Hz

100663

100664

100797

342464



Gasket for pump FIR H=4x4 mm

359995



Shell for pump

359995



Shell for pump

360020



Fan cover Ø 145 mm

360118



Impeller Ø 110 mm 50Hz

360032



Cooling fan Ø 131 mm

412572



Shaft sealing Ø 24x10x14 mm / counter-seal Ø 26x13x8 mm

360152



Impeller Ø 100 mm 50Hz

459651



Fan cover Ø 157 mm

412573



Shaft sealing Ø 24x11x15,5 mm / counter-seal Ø 26x13x8 mm

583376



Gasket for pump FIR

Pumps

348178



**Wash pump 3 phases 1500W 220/415V
5,9/3,4A 50Hz**
inlet Ø 53 mm; outlet Ø 63 mm; 2800rpm

347842



**Wash pump 3 phases 1500W 230/400V
50Hz**
inlet Ø 63 mm, outlet Ø 53 mm

100795

342235



Cooling fan Ø 142 mm

100361

100380

100716

342464



Gasket for pump FIR H=4x4 mm

359995



Shell for pump

360111



Impeller Ø 124 mm

360111



Impeller Ø 124 mm

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**

459651



Fan cover Ø 157 mm

583376



Gasket for pump FIR

Pumps

348139



Wash pump 3 phases 2200W
220-240/380-415V 50Hz
inlet Ø 63 mm, outlet Ø 53 mm

100786

342464



Gasket for pump FIR H=4x4 mm

342506



Impeller Ø 124 mm

360002



Fan cover Ø 175 mm

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm

348302



Wash pump 3 phases 1100W 230/400V
5,1-3,1A
inlet Ø 51,5 mm, outlet Ø 61,85 mm, 2800 rpm

100798

359994



Shell for pump

360017



Fan cover Ø 160 mm

360031



Cooling fan Ø 145 mm

360044



Gasket for pump 3,53x158,34 mm

360139



Impeller Ø 120 mm

610895



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø26x14x8 mm

Pumps

348180



**Wash pump 3 phases 1500W 230/400V
7,3/4,1A 50Hz DX**
inlet Ø 62 mm, outlet Ø 52 mm

312017



**Rinse pump 1 phase 290W 230V 1,3A
50Hz**
inlet Ø 27,5 mm, outlet Ø 25,5 mm, cable
L=500 mm

100796

359994



Shell for pump

100802

359993



Shell for pump

360017



Fan cover Ø 160 mm

360143



Impeller Ø 71 mm

360031



Cooling fan Ø 145 mm

610850



Capacitor for power factor correction
6,3µF 450V 50/60Hz

360044



Gasket for pump 3,53x158,34 mm

434969



**Rinse pump 1phase 350W 230V 50Hz -
PS45DX LGB**
inlet/outlet F3/8"; 2800 rpm - C=8 µF; cable
L=300 mm with 4-pins plug

360139



Impeller Ø 120 mm

100736

610895



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø26x14x8 mm

610895



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø26x14x8 mm

342297



Pump flange

630223

Pumps

359996



Shell for pump with filter 348621
inlet Ø 30 mm; outlet Ø 22 mm

630139

359993



Shell for pump
inlet Ø 27,5 mm; outlet Ø 25,5 mm; for pump
LGB zf131dx

630136

359983



Shell for pump
inlet Ø 45 mm; outlet Ø 41 mm

630113

360009



Pump flange 1hp lgb
dim. 160x142x33 mm; hole Ø 15 mm

630241

359994



Shell for pump
inlet Ø 62 mm; outlet Ø 52 mm

630137

359998



Pump cover
inlet Ø 31 mm; outlet Ø 37 mm

630144

342610



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

630114

342532



Impeller Ø 96 mm

631619

359995



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

630138

360143



Impeller Ø 71 mm
for shaft Ø 8 mm; ZF131DX

631698

Pumps

360110



Impeller Ø 85 mm
D-shaft Ø 8x9 mm

631617

360111



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631618

360120



Impeller Ø 103 mm 50Hz

631627

631656

360139



Impeller Ø 120 mm
ZF800DX

631692

360119



Impeller Ø 96 mm

631654

342506



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631620

631655

360152



Impeller Ø 100 mm 50Hz

632501

360029



Cooling fan Ø 123 mm

630325

360118



Impeller Ø 110 mm 50Hz

631653

360032



Cooling fan Ø 131 mm

630330

Pumps

342235



Cooling fan Ø 142 mm
Ø int. 15 mm

630306

583376



Gasket for pump FIR
flat profile in NBR

630411

630436

360031



Cooling fan Ø 145 mm
Ø int. 19 mm

630329

360003



Fan cover Ø 140 mm

630219

360034



Gasket for pump

630410

360020



Fan cover Ø 145 mm

630254

360044



Gasket for pump 3,53x158,34 mm

630426

H33855

459651



Fan cover Ø 157 mm

630253

342464



Gasket for pump FIR H=4x4 mm
EPDM

630411_

360017



Fan cover Ø 160 mm

630251

Pumps

360002



Fan cover Ø 175 mm

630216

Heating Elements

350039



Boiler heating element 2200W 230V
L=225 mm; triangular flange H=87 mm Ø 53 mm

110361

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

350012



Boiler heating element 4200W 230/400V
L=340 mm; triangular flange H=90 mm Ø 50 mm

110331

357339



Heating element cover Ø 58x61x54 mm

435067



O-ring 5,34x56,52 mm NBR

349345



Boiler heating element 3000W 230/400V
L=344 mm; triangular flange H=90 mm Ø 50 mm

110226

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

350023



Boiler heating element 7000W 230/400V
L=350 mm; triangular flange H=90 mm; bulbe housing Ø 7 mm

110333

Heating Elements

315463



Boiler heating element 8000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

350175



Boiler heating element 10000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110343

357347



Heating element cover Ø 58x61x42 mm

110388

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

435067



O-ring 5,34x56,52 mm NBR

312215



Boiler heating element 9000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

350234



Boiler heating element 14000W 230/400V
 L=510 mm; triangular flange 92,4x89,4 mm
 Øint. 60 mm; with bulb housing L=285 mm

110362

357339



Heating element cover Ø 58x61x54 mm

110392

352113



Boiler heating element 6000W 230V
 L=345 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; with bulb housing Ø 7,5x295
 mm; connection M5

357347



Heating element cover Ø 58x61x42 mm

110349

435067



O-ring 5,34x56,52 mm NBR

435067



O-ring 5,34x56,52 mm NBR

350001



Tank heating element 2000W 230V
 dim.40x21mm

110291

Heating Elements

349428



Tank heating element 3000W 230/400V
L=380 mm; flange 80x25 mm

110227

357347



Heating element cover Ø 58x61x42 mm

161123

357339



Heating element cover Ø 58x61x54 mm

161102

Commutators

351473



Commutator 0-1 position
shaft 5x5x25 mm - 16A 400V 50/60Hz

120712

351478



Commutator 0-4 positions
shaft 5x5x25 mm - 20A 400V 50/60HZ

120713

351506



Commutator 0-5 positions
shaft 5x5 mm - 16A 400V 50/60HZ

120751

351487



Commutator 0-6 positions
shaft 5x5 mm L=25 mm - 16A 400V

120729

Commutators

359669

Snap ring \varnothing 9,4x11x6 mm

440817

Cables

356305



Pressacavo

150833

Thermostats

351409



Bi-metal thermostat 130°C
with manual reset; 16A 250V

120518

351411



Operating thermostat 1P 30÷90°C
capillary L=1000 mm; bulb \varnothing 9x51, mm;
D-shaft 6x4,5 mm

120522

351450



Operating thermostat 1P 0÷87°C
capillary L=1500 mm; bulb \varnothing 6.5x95 mm; 1NO
16A 250V - 1NO 6A 250V

120530

351445



Operating thermostat 2P 38÷78 - 47÷87°C
capillary L=1500 mm; bulb \varnothing 6,5x90 mm, 1NC
16A 250V - 1NO 1A 250V, D-shaft 5x6 mm

120525

351402



Operating thermostat 1P 0÷90°C
coated capillary L=1500 mm; bulb \varnothing 6,5x97
mm; D-shaft 6x4,6 mm; 1NC 16A 250V - 1NO
6A 250V

120501

351413



Safety thermostat 1P 110°C
bulb \varnothing 6x50 mm

120523

Thermostats

351410



Security thermostat 1P 95-135°C
bulb Ø 5x130 mm; 1CO 16A

120519

620527

359783



Thermostat shield for 2 termos
connection 1/2"; Ltot.=130 mm

450514

450516

Wash units

359559



Wash/rinse arm 500x500 mm
LF/LP/F45

359577



Wash/rinse arm L=520 mm
with shaft H=59 mm - C/F/FC/LC

420515

420526

420578

356948



Plug for rinse jets F45

315338



O-ring 3,53x50,80 mm

356952



Plug for wash arm F45

315344



Knurled nut M10 Ø 21 mm H=11 mm

357480



Rinsing nozzle F45/55

315347



Rinse arm shaft M10 Ltot=58 mm

357481



Washing nozzle F45/55

357654



Support for upper jets

357687



Flange bushing Ø 12,2x15,6 mm - H=13 mm

357658



Support for lower jets

358241



Knurled screws M6x8 mm Ø 28

Wash units

359567



Wash arm L=505 mm INOX
hub Ø 12,5 mm - C75 / FC53 / FC54 / FCHR / LF / LFD

420548

357682



Flange bushing Ø 12x16x20 mm - H=12 mm

357783



Bushing H=44 mm

357784



Lock nut for wash arm center

360249



Wash arm L=530 mm
hole Ø 20 mm - C / LC / PC09 / PC12

420572R

358736



Hub for wash arm Ø 24,5x53 mm

359581



Wash arm 505x505 mm
hub Ø 12 mm

420585

359556



Wash arm 508x508 mm
C / LC

420511

357477



Blind jet

357523



Opposite support

357685



Flange bushing Ø 20x25x28 mm - H=20 mm

359049



Shaft for support H=136 mm

435313



O-ring 1,78x12,42 mm NBR

359554



Wash ramp C-LC 2001
dim. 900x320 mm, raccord for pipe Ø 47 mm

420423

Wash units

359607



Rinse arm L=490 mm
hole for hub Øint 12 mm, with Nozzles "314" - C / HC / XLC

359618



Rinse arm L=500 mm
hole for hub Øint 12 mm - LC700/900/1200

430316

357694



Flange bushing Ø 12x16x20 mm - H=10 mm

430343

357491



Rinsing nozzle

358241



Knurled screws M6x8 mm Ø 28

357694



Flange bushing Ø 12x16x20 mm - H=10 mm

359731



Spring fixing

357950



O-ring 1,00x7,00 mm NBR

531952



O-ring 1,78x8,73 mm NBR

358241



Knurled screws M6x8 mm Ø 28

615065



Rinsing nozzle 1/8" - 80 L/h INOX

359731



Spring fixing

359744



Spring for nozzle

Wash units

359612



Rinse arm L=500 mm
Ø 12 mm - 6 nozzles - FC / C75

359606



Rinse arm L=505 mm
LC 380 / C140 / C34

430325

430330

430332

430308

357491



Rinsing nozzle

356883



Plug for rinse jets Ø 9,6/11,8x20 mm

357712



Flange bushing Ø 12x14x20 mm - H=7 mm

357470



Rinsing nozzle

357950



O-ring 1,00x7,00 mm NBR

357478



Rinsing nozzle

359744



Spring for nozzle

357479



Blind nozzle

357523



Opposite support

358241



Knurled screws M6x8 mm Ø 28

532922



O-ring 1,78x6,75 mm NBR

Wash units

358966



Rinse hose Ø 7/8x300 mm

332526

357641



Support for upper jets

190206

357764



Hub for jets

191022

315337



Support for lower jets
rubber holder Ø 11,5 mm - Ø 29 mm

190232

359049



Shaft for support H=136 mm

340499

315338



O-ring 3,53x50,80 mm

315343



Support nut

358736



Hub for wash arm Ø 24,5x53 mm
ring nut Ø 48,5 mm

190673
330824R

190675

330824

315344



Knurled nut M10 Ø 21 mm H=11 mm

315347



Rinse arm shaft M10 Ltot=58 mm

357653



Support for upper/lower jets
Ø 74 mm - H=142 mm

190227

357658



Support for lower jets

190238

Wash units

359902



Support for upper jets

510238

510503

357477



Blind jet
dim. 25x39x22 mm

170928


356948



Plug for rinse jets F45

160734

356893



Plug 1/2" plastic

160727

356952



Plug for wash arm F45

160736

358301



Brass End cap TE 1/2"xh13 mm
Htot. 20 mm; CH 27 mm

290105

357083



Plug for wash arm "c"

160768

360251



Cap assembly WRIS

200973

621034/R

356883



Plug for rinse jets Ø 9,6/11,8x20 mm

160718

615065



Rinsing nozzle 1/8" - 80 L/h INOX

380314

Wash units

357470



Rinsing nozzle

170911

357487



Rinsing nozzle

170958

615068



Washing nozzle

170915

357481



Washing nozzle F45/55
Øint. 9,8 mm, Øext. 14/27,5 mm, H=18 mm

170947

357471



Washing nozzle

170916

357491



Rinsing nozzle

170963

357479



Blind nozzle

170930

357480



Rinsing nozzle F45/55

170946

357478



Rinsing nozzle

170929

357523



Opposite support
center distance hole 31 mm

180213

615064



Rinse nozzle support 1/8" NEXL-S

Wash units

315347



Rinse arm shaft M10 Ltot=58 mm

342790

357499



Nut 3/8" - H=18,4 mm
hole Ø 10,5 mm

180123

357784



Lock nut for wash arm center
Ø 15,5x36x17,5 mm

191070

357783



Bushing H=44 mm

191069

357792



Rinse collector C-LC2001
pipe-fitting Ø 13 mm

191100

357493



Ring nut 1"1/2 FC75

180102

357530



Support for suction filter AC91

180236

357776



Suction hose cover Ø 130xh70 mm
C85-C155

191057

357716



Bush Ø 20x32/35x19 mm

190671

357502



Ring nut Ø 65,4 mm
C140-85-155

180128

Wash units

357452



Nozzle supprt

dim. 12x37 mm; hole Ø 4,5 mm

170704

359744



Spring for nozzle

450236

359731



Spring fixing

450218

355951



Plate for wash arm

dim. 56x12x1 mm

140106

140108

357992



Gasket 70x60x3 mm

200955

Air-gaps

357791



Air break
inlet/outlet \varnothing 28/10 mm; dim. 260x165x60 mm

191095

357372



Air break Ltot.170 mm
connection 1/2"

161310

161324

357368



Air break \varnothing 49x72 mm
with connection M10

161303

357371



Air break L=260 mm \varnothing ext 34 mm

161308

161323

700343



Air break \varnothing 49x124 mm
with connection M10

161301

357370



Hose for air chamber 1/2" for F-C 70/75
Ltot 150 mm, pipe \varnothing ext 8 mm, \varnothing ext 6 mm

161306

357369



Air break \varnothing 44x110 mm for F45-55-80

161305

357374



Hose for Air break L=400 mm
connection \varnothing 30 mm, pipe \varnothing int 5 mm for 357371

161312

357556



Air break \varnothing ext 28x70 mm
connection \varnothing ext 9 mm

180420

357378



Hose for Air break L=2500 mm C2001
connection \varnothing 30 mm, pipe \varnothing int 5 mm for 357371

161320

Air-gaps

357511



Nut Air break Ø 65mm

180149

Dispensers and Peristaltic pump

315324



Rinse aid hydraulic dispenser
IN Ø 6x8 mm - OUT Ø 4x6 mm

620120

358187



Hexagonal nut M6

358211



Grower washer Ø 6,3 mm INOX

359644



Gasket for rinse Ø 22x32 mm for 315324

360077



Diaphragm rinse injector Ø 80 mm for 315324

700410



Inlet silicone valve for hydraulic pump

700428



Rinse aid hydraulic dispenser
IN Ø 4x6 mm - OUT Ø 4x6 mm

620788

700411



Rinse aid peristaltic pump electronic adj. time-pause
mod. G300; max capacity 3,0 lt/h; 230V 50Hz;
hose Ø 5x8 mm

440617

440632

620242

700414



Hose for detergent pump thermoplastic

365039



PVC transparent hose Ø 4x6 mm (sold by meter)

160105

Dispensers and Peristaltic pump

337007

Filter with nonreturn valve Ø 17 mm
connection for pipe Ø 4x5

180719

180726

700414

Hose for detergent pump thermoplastic
L=180 mm - in thermoplastic - rubber holder Ø
4x6 mm

200608/1

360077

Diaphragm rinse injector Ø 80 mm for
315324

630614

700410

Inlet silicone valve for hydraulic pump
mod. S1000/2000/3000

200444

359644

Gasket for rinse Ø 22x32 mm for 315324
H=5 mm

440405

357672

Pipe fitting hydraulic dispenser Ø 7,5
mm
Dispenser 700428; pipe 356342

190339

311413

Pipe fitting 90° M12 mm inox
for hose Ø 4x6 mm

180308

251213

Solenoid Valves and Reducers

352509

**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
inlet Ø 3/4" with filter and reducer 8 lt/min;
Tmax 90°C

121104

360085

Coil 220-240V 50/60Hz
faston 6,3x0,8 mm

630969

315696

**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 12 lt/min; Tmax 90°C

120145

H120145

H30933

528246

**Solenoid valve 90° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120142

120144

352592

**Solenoid brass valve L140 - NC - G1/2" -
230V 50/60Hz**
L=41 mm - Pmax. 16 bar - NBR membrane -
Fluid. Temp -10°C++90°C

121170

438974

Inlet pressure reducer 8,0 lt/min
[red-Elbi]

121173/05

SP4834/5

Ball valves, Pipe fittings

357661



Nipple 3/8"÷3/8"

190309

358343



Rubber holder G3/4" - outlet Ø 13 mm with gasket

300508

357663



Rubber holder 3/8" - outlet Ø 11 mm

190315

358270



Pipe fitting 90° FF 3/8" - 1/4"

280118

357546



Rubber holder L=53 mm Ø 6 - Ø 8 mm

180313

438092



T-connection Ø Ø 10-6-10 mm

180408

33817

H33817

440933



Rubber holder G1/2" - outlet Ø 15 mm

290410

353166



T-connection Ø 12-12-12 mm

180413

358354



Rubber holder G3/4" - outlet Ø 13 mm with gasket Ø 14x23,8x2,1 mm

301001

357553



T-connection Ø 12-12-12-12 mm

180415

Ball valves, Pipe fittings

700462



T-connection Ø 13-13-13 mm

180403

357662



Y-connection Ø 8-8-5,5 mm

190314

441675



Backflow preventer dishwasher

190330
620243

280121
620535

460502

Hoses

358054



Hose Ø 28x36x720 mm

201076

358050



Formed hose Ø 23/28 mm

201072

358038



Formed hose Ø 56x65 mm - L=340 mm

201056

357900



Formed hose Ø 50x63x95 mm

200758

Hoses

358048



Formed hose 90° Ø 26x35 mm - for boiler

201070

H36028

358045



Formed hose 90° Ø 50x62 mm
dim. 290x95 mm

201067

357894



Formed hose 90° Ø 60x76 mm
dim. 215x130 mm

200745

360384



Formed hose 90°

H26556

358044



Formed hose 90° Ø 28x40 mm

201066

357908



Formed hose 3 way Øint 51-46-37 mm
C95-C155-C165

200768

358039



Formed hose 90° Ø 53x70 mm
dim. 225x90 mm

201057

200005



Hose EPDM Ø 5x12 mm (sold by meter)

160121

200129

358040



Formed hose 90° Ø 50x63 mm
dim. 325x145 mm

201058

337176



Hose EPDM Ø 8x15 mm (sold by meter)
for hot water; Pmax 10 bar; working temp
-35°C÷120°C; Pmax 10 bar

200117

Hoses

200004

Hose EPDM Ø 11x19 mm - blue - (sold by meter)
 Pmax 10 bar; Work Temp. -35°C+110°C; FDA approved

200118

200122

356345

Hose PVC Ø 6x9,5 mm - L= 1000 mm

160115

200002

Hose EPDM Ø 12x19,5 mm (sold by meter)
 for hot water - not toxic - Pmax 10 bar -
 working temp -35°C+120°C

200113

438475

Rubber feeder hose 3/4" L=2000 mm
 straight connection + 90° connection; ring nut
 in nickel-plated brass Ø 3/4"F; pipe Ø 10x17
 mm; Pmax 15 bar; Tmax 90°C; WRC/WRAS
 approved

201036

700448

Hose EPDM Ø 25x35 mm (sold by meter)
 working temp. -35°C+110°C; Pmax 10 bar;
 black; WRAS certified

200101

615414

Feeder hose with armour 3/4" L=2000 mm
 ring nut in nickel-plated brass Ø 3/4"F; Øint 13
 mm; Pmax 25 bar; Tmax 100°C; WRAS
 approved

200715

H37330

700457

Hose EPDM Ø 65x74 mm (sold by meter)
 working temp. -35°C+120°C; Pmax 6 bar

200108

357901

Rubber feeder hose Ø 25 mm 180°+ Ø 13 mm L= 630 mm
 Ø 25x30 mm; Ø 13x21 mm

200759

356342

Hose PVC Ø 5x8 mm blue (sold by meter)

160108

160132

316108

Drain pipe PPE Ø 21 mm 180°+ Ø 21 mm 180° L=3000 mm
 muffs Øint/ext 21/28, pipe Øext 25 mm

200616

Hoses

700446



Drain pipe PPE Ø 34 mm 180°+ Ø 28 mm
L=3000 mm
muffs Øint/ext 34x40 mm, pipe Øext 35 mm

200721

316102



Drain pipe PPE Ø 19 mm F 180°+ Ø 22 mm
90° L=3000 mm
muff Ø 19/26 mm, muff 90° Ø 22/28 mm, pipe
Ø ext 25 mm

200346

357820



Drain pipe PPE Ø 28 mm 180° + Ø 28 mm
90° L=720 mm
muffs Ø 21/28 mm, 90° Ø 21/28 mm, pipe Ø 25
mm

200303

Drain components

356363



Pipe for outlet 1"1/2 a 90°
Øint. 30 mm

160203

357991



Lip gasket Ø 27x44x7 mm VITON

200950

357534



Inlet-Outlet tank C2001
with ring nut

180248

180249

357839



Flat gasket Ø 33x45x3 mm

200412

Drain components

315359



Lip gasket Ø 35,5x43x7 mm

200469

357838



Flat gasket Ø 47x65x4 mm

200410

700342



Drain plate Ø 39x68x39 mm
thread 1/2"

160301

160305

356361



Drain plate Ø 30,5x34,5/44xh60 mm

160201

357496



Lock nut 1" 1/2

180109

316009



Overflow pipe Ø 37x180 mm

170707

315359



Lip gasket Ø 35,5x43x7 mm

357493



Ring nut 1"1/2 FC75

357594



Tank filter Ø 180 mm H=95 mm

357839



Flat gasket Ø 33x45x3 mm

416280



O-ring 3,53x34,52 mm NBR

Drain components

357582



Overflow pipe Ø 37,5x190 mm c85-140

357583



Overflow pipe Ø 42x395 mm

180708

357496



Lock nut 1" 1/2

180715

315359



Lip gasket Ø 35,5x43x7 mm

357838



Flat gasket Ø 47x65x4 mm

357496



Lock nut 1" 1/2

700342



Drain plate Ø 39x68x39 mm

357838



Flat gasket Ø 47x65x4 mm

357592



Overflow pipe Ø 42x300 mm

700342



Drain plate Ø 39x68x39 mm

180729

Drain components

357591



Overflow pipe Ø 42x420 mm
connection Ø 38 mm, Øint 31 mm

180728

357385



Plug for overflow pipe Ø 63x55xh31 mm

357601



Tank filter Ø 240 mm H=95 mm

357991



Lip gasket Ø 27x44x7 mm VITON

357527



Tank suction basin without overflow Ø 228 mm
raccord 1"1/2

180228

Filters

359942



Water filter 1/2" L=76.5 mm

620209

357608



Tank filter Ø 155xh175 mm FMC-LC411
hole Ø 50 mm

180840

Filters

357609



Tank filter Ø 155x200 mm

180842

357598



Inlet pump protection filter
dim. 50x160 mm

180814

358904



Filter Ø 155x300 mm
hole Ø 52 mm

332068

358914



Right tank filter 270x235 mm

332090

358709



Filter Ø 185x80 mm

330528

330550

330565

358915



Left strainer 270x235 mm

332091

357594



Tank filter Ø 180 mm H=95 mm
drain holes Ø 54 mm

180808

357596



Flat strainer 200x266 mm

180811

357601



Tank filter Ø 240 mm H=95 mm
drain holes Ø 54mm

180818

358722



Tank filter 275x175x25 mm - INOX

330586

Filters

357610



Tank filter 595x268 mm

180843

358876



Pump suction filter Ø 100x80 mm INOX

330592

332002

358575



Filters support 535x130x25 mm Ic anno 2001

323496

357465



Filter handle L=227 mm

170827

Handles

358771



Handle C95-155-165

357632



Strengthening for handle holder mechanics 75,5x20x18 mm

331026
331083

331037

331039

190149

200250



Hexagonal nut M6 - H=5 mm INOX

357757



Handle holder mechanics 25x55xH58 mm C75-140-155

357632



Strengthening for handle holder mechanics 75,5x20x18 mm

191013

357757



Handle holder mechanics 25x55xH58 mm C75-140-155

357758



Handle holder mechanics 55x25x15 mm C70-C155

357758



Handle holder mechanics 55x25x15 mm C70-C155

191014

358092



Grub screws M6x8 mm INOX

357691



Handle rolling handle

358187



Hexagonal nut M6

190637

359047



Shaft for spring Ø 12x60 mm C1000/1300-LC

357692



Roller Ø 14x22x31,5 mm

359434



Tension spring Ø 37x640xLtot. 910 mm

190638

Thermometers

359795



Thermometer Ø 52 mm 0÷120°C
coated capillary L=1500 mm, bulb Ø 6x38 mm

450905

416427



Thermometer Ø 52 mm 0÷120°C
coated capillary L=2500 mm; bulb Ø 6x38 mm

450907

Small Mechanical Parts

359690



Antivibration Ø 25xH20 mm - M6x18 mm
hole M6

441103

441139

357687



Flange bushing Ø 12,2x15,6 mm - H=13 mm

190624

359681



Antivibration Ø 25xH25 mm - M6x18 mm
hole M6

441111

357682



Flange bushing Ø 12x16x20 mm - H=12 mm

190617

357712



Flange bushing Ø 12x14x20 mm - H=7 mm

190663

357694



Flange bushing Ø 12x16x20 mm - H=10 mm

190641

Small Mechanical Parts

360483



Flange bushing Ø 20x24,5/28x23 mm

H37786

362940



Hexagonal nut M4 - H=3,2 mm INOX
CH7

260402

357690



Flange bushing Ø 20x24,7/28xh23 mm

190636

337045



Hexagonal nut M5 - H=4 mm INOX

260403

H25774

357685



Flange bushing Ø 20x25x28 mm - H=20
mm

190621

358187



Hexagonal nut M6

260404

438438



Hexagonal nut M6 self-locking - INOX

260412

H25792

358196



Hexagonal nut "M6" inox A2 "5587"

260416

322630



Hexagonal nut M8 self-locking - INOX
H=8 mm

260415

357244



Plastic hexagonal nut M10 - H=7 mm - in
plastic
CH19

160789

Small Mechanical Parts

358190



Hexagonal nut M10 - H=8 mm INOX
CH17

260407

358278



Knurled nut M18x1 Ø 35 mm - H=6 mm -
INOX
C1000/1300 LC

280409

334942



Hexagonal nut M12 - H=10 mm INOX (10
pcs)
CH19

260408

260410

358328



Spacer Ø 5x12x8 mm

290821

358250



Hexagonal nut 1/2" - H=11 mm - INOX
CH30 mm

270121

356697



Spacer Ø 9x12xh26,5 mm

160501

418034



Hexagonal nut M6 - H=11,5 mm

290701

310306



Double wire clamp Ø 7,8x8,3 mm

450115

315344



Knurled nut M10 Ø 21 mm H=11 mm

280419

359717



Double wire clamp Ø 8,8÷9,3 mm

450134

Small Mechanical Parts

359714



Double wire clamps Ø 9,8x10,4 mm

450125

518655



Hose clamp Ø 40÷60/9 mm - INOX

450135

359721



Double wire clamps Ø 37,7x39,7 mm

450143

433052



Hose clamp Ø 16÷27/12 mm in INOX

450104

438480



Hose clamp Ø 12÷22/9 mm - INOX

450102

450103

359703



Hose clamp Ø 25÷40/12 mm - INOX

450105

H25807

322082



Hose clamp Ø 32÷52/9 mm - INOX

450106

438463



Hose clamp Ø 50÷70/12 mm - INOX

450109

H25809

438464



Hose clamp Ø 32÷50/9 mm - INOX

450107

441709



Hose clamp Ø 60÷80/12 mm - INOX

450119

H32130

Small Mechanical Parts

359715



Hose clamp Ø 68÷85/12 mm - INOX

450127

358371



Fixing plate for guide 125x20x3 mm
C75-LP360

320627

359719



Hose clamp Ø 15÷20x7 mm

450137

358211



Grower washer Ø 6,3 mm INOX

260512

H25750

375037



Grub screw M5x8 mm INOX
conical point

250202

358209



Grower washer Ø 4,2x7,2x1 mm INOX

260510

358092



Grub screws M6x8 mm INOX
flat point

250206

358226



Grower washer M5 INOX

260542

357335



Connection 20x12 mm

160907

358203



Flat washer Ø 4,3x9x0,8 mm INOX

260502

H25743

Small Mechanical Parts

358222



Flat washer M6 Ø 6,6x18x1,6 mm INOX

260538

350781

358221



Flat washer Ø 13x2013x0,8 mm INOX

260537

432605



Flat washer M6 Ø 6,4x11,6x1,6 mm INOX

260504

H25746

H30940

358162



Raised countersunk head screw M4x12 mm

260226

358216



Flat washer Ø 7,6x22 mm INOX

260530

358160



Raised countersunk head screw TB M5x12 mm - INOX

260223

300156

364457



Flat washer M8 Ø 8,5x15,7x1,4 mm INOX

260505

H35231

358161



Raised countersunk head screw TB M6x20 mm - INOX

260224

260239

357317



Flat washer Ø 8,5x18x1 mm

160811

358164



Raised countersunk head screw M6x40mm - Inox

260228

Small Mechanical Parts

358145



Cylinder head bolts TCP M3x10 - INOX

260201

358132



Hexagon head screw TE M5x20 - INOX

260129

358148



Cylinder head bolts TCP M4x16mm INOX

260205

351982



Hexagon head screw TE M6x10 mm INOX

260100

260102

358149



Cylinder head bolts TCP M4x22 - INOX

260206

315421



Hexagon head screw TE M6x12 mm INOX CH10

260103

310175



Hexagon head screw TE M4x12 mm

260151

358118



Hexagon head screw TE M6x16 - INOX

260104

H25715

326263



Hexagon head screw TE M5x16 mm INOX (10 pcs)

260139

316196



Hexagon head screw TE M6x25 mm INOX

260106

Small Mechanical Parts

358122



Hexagon head screw TE M6x35 mm INOX

260110

358179



Countersunk screws TSP M4x12mm INOX

260311

358123



Hexagon head screw TE M8x16 mm INOX A2

260112

260147

381681



Countersunk screws M6x12 mm

260317

358124



Hexagon head screw M8x20 mm - INOX

260113

358241



Knurled screws M6x8 mm Ø 28

261004

261009

358127



Hexagon head screw M8x35 mm

260116

358233



Sheet metal screws 3,9x13 inox uni 6954

260706

357243



Hexagon head screw M10x16 mm

160788

Shaft sealing

412572



**Shaft sealing Ø 24x10x14 mm /
counter-seal Ø 26x13x8 mm**
for pump with shaft Ø 11 mm

630510
630543

630514

630523

610895



**Shaft sealing Ø 24x12x15 mm /
counter-seal Ø 26x14x8 mm**
for pumps LGB ZF523V 230-400 V 50Hz

630528

630546

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

630501

412354



**Shaft sealing Ø 24x12x16 mm /
counter-seal Ø 26x12x8 mm**
shaft sealing in TEFLON

630522

630524

630541

Knobs

311704



Knob Ø 41,5 mm 0±90 °C
D-shaft Ø 6x4,6 mm

450315

359754



Knob Ø 40 mm
connection 5x5 mm

450323

Knobs

359752



Knob Ø 42 mm - H=27 mm
connection 5x5 mm

450316

359768



Knob Ø 42 mm

450343

357497



Knob black Ø 45 mm
with screw M3x14,5 mm; connection 6x6 mm

180111

357771



Frame for thermostat knob Ø 56 mm

191040

Boilers

358679



Boiler 1 Heating element
Ø 150x500 mm

330362

358672



Boiler 1 Heating element
C1000/1300-FC-LC
Ø 155x500 mm

330331

330342

Springs

359434



Tension spring Ø 37x640xLtot. 910 mm
wire Ø 5 mm; C-LC

357677



Bush for spring holder hood mechanics

391316

322630



Hexagonal nut M8 self-locking - INOX

190607

359047



Shaft for spring Ø 12x60 mm
C1000/1300-LC

357677



Bush for spring holder hood mechanics

340493

358658



Spring rod M8x285 mm

364457



Flat washer M8 Ø 8,5x15,7x1,4 mm INOX

358659



Spring rod M8x385 mm - XLC

330241

358658



Spring rod M8x285 mm

330239

Slide Ways - Shelf Supports

357561



Guide right hood mechanics L=565 mm
C30-70-75

180605

357560



Guide for hood 575x30x28,5 mm
C33-34

180604

357572



Guide 615x30x28 mm

180642

357564



Guide L=575 mm

180613

Printed Circuit Boards

353358



Motherboard 100x100 mm
F3E / F4E / LC / LF 322E

121313

353339



Interface board 85x28 mm
BC / GE / LC / LFD

121306

353335



Motherboard
C 800E RCD

121303

353361



Interface board 170x28 mm
BC / F3E / F4E / GE / LC

121316

353309



Motherboard
CE-GE

121283

350394



Cable for pcb L=1250 mm
FC06-C-G

110482

353310



Motherboard 230V 50/60Hz
BHC / C / FC / GF / LB / LC / LF

121287

356736



Electronic card spacer

160537

353336



Interface board C-GE 2009
C / GE

121284

121304

357363



Electrical box cover
dim. 320x495 mm

161191

Probes

351996



Probe NTC C-G
cable L=250 mm

120960

351983



Temperature probe PT100
bulb Ø 6x76 mm; cable L=680 mm

120943

351901



Temperature probe PT100
bulb Ø 6x60 mm; cable L=12 mt; CH27

120928

Membranes

359870



Membrane keypads 118x218 mm

461353

359831



Membrane keypads 118x218 mm

461052

359869



Membrane keypads 227x126 mm

461352

359812



Membrane keypads 180x50 mm

460344

O-rings

357950



O-ring 1,00x7,00 mm NBR

200850

438348



O-ring 1,78x20,35 mm NBR

200849

532922



O-ring 1,78x6,75 mm NBR

200818

357947



O-ring 2,00x9,50 mm EPDM

200844

531952



O-ring 1,78x8,73 mm NBR

200809

357933



O-ring 2,40x16,30 mm

200813

435313



O-ring 1,78x12,42 mm NBR

200824

200843

438166



O-ring 2,62x9,13 mm

200845

415979



O-ring 1,78x17,17 mm NBR

200812

357930



O-ring 2,62x13,10 mm EPDM

200806

O-rings

357937



O-ring 2,62x17,12 mm EPDM

200819

357928



O-ring 3,53x98,02 mm EPDM

200803

416280



O-ring 3,53x34,52 mm NBR

200814

441739



O-ring 4,00x110,00 mm NBR

200807

425696



O-ring 3,53x37,69 mm EPDM

200822

200830

435303



O-ring 5,34x46,99 mm NBR

200820

315338



O-ring 3,53x50,80 mm

200808

435067



O-ring 5,34x56,52 mm NBR

200815

357945



O-ring 3,53x78,97 mm NBR

200834

630416

357943



O-ring 5,34x81,92 mm EPDM

200829

Adhesive Gasket

357847



Gasket adhesive EPDM 6x3 mm (sold by meter)

200433

357993



Gasket adhesive EPDM 29x3,3 mm L=642 mm

200957

357846



Gasket adhesive EPDM 8x4 mm (sold by meter)

200432

357997



Gasket adhesive EPDM 14x3 mm L=598 mm

200964

357977



Gasket adhesive EPDM 20x1,5 mm L=1000 mm

200925

357835



Gasket adhesive EPDM 25x4 mm (sold by meter)

200402

357868



Gasket adhesive EPDM L=600 mm for guide C-TV with hole \varnothing 8 mm

200497

Flat gaskets

359822



Flat gasket Ø 9,2x14,7x2 mm - Fiber

460528

357978



Flat gasket Ø 21x30x2,7 mm - EPDM
C95-155

200927

441494



Flat gasket Ø 27x37x2 mm - Fiber

460503

357967



Flat gasket Ø 66x92x2 mm - EPDM

200906

582600



Flat gasket Ø 10x18x2 mm

200870

357315



Gasket Ø 8x16x4 mm

160805

357840



Flat gasket Ø 10x18,5x3 mm - EPDM

200415

357841



Flat gasket Ø 13,5x24x2,2 mm -
Neoprene

200416

357858



Flat gasket Ø 11x15x2 mm - EPDM

200467

357855



Flat gasket Ø 16x24x3 mm - Neoprene

200457

Flat gaskets

357869



Flat gasket Ø 47x65x2 mm - Neoprene

200498

357862



Flat gasket Ø 54x60x4 mm - Neoprene

200482

357971



Lip gasket Ø 23x40x6 mm

200917

357330



Flat gasket 1/2"

160841

Baskets Holder

359926



Basket holder 490x490 mm INOX '2001'

530238

Feet

358073



Foot M10x38 mm
Ø 60,5 mm - H=31 mm

210203

359640



Adjustable foot - H=32÷95
dim. 40x40x120 mm; foot Ø 30 mm

440211

356702



Foot support plastic H=116,5 mm
flange 109x60 mm; thread M10

160509



Warewashers

Electrical Parts

Water Parts

Mechanical Parts

Electronic Parts

Gaskets

Accessories

Switches, Push Buttons, Selectors

354913



Contact 1NC 10A 660V

130477

411602

Momentary rocker switch 16A 250V -
ROLD
T 150°C

130487

354562

Push buttons green Ø 22 mm - unstable
with base without contacts

130413

357634

Button holder Ø 24/30xh24 mm
Øint. 21,5 mm

190155

354673

Green push button Ø 29 mm - unstable
mounting diameter Ø 22 mm - without contacts

130439

357627



Support for switch BC/BE/FC - ROLD

190140

354912

Emergency push button dima Ø 22mm -
mushroom Ø 40 mm

130466

130476

359769

Cover for push button Ø 21,2x11,2 mm -
ROLD
shaft Ø 3,7 mm

450345

354913



Contact 1NC 10A 660V

359765

Cover for push button Ø 21,2x11,2 mm -
ROLD
shaft Ø 3,7 mm

364250

Push button unipolar 1NO 16A 250V -
ROLD

450340

130449

Switches, Push Buttons, Selectors

359764



Cover for push button Ø 21mm - ROLD
shaft Ø 3,7 mm

450339

359766



Push button Ø 21x9 mm

450341

359767



Cover for push button Ø 21,2x11,2 mm - ROLD
shaft Ø 3,7 mm

450342

436200



Switch-disconnector 3P 8 kW 50Hz - 80A
4 poles for cables 1,5÷25 mmq

120748

120749

356007



Shaft L=6x6x180 mm for switch

613525



Knob ON-OFF

436201



Switch-disconnector 3P 8 kW 50Hz - 125A
4 poles - for cables 10÷70 mmq

120745

356007



Shaft L=6x6x180 mm for switch

613525



Knob ON-OFF

613525



Knob ON-OFF
mounting diameter Ø 22 mm - dim 65x65 mm

450330

356007



Shaft L=6x6x180 mm for switch

150503

Lamps and Lamp Holders

353377



Lamp 1,2W 30V BA9S

130138

353402

Green pilot lamp 5V
faston 6,3x0,8 mm

130182

435511

Green pilot lamp 240V Ø 9x60 mm
Lens Ø 13 mm, with nut and silicon O-ring

300121

353553

Green pilot lamp 220V
faston 6,3x0,8 mm

130188

414094

Green pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

150106

150107

353389

Pilot lamp 25x25 mm
16A 220V - connection 6,35x0,8 mm

130176

355988

Red pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

150105

353383

Red lamp 250V 50/60Hz
dim. 80x60x80 mm

130156

340417

Pilot lamp Ø 9 mm 24V
L=55 mm - faston 6,3x0,8 mm

130170

340411



Orange lamp lens Ø 6 mm - L=10 mm

130706

Lamps and Lamp Holders

355599



White lamp lens Ø 6 mm - L=10 mm

130707

318084



Green lamp cap Ø 6 mm - L=10 mm

130708

355834



Green lens Ø 13 mm L=22 mm

130711

355810



Red lens Ø 13 mm L=22 mm

130710

Contactors and Relays

360090



Auxiliary contact NO 12/60V DX - coil in the opening

630977

355883



Auxiliary contact NC for breaker

130925

Contactors and Relays

355906

Contact CA5-40E 4NO
dim. 39x43x47 mm

130928

351388

Contactor A26-30-10 24V
11kW 3P; 24V 50-60Hz 3 cont. NO + 1 aux NO
dim 90x54x94 mm

120453

120471

351299

Contactor B6-30-01
4kW 3P; 220/240V 50/60Hz 440V; 3 cont. NO
+ 1 aux NC

120461

351608

Overload relay ABB 0,4-0,63a
Contactor 351385

120858

351385

Contactor A9-30-10
4kW 3P; 24VAC 50/60Hz; 400V 3 cont. NO + 1
aux NO; dim. 75x43x72 mm

120468

351610

Overload relay ABB 1-1,4A
Contactor 351385

120860

351386

Contactor AF12-30-10-11
5,5kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1
aux NO

120469

351713

Overload relay ABB 4,2-5,7A
dim. 45x66,5x88 mm

120864

120864V01

351396

Contactor A12-30-10 230V
7,5kW 3P; 220-230V 50HZ 240V 60Hz3 cont.
NO + 1 aux NO

120488

120488V01

350909

Contactor BF901A230
4,2kW 3P; 230ACV 50Hz 400V 3 cont. NO + 1
aux NO

120444

120481

Contactors and Relays

351726



**Overload relay 3,0÷5,0A - contact
1NO+1NC**
contactor 350909

120870

351401



Relay 2 contacts 230V 16A
Faston 6.3x0.8 mm

120495

350894



Contactor LC1D18B7
7,5kW 3P; 24V 50Hz-60Hz 3 cont. 1 NO + 1
NC dim. 85x45x72 mm

120430

435162



Relay 3 contacts 230V 50/60Hz 16A
Faston 6.3x0.8 mm

120447

120459

351398



Relay 1 contact 9V 50/60Hz 10A

120491

350910



Relay 3 contacts 24VAC 50/60Hz 16A 250V
Faston 6.3x0.8 mm

120445

434972



Relay 1 contact 24V 50/60Hz 16A
contact capacity 16A 250V

120476

353254



Timer Relay 24/230V 50/60Hz 0.6W

121242

351268



**Relay 1 contacts 230VAC 50/60Hz 16A
250V**
Faston 6.3x0.8 mm

120460

352029



Circuit breaker 1,0÷1,6A

121030

Microswitches

435262



Snap action microswitch 16A 250V
T125°C
 thread M10x1, H=14 mm

120313

350847



Door magnetic microswitch E531 TC NO
24V 8A
 dim. 65x20x9 mm; cable L=400 mm

120333

120342

359399



Shaft microswitch Ø 7/10 mm L=23,5 mm

381002

358798



Support magnetic microswitch E531

359536



Magnet Ø 8x40 mm SE/1

350838



Limit switch with wheel 400V 3A
 dim. 118x45x35 mm; kind of protection IP67

120326

411001

359537



Magnet 24x12x5 mm se/1

350880



Magnetic microswitch E521 1V NO 250V
0,04A "FC"
 cable L=900 mm

120356

411002

357734



Magnet holder 29x15 mm

350867



Magnetic microswitch E530 1C NO 250V
0.4A
 cable L= 300 mm, micro 65x20x9 mm

120348

190805

190806

359538



Magnet 35x11x6 mm

411004

Microswitches

438337



Magnet 63x18 mm [KIT]
with self threading screw \varnothing 2,9x9,5 mm

411010

H32969

358735



Bushing \varnothing 7,3x15 mm

330820

358798



Support magnetic microswitch E531
dim. 25x94,5x20 mm

331455

359202



Support for 435262
dim. 28x22x20 mm, hole \varnothing 10,5 mm

350725

Terminal Boards

439223



**Terminal board 6-poles 6 mmq no
bypass installed**
capacity 450V 40A; T_{min}-max -5/+150°C;
faston 6,3x0,8 mm

130321

356005



Terminal board 3-poles 16 mmq
capacity 600V; connection screw

150233

Terminal Boards

356006



Terminal block 16 mm²

150234

Pressure Switches

316092



Pressure switch 1 level 30/12 mbar
contacts capacity 16A 250V; Tmax 85°C

130629

355279



Pressure switch 1 level 110/30 mbar
contacts capacity 1A 250V; Tmax 85°C

130634

355083



Pressure switch 1 level 45/22 mbar
contacts capacity 16A 250V; Tmax 85°C

130621

428812



Pressure switch 1 level 110/70 mbar
contacts capacity 16A 250V; Tmax 85°C

130609

130624

337838



Pressure switch 1 level 50/30 mbar
contacts capacity 16A 250V; Tmax 85°C

130605

130622

355280



Pressure switch 1 level 190/40 mbar
contacts capacity 16A 250V; Tmax 85°C

130635

312107



Pressure switch 1 level 70/40 mbar
contacts capacity 16A 250V; Tmax 85°C

130604

312093



Pressure switch 1 level 190/80 mbar
contacts capacity 16A 250V; Tmax 85°C

130616

Pressure Switches**581989**

Pressure switch 3 levels
50/30-50/30-145/80 mbar from 2013
contacts capacity 16A 250V; Tmax 85°C

130620

312137

Pressure switch 3 levels
50/30-50/30-160/80 mbar till 2012
contacts capacity 16A 250V; Tmax 85°C

130620_

355151

Pressure switch 3 level 110/70 50/30
50/30 mbar
contacts capacity 16A 250V; Tmax 85°C

130628

355403

Pressure switch high pressure wp
28bar
hose Ø 6,3x55 mm; cable L=2000 mm

130643

Timers**350795**

Electronic timer 24V CL51 24V

120254

Fans

347352



Fan 3 phases 2200W 230-400V 265-460V
50/60Hz
fan Ø 250 mm

100549

700340



Fan Ø 300x125 mm

630312

630322

347403



Axial fan Ø 250 mm 115-150W 230/400V
50/60Hz
2 pole - cable L=450 mm; 2450/2550rpm; IP54
with moisture protection grid and rear fixing

100550

347475



Tangential fan Ø 60x360 mm; 42W 230V
50Hz
cables L=1730 mm

100555

Fuses, Capacitors, RFI Filters

418004



Capacitor for power factor correction 5
µF 400V 50/60Hz
Ø 30x51 mm; with screw M8

631208

610850



Capacitor for power factor correction
6,3µF 450V 50/60Hz
Ø 30x50 mm; with screw M8

631216

Fuses, Capacitors, RFI Filters

342369



Capacitor for power factor correction
8 μF 450V 50/60Hz
 \varnothing 30x71 mm; with screw M8

631201

441189



Capacitor for power factor correction
10 μF 400V 50/60Hz
 \varnothing 35x77 mm; with screw M8

631206_

332311



Capacitor for power factor correction
10 μF 400/450V 50/60Hz
 \varnothing 30x71 mm; with screw M8

631206

338358



RFI filter 250V \varnothing 32x32 mm
0.47 μF (x2) + 2x0.025 μF (Y2) + 1MoHm; with
screw M8

631209

344822



Capacitor for power factor correction
12,5 μF 450V 50/60Hz
 \varnothing 30x71 mm; with screw M8

631207

H25555

360103



Anti-noise filter 0,47 μF (X2) + 0,68MOhm
2X0,010 μF (Y2)
250V; \varnothing 38xh38,5 mm; M8

631214

318417



Capacitor for power factor correction
14 μF 400/450V 50/60Hz
 \varnothing 30x71 mm; with screw M8

631220

435516



Fuse \varnothing 5x20 mm 0,25A 250V slow

130273

344792



Capacitor for power factor correction
16 μF 450V 50/60Hz
 \varnothing 30x71 mm; with screw M8

631202

435523



Fuse \varnothing 5x20 mm 0,4A 250V slow

130263

Fuses, Capacitors, RFI Filters

312599



Fuse Ø 5x20 mm 1A 250V slow

130264

320007



Fuse Ø 5x20 mm 6,3A 250V slow (10 pcs)

130275

397484



Fuse Ø 5x20 mm 1,6A 250V slow (10 Pcs)

130265

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

130270

451463



Fuse Ø 5x20 mm 4A slow

130266

354335



Fuse Ø 5x20 mm 5A slow

130274

Motors

346331



Gear motor 3 phase 120W
230-400/380-420V 0,95/0,55A
 shaft Ø 19 mm and cable gland M20x15

100220

100224

Pumps

315306



Drain pump 100W 220V 50Hz
 inlet Ø 30 mm, outlet Ø 23 mm

100342

348081



Wash Pump 3 phases 3480W 230/400V
10,6/6,1A 50Hz
 inlet Ø 80 mm thread Ø 74 mm, outlet Ø 58 mm
 thread Ø 58 mm; IP55

100770

347772



Wash Pump 3 phases 3300W 230/400V
10/6,4A 50Hz
 inlet Ø 80 mm, outlet Ø 65 mm

100697

100700

360065



Shaft sealing Ø
32,5/21,5x31mm/counter-seal
Ø36,3x23x12,5 mm

359820



Gasket for pump LOWARA

359821



Gasket for pump LOWARA

360055



Shaft sealing Ø 36x23x37 mm/counter-seal
Ø 36.3x23x12.5 mm

Pumps

347612



Wash pump 3 phases 350W 230/400V
1.1/0.65A 50Hz
inlet Ø 28 mm; outlet Ø 26 mm

360415



Wash pump 3 phases 1620W 230/400V
6,6/3,7A 50Hz
inlet Ø 63 mm, outlet Ø 53 mm; 2800rpm

100647

357945



O-ring 3,53x78,97 mm NBR

H34432

342464



Gasket for pump FIR H=4x4 mm

359985



Shell for pump

359995



Shell for pump

360051



Shaft sealing Ø 24x7x13,5 mm/
counter-seal Ø 26x13x5,5 mm

360111



Impeller Ø 124 mm

360131



Impeller Ø 72 mm INOX FIR

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm

459651



Fan cover Ø 157 mm

Pumps

347842



**Wash pump 3 phases 1500W 230/400V
50Hz**
inlet Ø 63 mm, outlet Ø 53 mm

100361

100380

100716

342464



Gasket for pump FIR H=4x4 mm

360111



Impeller Ø 124 mm

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**

348139



**Wash pump 3 phases 2200W
220-240/380-415V 50Hz**
inlet Ø 63 mm, outlet Ø 53 mm

100786

342464



Gasket for pump FIR H=4x4 mm

342506



Impeller Ø 124 mm

360002



Fan cover Ø 175 mm

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**

349322



**Wash pump 3 phases 3000W 230/400V
50Hz 11/6,4A**
inlet Ø 63 mm, outlet Ø 53 mm; 2800rpm

100901

324184



Impeller Ø 124 mm

Pumps

348180



Wash pump 3 phases 1500W 230/400V
 7,3/4, 1A 50Hz DX
 inlet Ø 62 mm, outlet Ø 52 mm

348155



Rinse pump 3 phases 640W 220/415V 2/A
 50Hz
 inlet Ø 1" F 1/4, outlet Ø 1" F

100796

359994



Shell for pump

100677

357949



Gasket for pump 3,53x171 mm EPDM

100698

100789

360017



Fan cover Ø 160 mm

359986



Shell for pump

360031



Cooling fan Ø 145 mm

360063



Shaft sealing Ø 24x14x24 mm /
 counter-seal Ø 22,5x15x8 mm

360044



Gasket for pump 3,53x158,34 mm

360122



Impeller Ø 122 mm 50Hz

360139



Impeller Ø 120 mm

610895



Shaft sealing Ø 24x12x15 mm /
 counter-seal Ø26x14x8 mm

Pumps

312017



Rinse pump 1 phase 290W 230V 1,3A 50Hz
inlet Ø 27,5 mm, outlet Ø 25,5 mm, cable L=500 mm

100802

359993



Shell for pump

360143



Impeller Ø 71 mm

610850



Capacitor for power factor correction 6,3µF 450V 50/60Hz

342297



Pump flange

630223

359983



Shell for pump
inlet Ø 45 mm; outlet Ø 41 mm

630113

359994



Shell for pump
inlet Ø 62 mm; outlet Ø 52 mm

630137

342610



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

630114

359995



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

630138

359986



Shell for pump
for pump Lowara cea120/2; inlet 1" 1/4; outlet 1"

630128

359993



Shell for pump
inlet Ø 27,5 mm; outlet Ø 25,5 mm; for pump LGB zf131dx

630136

342532



Impeller Ø 96 mm

631619

Pumps

360143



Impeller Ø 71 mm
for shaft Ø 8 mm; ZF131DX

631698

360139



Impeller Ø 120 mm
ZF800DX

631692

360110



Impeller Ø 85 mm
D-shaft Ø 8x9 mm

631617

342506



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631620

631655

360120



Impeller Ø 103 mm 50Hz

631627

631656

360122



Impeller Ø 122 mm 50Hz
Htot.=30 mm

631661

360420



Impeller Ø 87 mm
thread M8

631725

H34484

324184



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631716

360111



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631618

360029



Cooling fan Ø 123 mm

630325

Pumps

342235



Cooling fan Ø 142 mm
Ø int. 15 mm

630306

357949



Gasket for pump 3,53x171 mm EPDM
CEA 120/2/A

200848

360034



Gasket for pump

630410

342464



Gasket for pump FIR H=4x4 mm
EPDM

630411_

359821



Gasket for pump LOWARA
outlet Ø 65 mm

460526

583376



Gasket for pump FIR
flat profile in NBR

630411

630436

359820



Gasket for pump LOWARA
inlet Ø 80 mm

460525

360003



Fan cover Ø 140 mm

630219

360044



Gasket for pump 3,53x158,34 mm

630426

H33855

360002



Fan cover Ø 175 mm

630216

Heating Elements

349345



Boiler heating element 3000W 230/400V
L=344 mm; triangular flange H=90 mm Ø 50 mm

110226

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

315463



Boiler heating element 8000W 230/400V
L=487 mm; triangular flange 92,5x89,5 mm;
Øint. 60 mm; bulb housing Ø 7.5x300 mm;
connection M5

110343

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

350012



Boiler heating element 4200W 230/400V
L=340 mm; triangular flange H=90 mm Ø 50 mm

110331

357339



Heating element cover Ø 58x61x54 mm

435067



O-ring 5,34x56,52 mm NBR

350081



**Boiler heating element 8000W 240/415V -
9000W 254/440V**
L=415 mm; triangular flange 92,5x89,5 mm
Øint. 60 mm; with bulb housing Ø 7.5x300 mm;
connection M5

110365

435067



O-ring 5,34x56,52 mm NBR

350140



**Boiler heating element 5000/6000W
240/415V**
L=405 mm; triangular flange 92,5x89,5 mm;
Øint. 60 mm; bulb housing Ø 7,5x295 mm;
connection M5

110383

435067



O-ring 5,34x56,52 mm NBR

Heating Elements

312215



Boiler heating element 9000W 230/400V

L=487 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110362

357339



Heating element cover Ø 58x61x54 mm

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

350175



Boiler heating element 10000W 230/400V

L=487 mm; triangular flange 92,5x89,5 mm
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110388

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

350113



Boiler heating element 12500W 230/400V

L=630 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110367

110379

110382

435067



O-ring 5,34x56,52 mm NBR

350126



Boiler heating element 12500W 254/440V

L=630 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; with bulb housing Ø 7.5x300 mm;
 connection M5

110381

435067



O-ring 5,34x56,52 mm NBR

350234



Boiler heating element 14000W 230/400V

L=510 mm; triangular flange 92,4x89,4 mm
 Øint. 60 mm; with bulb housing L=285 mm

110392

352113



Boiler heating element 6000W 230V

L=345 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; with bulb housing Ø 7,5x295
 mm; connection M5

110349

435067



O-ring 5,34x56,52 mm NBR

Heating Elements

350451



Heating element 1000W 220V
dim.405x50xh25 mm, connection M5

110704

357339



Heating element cover Ø 58x61x54 mm

161102

358086



Steam coil ecorinse 6000 kCal

240727

358750



Flange Heating element

330910

349822



Tank heating element 2000W 230V
dim.318x85xh26mm; connection M12

110273

355950



Bridge for heating element 66x10x1,5 mm

140101

349738



Tank heating element 2000W 230V
dim.137x355xh25 mm; connection M10

110263

349428



Tank heating element 3000W 230/400V
L=380 mm; flange 80x25 mm

110227

Commutators

351493



Commutator 0-2 positions
shaft 5x5 mm - 25A 600V 50/60HZ

120736

357629



Support for commutator

190138

190144

351498



Commutator 0-3 positions
shaft 5x5x23 mm - 16A 400V 50/60HZ

120737

357503



Ring nut

180129

351502



Commutator 0-3 positions
shaft 5x5x25 mm - 16A 400V 50/60HZ

120744

359669



Snap ring Ø 9,4x11x6 mm

440817

700352



Commutator 0-3 positions
shaft 5x5 mm - 32A 600V 50/60HZ

120718

351506



Commutator 0-5 positions
shaft 5x5 mm - 16A 400V 50/60HZ

120751

Transformers

351460



**Transformer 400VA pri. 240/390V sec.
24/12V**
Dim. 120x100x100mm

120635

Cables

356305



Pressacavo

150833

Thermostats

351402



Operating thermostat 1P 0÷90°C
coated capillary L=1500 mm; bulb Ø 6,5x97
mm; D-shaft 6x4,6 mm; 1NC 16A 250V - 1NO
6A 250V

120501

351406



Security thermostat 0÷90°C
bulb Ø 7,5x110 mm

120515

351411



Operating thermostat 1P 30÷90°C
capillary L=1000 mm; bulb Ø 9x51, mm;
D-shaft 6x4,5 mm

120522

351413



Safety thermostat 1P 110°C
bulb Ø 6x50 mm

120523

351445



Operating thermostat 2P 38÷78 - 47÷87°C
capillary L=1500 mm; bulb Ø 6,5x90 mm, 1NC
16A 250V - 1NO 1A 250V, D-shaft 5x6 mm

120525

351410



Security thermostat 1P 95÷135°C
bulb Ø 5x130 mm; 1CO 16A

120519

620527

Thermostats

357349



Box thermostat 97x67x40 mm
with threaded hole Ø 14 mm

161127

357864



Gasket of thermostat dim. 98x68x2 mm

200491

359783



Thermostat shield for 2 termos
connection 1/2"; Ltot.=130 mm

450514

450516

Wash units

359564



Wash arm 600x600 mm
GL+GE75/125

420544

357321



Bushing Ø 25x47,5x10,5 mm

359110



Knurled nut INOX

359668



Snap-ring Ø 48x1,9 mm INOX-ring

325484



Washing arm 630x630 mm
GE

420562

420562R

420575

359610



Rinse arm L=595 mm
nozzles 333 - G65-115-125L

430323

358241



Knurled screws M6x8 mm Ø 28

531952



O-ring 1,78x8,73 mm NBR

358966



Rinse hose Ø 7/8x300 mm

332526

357764



Hub for jets

191022

359049



Shaft for support H=136 mm

340499

357653



Support for upper/lower jets
Ø 74 mm - H=142 mm

190227

359902



Support for upper jets

510238

510503

Wash units

357779



Wash arm support with rinse arm shaft mounting bottom

191064

357477



Blind jet
dim. 25x39x22 mm

170928

357765



Support for lower jets with rinse arm shaft

191025

700348



Plug for wash ramp Ø 50xh16 mm

160724


357920



Feeder hose

200791

356893



Plug 1/2" plastic

160727

357083



Plug for wash arm "c"

160768

357182



Plug for wash arm

160780

356883



Plug for rinse jets Ø 9,6/11,8x20 mm

160718

358301



Brass End cap TE 1/2"xh13 mm
Htot. 20 mm; CH 27 mm

290105

Wash units

359366



Rinsing nozzle 1/8" - 37,5 L/h INOX

380320

380323

359367



Rinsing nozzle 1/8" - 52,5 L/h INOX

380324

615065



Rinsing nozzle 1/8" - 80 L/h INOX

380314

357470



Rinsing nozzle

170911

615068



Washing nozzle

170915

357471



Washing nozzle

170916

700346



Washing nozzle

170910

357484



Rinsing nozzle

170954

357479



Blind nozzle

170930

357478



Rinsing nozzle

170929

Wash units

357491



Rinsing nozzle

170963

700347



Opposite support for wash jet

180221

615064



Rinse nozzle support 1/8" NEXL-S

170926

357792



Rinse collector C-LC2001
pipe-fitting Ø 13 mm

191100

357523



Opposite support

357493



Ring nut 1"1/2 FC75

357523



Opposite support
center distance hole 31 mm

180102

180213

615064



Rinse nozzle support 1/8" NEXL-S

357530



Support for suction filter AC91

180236

700349



Opposite support
center distance hole 50 mm

357776



Suction hose cover Ø 130xh70 mm
C85-C155

180211

191057

Wash units

357502



Ring nut Ø 65,4 mm
C140-85-155

180128

359731



Spring fixing

450218

357678



Bushing Øint 16xH13 mm G (1a serie)

190613

355951



Plate for wash arm
dim. 56x12x1 mm

140106

140108

357321



Bushing Ø 25x47,5x10,5 mm

160820

357861



Gasket for rinse connect Ø 14x26x10
mm
SE/1

200480

357452



Nozzle supprt
dim. 12x37 mm; hole Ø 4,5 mm

170704

357994



Gasket Ø 33x45x5 mm
BTM

200936

200959

359744



Spring for nozzle

450236

357989



Flat gasket Ø 48,5x92xh2,80 mm

200946

Wash units

357992



Gasket 70x60x3 mm

200955

357859



Gasket 70x70x3 mm
hole Ø 48,5 mm

200468

357983



Gasket 100x78x3 mm
BTM

200937

357852



Gasket 100x100x3 mm
hole Ø 76 mm

200448

357836



Gasket 110x100x3 mm
hole Ø 63 mm

200405

Air-gaps

357791



Air break
inlet/outlet \varnothing 28/10 mm; dim. 260x165x60 mm

191095

357369



Air break \varnothing 44x110 mm for F45-55-80

161305

357376



Air break BHC

161316

357377



Nut for air break

357929



O-ring 2,62x28,24 mm

357987



Flat gasket \varnothing 25x38x2,2 mm

357368



Air break \varnothing 49x72 mm
with connection M10

161303

357556



Air break \varnothing ext 28x70 mm
connection \varnothing ext 9 mm

180420

357372



Air break Ltot.170 mm
connection 1/2"

161310

161324

357371



Air break L=260 mm \varnothing ext 34 mm

161308

161323

357370



Hose for air chamber 1/2" for F-C 70/75
Ltot 150 mm, pipe \varnothing ext 8 mm, \varnothing ext 6 mm

161306

700343



Air break \varnothing 49x124 mm
with connection M10

161301

Air-gaps

357374

**Hose for Air break L=400 mm**connection Ø 30 mm, pipe Øint 5 mm for
357371

161312

357378

**Hose for Air break L=2500 mm C2001**connection Ø 30 mm, pipe Øint 5 mm for
357371

161320

357511

**Nut Air break Ø 65mm**

180149

357377

**Nut for air break**

connection for pipe Øext 6 mm

161317

Steam element/Condenser and Evaporator

359444

**Evaporator unit 500x240x250 mm**

connection F3/4"

400815

359446

**Evaporator unit 500x185x305 mm**

connection 3/4"; AC/ACR/NE/NG

400810

400817

Dispensers and Peristaltic pump

315324



Rinse aid hydraulic dispenser
IN Ø 6x8 mm - OUT Ø 4x6 mm

620120

358187



Hexagonal nut M6

358211



Grower washer Ø 6,3 mm INOX

359644



Gasket for rinse Ø 22x32 mm for 315324

360077



Diaphragm rinse injector Ø 80 mm for 315324

700410



Inlet silicone valve for hydraulic pump

700428



Rinse aid hydraulic dispenser
IN Ø 4x6 mm - OUT Ø 4x6 mm

620788

315793



Rinse aid hydraulic dispenser
IN Ø 8x12 mm - OUT Ø 4x6 mm - x mod.
FC3-FC4-GF70-GF90

H35388

700411



Rinse aid peristaltic pump electronic adj. time-pause
mod. G300; max capacity 3,0 lt/h; 230V 50Hz;
hose Ø 5x8 mm

440617

440632

620242

700414



Hose for detergent pump thermoplastic

365039



PVC transparent hose Ø 4x6 mm (sold by meter)

160105

337007



Filter with nonreturn valve Ø 17 mm
connection for pipe Ø 4x5

180719

180726

360077



Diaphragm rinse injector Ø 80 mm for 315324

630614

359644



Gasket for rinse Ø 22x32 mm for 315324
H=5 mm

440405

Dispensers and Peristaltic pump

357672

Pipe fitting hydraulic dispenser Ø 7,5 mm
Dispenser 700428; pipe 356342

190339

311413

Pipe fitting 90° M12 mm inox
for hose Ø 4x6 mm

180308

251213

700413

Hose for detergent pump thermoplastic
L=175 mm - rubber holder Ø 5x8 mm

200608

700414

Hose for detergent pump thermoplastic
L=180 mm - in thermoplastic - rubber holder Ø 4x6 mm

200608/1

700410

Inlet silicone valve for hydraulic pump
mod. S1000/2000/3000

200444

Solenoid Valves and Reducers

352509



**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
inlet Ø 3/4" with filter and reducer 8 lt/min;
Tmax 90°C

121104

350559



**Steam solenoid valve L153D5 - G1" - 24V
50Hz**
L=105 mm - Pmax. 16 bar

120108

120166

315696



**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 12 lt/min; Tmax 90°C

120145

H120145

H30933

355953



Power socket plug type small DIN 43650

349269



**Solenoid brass valve L182 - NC - G1/2" -
24V 50/60Hz**
L=66 mm; 4W - NBR membrane - Fluid. Temp
-10°C++90°C

120131

120154

528246



**Solenoid valve 90° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120142

120144

410235



**Solenoid brass valve L182 - NC - G1" -
24V 50/60Hz**
L=105 mm - NBR membrane - Fluid. Temp
-10°C++90°C

120123

435409



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

120173

352592



**Solenoid brass valve L140 - NC - G1/2" -
230V 50/60Hz**
L=41 mm - Pmax. 16 bar - NBR membrane -
Fluid. Temp -10°C++90°C

121170

350479



**Solenoid brass valve L182 - NC - G3/4" -
24V 50/60Hz**
L=79 mm - NBR membrane - Fluid. Temp
-10°C++90°C

120122

355953



Power socket plug type small DIN 43650

Solenoid Valves and Reducers

350536



Solenoid brass valve L182 - NC - G3/4" - 230V 50/60Hz
L=79 mm - NBR membrane - Fluid. Temp -10°C+90°C

120158

355953



Power socket plug type small DIN 43650

150034

360093



Coil Z610A - 220/240V 50/60Hz - for solenoid valve L140

630981

350554



Solenoid brass valve L145 - NC - G1" - 24V 50Hz
L=105 mm - PTFE membrane (steam) - Fluid. Temp +60°C+ +170°C

120163

360083



Coil Z610A - 24V 50/60Hz - for solenoid valve L140

630948

350547



Solenoid brass valve L145 - NC - G3/4" - 24V 50Hz
L=79 mm - PTFE membrane (steam) - Fluid. Temp +60°C+ +170°C

120162

360087



Coil Z534A 24V 50/60 Hz for solenoid valve L145

630972

350545



Solenoid brass valve L145 - NC - G1/2" - 24V 50Hz
L=66 mm - PTFE membrane (steam) - Fluid. Temp +60°C+ +170°C

120161

360094



Coil ZB10A - 220/240V 50/60Hz - for solenoid valve L182

630986

436181



Solenoid brass valve L153 - NC - G3/4" - 24V 50Hz
L=79 mm - PTFE membrane (steam) - Fluid. Temp -10°C + +140°C

120107

120165

Solenoid Valves and Reducers

350556



Solenoid brass valve L153 - NC - G1/2" - 24V 50Hz
 L=66 mm - PTFE membrane - Fluid. Temp -10°
 + +140°C

120164

355953



Power socket plug type small DIN 43650

349272



Solenoid brass valve L182 - NC - G1/2" - 230V 50/60Hz
 L=66 mm - NBR membrane - Fluid. Temp
 -10°C+90°C; coil 8W

120174

360085



Coil 220-240V 50/60Hz
 faston 6,3x0,8 mm

630969

Ball valves, Pipe fittings

357546



Rubber holder L=53 mm Ø 6 - Ø 8 mm

180313

359915



Rubber holder 90° 1/2" - brass

510408

Ball valves, Pipe fittings

358288



Rubber holder G1/2" - outlet Ø 13 mm

280525

358269



Elbow fitting 1/2" - MF

280115

440933



Rubber holder G1/2" - outlet Ø 15 mm

290410

524461



Elbow fitting 90° 3/4" M/F

280119

358354



Rubber holder G3/4" - outlet Ø 13 mm
with gasket Ø 14x23,8x2,1 mm

301001

358270



Pipe fitting 90° FF 3/8" - 1/4"

280118

358343



Rubber holder G3/4" - outlet Ø 13 mm
with gasket

300508

357669



Elbow fitting 90° 3/4"

190328

280408

358311



Rubber holder G3/4" - outlet Ø 20 mm

290403

438092



T-connection Ø 10-6-10 mm

180408

33817

H33817

Ball valves, Pipe fittings

357552



T-connection Ø 11,5x11,5xM11 mm for by-pass

180411

358304



Raccord M1/2" with ring nut F3/4"

290215

353166



T-connection Ø 12-12-12 mm

180413

358253



Pipe fitting 1"±1/2"
H=22,5 mm; CH34

270309

700462



T-connection Ø 13-13-13 mm

180403

359937



Twin solenoid valve manifold

620121

357662



Y-connection Ø 8-8-5,5 mm

190314

441675



Backflow preventer dishwasher

190330

280121

460502

620243

620535

358307



Connection Øext. 12÷14 mm - M 1/2"

290218

342780



Backflow preventer dishwasher
rubber holder Ø 12 mm

621052

Hoses

358940



Flexible hose M1/2" F3/4" L=110 mm DN15

332243

360388



Formed hose 90° Ø 60x74 mm

H29532

358054



Hose Ø 28x36x720 mm

201076

360384



Formed hose 90°

H26556

358012



Formed hose Ø 50x52 mm AC95-AC135
dim. 360x670x100 mm

201004

200005



Hose EPDM Ø 5x12 mm (sold by meter)

160121

200129

358048



Formed hose 90° Ø 26x35 mm - for boiler

201070

H36028

337176



Hose EPDM Ø 8x15 mm (sold by meter)
for hot water; Pmax 10 bar; working temp
-35°C÷120°C; Pmax 10 bar

200117

358039



Formed hose 90° Ø 53x70 mm
dim. 225x90 mm

201057

200004



Hose EPDM Ø 11x19 mm - blue - (sold by meter)
Pmax 10 bar; Work Temp. -35°C÷110°C; FDA approved

200118

200122

Hoses

200002

Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp. -35°C+120°C

200113

700457

Hose EPDM Ø 65x74 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200108

700447

Hose EPDM Ø 20x30 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200104

356342

Hose PVC Ø 5x8 mm blue (sold by meter)

160108

160132

700448

Hose EPDM Ø 25x35 mm (sold by meter)
working temp. -35°C+110°C; Pmax 10 bar;
black; WRAS certified

200101

356348

Hose polythene Ø 6,3x8,5 mm

160117

700541

Hose EPDM Ø 35x45 mm (sold by meter)
working temp. -35°C+110°C; Pmax 6 bar

200120

357810

PVC hose Ø 35x45x1000 mm d.35

200127

700455

Hose EPDM Ø 50x60 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200105

200329

438475

Rubber feeder hose 3/4" L=2000 mm
straight connection + 90° connection; ring nut
in nickel-plated brass Ø 3/4"F; pipe Ø 10x17
mm; Pmax 15 bar; Tmax 90°C; WRC/WRAS
approved

201036

Hoses

615414



Feeder hose with armour 3/4" L=2000 mm

ring nut in nickel-plated brass Ø 3/4"F; Øint 13 mm; Pmax 25 bar; Tmax 100°C; WRAS approved

200715

H37330

357901



Rubber feeder hose Ø 25 mm 180°+ Ø 13 mm L= 630 mm

Ø 25x30 mm; Ø 13x21 mm

200759

438247



Drain pipe PPE Ø 21 mm 180°+ Ø 30 mm M 180° L=2150 mm

muffs Øint/ext 21/28 mm and 30/34 mm, pipe Øext 26,5 mm

200779

700446



Drain pipe PPE Ø 34 mm 180°+ Ø 28 mm L=3000 mm

muffs Øint/ext 34x40 mm, pipe Øext 35 mm

200721

316102



Drain pipe PPE Ø 19 mm F 180°+ Ø 22 mm 90° L=3000 mm

muff Ø 19/26 mm, muff 90° Ø 22/28 mm, pipe Ø ext 25 mm

200346

Water conditioning

360106

Salt container Ø 120 mm - H=114 mm

631302

H25051

357854

Gasket for salt container Ø 67x81,5x6,5 mm

200454

321588Softener 390x200 mm
rubber holder Ø 10 mm

640209

Drain components

357659T-connection Ø 30x34 mm L=140 mm
with gasket Ø 33x44x3 mm

190307

356363Pipe for outlet 1"1/2 a 90°
Øint. 30 mm

160203

357652Drain outlet
pipe Ø 30 mm

190225

357534Inlet-Outlet tank C2001
with ring nut

180248

180249

Drain components

316375



Lip gasket Ø 28x40xh6 mm

200912

700342



Drain plate Ø 39x68x39 mm
thread 1/2"

160301

160305

357991



Lip gasket Ø 27x44x7 mm VITON

200950

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm
hole over flow pipe Øint. 44/35.5 mm

270409

357839



Flat gasket Ø 33x45x3 mm

200412

358246



Lock nut 1" 1/2

356657



Drain plate H=53 mm
overflow pipe hole Ø 40/38 mm

160310

315359



Lip gasket Ø 35,5x43x7 mm

200469

356361



Drain plate Ø 30,5x34,5/44xh60 mm

160201

357838



Flat gasket Ø 47x65x4 mm

200410

357496



Lock nut 1" 1/2

180109

Drain components

358246



Lock nut 1" 1/2

270104

357593



Overflow pipe Øext 26x120 mm

180730

359392



Overflow pipe L=575 mm
GE65-85-115

380848

315359



Lip gasket Ø 35,5x43x7 mm

357493



Ring nut 1"1/2 FC75

357838



Flat gasket Ø 47x65x4 mm

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm

359391



Overflow pipe Ø 35x320 mm

380847

315359



Lip gasket Ø 35,5x43x7 mm

357838



Flat gasket Ø 47x65x4 mm

358246



Lock nut 1" 1/2

Drain components

359387



Overflow pipe Ø 35x470 mm
AC91/101/122 INOX

316009



Overflow pipe Ø 37x180 mm

380836

315359



Lip gasket Ø 35,5x43x7 mm

170707

315359



Lip gasket Ø 35,5x43x7 mm

357838



Flat gasket Ø 47x65x4 mm

357493



Ring nut 1"1/2 FC75

358246



Lock nut 1" 1/2

357594



Tank filter Ø 180 mm H=95 mm

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm

357839



Flat gasket Ø 33x45x3 mm

357454



Overflow pipe Ø 37,5x178 mm

416280



O-ring 3,53x34,52 mm NBR

170710

315359



Lip gasket Ø 35,5x43x7 mm

357594



Tank filter Ø 180 mm H=95 mm

Drain components

357582



Overflow pipe Ø 37,5x190 mm c85-140

180708

357496



Lock nut 1" 1/2

357838



Flat gasket Ø 47x65x4 mm

700342



Drain plate Ø 39x68x39 mm

357591



Overflow pipe Ø 42x420 mm
connection Ø 38 mm, Øint 31 mm

180728

357385



Plug for overflow pipe Ø 63x55xh31 mm

357601



Tank filter Ø 240 mm H=95 mm

357991



Lip gasket Ø 27x44x7 mm VITON

357505



Ring nut 2" Ø 78 mm H=8 mm

180132

357589



Cover overflow pipe BHC

180725

357509



Ring nut overflow pipe

180147

357527



Tank suction basin without overflow Ø
228 mm
raccord 1"1/2

180228

359130



Lever for overflow pipe BTM-NE / 2

342072

Drain components

358919



Clamping pieces \varnothing 10x25x12 mm

332110

Filters

359942



Water filter 1/2" L=76.5 mm

620209

358709



Filter \varnothing 185x80 mm

330528

330550

330565

356852



Knob of manifold f. solen. Val 1"
H=38 mm

160709

357594



Tank filter \varnothing 180 mm H=95 mm
drain holes \varnothing 54 mm

180808

358705



Filters solenoid valve manifold \varnothing
22x88mm

330526

357598



Inlet pompe protection filter
dim. 50x160 mm

180814

358904



Filter \varnothing 155x300 mm
hole \varnothing 52 mm

332068

357606



Tank filter 250x265 mm

180831

H36266

Filters

358914



Right tank filter 270x235 mm

332090

358883



Tank filter 315x295x55 mm

332016

358915



Left strainer 270x235 mm

332091


358884



Tank filter 430x300x50 mm INOX

332017

357596



Flat strainer 200x266 mm

180811

357599



Pump suction filter Ø 82xh72 mm

180816

358906



Tank filter 330x395x22 mm

332075

358899



Tank filter 515x260x25 mm INOX
mod. GE100

332057

Transmission components

359534



False chain link 1/2"

410902

359513



Gear wheel 14 teeth - 40 teeth

410306

359535



Chain link 1/2" SE/1

410903

357437



Gear wheel Øext 150 mm - 7 teeth
hole for hub Øint35,5xh38 mm

170447

359532



Chain 1/2" - 38 links L=1012 mm
N-AC-ACR

410801

357428



Gear wheel Ø 150 mm
hole Ø 25 mm

170342

359494



Gear wheel Ø 58 mm - 13 teeth
plastic

410262

359514



Gear wheel Ø 134 mm - 32 teeth

410307

Structural components

358731



Upper bracket

330715

331429

Finger Links

357396



Finger link L=97 mm - H=74 mm

170217

357704



Wheel Ø 25x35/40x63 mm

190653

357397



Finger link L=97 mm - H=74 mm

170218

358638



**Connector for transport system
78,3x20x2 mm
Ø 8,5mm**

330113

357407



Finger limit switch

170238

357417



**Wheel tape gray Ø 30xh17 mm
shaft L=19,5 mm**

170314

Handles

358764



Handle 925x1070 mm

357696



Bush for handle
Øint. 14,2/est.28x42,5 mm

331028

350838



Limit switch with wheel 400V 3A

190643

357628



Handle support

357677



Bush for spring holder hood mechanics

359434



Tension spring Ø 37x640xLtot. 910 mm

357501



Knob Ø 30 mm M6

180126

357628



Handle support
dim. 70x32x18 mm

190143

Thermostatic steam trap

425035



Vertical Steam trap Ø 1/2" FF
PMA 25 bar - TMO 400°C - 1.4305 CF16F

310702

310705

Hinges

359059



Shaft for hinge Ø 6x45 mm

341218

341240

Thermometers

359795



Thermometer Ø 52 mm 0÷120°C
coated capillary L=1500 mm, bulb Ø 6x38 mm

450905

416427



Thermometer Ø 52 mm 0÷120°C
coated capillary L=2500 mm; bulb Ø 6x38 mm

450907

435099



Thermometer 0÷120°C 58x25 mm
capillary L=2500 mm; bulb Ø 6,0x24 mm

450902

Manometers, Safety Valves

360193



Manometer Ø 50 mm 0÷1 bar
rear connection G1/4" M

870072

359695



Manometer Ø 80 mm 0÷2,5 bar
connection G1/4"

441401

Small Mechanical Parts

359665



Snap-ring Ø 15x1 mm INOX

440811

359690



Antivibration Ø 25xH20 mm - M6x18 mm
hole M6

441103

441139

359668



Snap-ring Ø 48x1,9 mm INOX-ring

440816

359689



Antivibration Ø 25xH25 mm - M6x19 mm

441138

416014



Radial snap ring INOX Øest. 13,8x0,9 mm

440828

359678



Antivibration Ø 40xH30 mm - M8x25 mm

441104

441131

Small Mechanical Parts

357712



Flange bushing Ø 12x14x20 mm - H=7 mm

190663

357690



Flange bushing Ø 20x24,7/28x23 mm

190636

357682



Flange bushing Ø 12x16x20 mm - H=12 mm

190617

439006



Wedge 6x6x25 mm - INOX

441122

357694



Flange bushing Ø 12x16x20 mm - H=10 mm

190641

359799



Cotter pin Ø 2,0x12 mm INOX UNI1336

451002

357695



Flange bushing Ø 16x20x26 mm - H=13 mm

190642

438438



Hexagonal nut M6 self-locking - INOX

260412

H25792

360483



Flange bushing Ø 20x24,5/28x23 mm

H37786

322630



Hexagonal nut M8 self-locking - INOX H=8 mm

260415

Small Mechanical Parts

362940



Hexagonal nut M4 - H=3,2 mm INOX
CH7

260402

358188



Hexagonal nut M8 - H=5 mm INOX

260405

H25776

337045



Hexagonal nut M5 - H=4 mm INOX

260403

H25774

357244



Plastic hexagonal nut M10 - H=7 mm - in
plastic
CH19

160789

200250



Hexagonal nut M6 - H=5 mm INOX

H25775

358190



Hexagonal nut M10 - H=8 mm INOX
CH17

260407

358187



Hexagonal nut M6

260404

334942



Hexagonal nut M12 - H=10 mm INOX (10
pcs)
CH19

260408

260410

358196



Hexagonal nut "M6" inox A2 "5587"

260416

358115



Hexagonal nut 3/4" - H=6,5 mm - INOX
CH36; AC-ACR

251302

Small Mechanical Parts

358250



Hexagonal nut 1/2" - H=11 mm - INOX
CH30 mm

270121

359110



Knurled nut INOX

341933

418034



Hexagonal nut M6 - H=11,5 mm

290701

358328



Spacer Ø 5x12x8 mm

290821

358280



Knurled nut M10 Ø 30 mm - H=6,6 mm

280417

H34998

356717



Spacer Ø 8,8x13,7xh7,9 mm

160514

358278



Knurled nut M18x1 Ø 35 mm - H=6 mm -
INOX
C1000/1300 LC

280409

359424



Spacer Ø 15x20x7,4 mm

390906

359910



Knurled nut Øext 60 mm G65-75-115

510284

310306



Double wire clamp Ø 7,8x8,3 mm

450115

Small Mechanical Parts

359717



Double wire clamp Ø 8,8÷9,3 mm

450134

322082



Hose clamp Ø 32÷52/9 mm - INOX

450106

359714



Double wire clamps Ø 9,8x10,4 mm

450125

438464



Hose clamp Ø 32÷50/9 mm - INOX

450107

359723



Double wire clamp Ø 34,6x36,4 mm

450149

518655



Hose clamp Ø 40÷60/9 mm - INOX

450135

359721



Double wire clamps Ø 37,7x39,7 mm

450143

433052



Hose clamp Ø 16÷27/12 mm in INOX

450104

438480



Hose clamp Ø 12÷22/9 mm - INOX

450102

450103

359703



Hose clamp Ø 25÷40/12 mm - INOX

450105

H25807

Small Mechanical Parts

438463



Hose clamp Ø 50÷70/12 mm - INOX

450109

H25809

358745

Shoulder ring Ø 20x40x10 mm
thread M6

330884

441709



Hose clamp Ø 60÷80/12 mm - INOX

450119

H32130

358832



Hook for door support

330778

331755

359715



Hose clamp Ø 68÷85/12 mm - INOX

450127

357518



Blind flange Ø 85x5 mm

180202

359719



Hose clamp Ø 15÷20x7 mm

450137

356726

Sliding block for warewashing basket
G-GE
110x20 mm, with nut and fastening screw

160532

358090

Grub screw 8x12 mm
conical point

250203

357333

Sliding plate for tie rod
dim. 5x17x30 mm

160905

Small Mechanical Parts

359108



Pin M8 - L=62,8 mm
CH17

341926

358203



Flat washer Ø 4,3x9x0,8 mm INOX

260502

H25743

359426



Pin M8x120 mm NE/2

391009

358222



Flat washer M6 Ø 6,6x18x1,6 mm INOX

260538

350781

359161



Pin NE2

342700

432605



Flat washer M6 Ø 6,4x11,6x1,6 mm INOX

260504

H25746

H30940

358211



Grower washer Ø 6,3 mm INOX

260512

H25750

358216



Flat washer Ø 7,6x22 mm INOX

260530

358209



Grower washer Ø 4,2x7,2x1 mm INOX

260510

364457



Flat washer M8 Ø 8,5x15,7x1,4 mm INOX

260505

H35231

Small Mechanical Parts

358221



Flat washer Ø 13x2013x0,8 mm INOX

260537

360393



Raised countersunk head screw M5x8 mm

H31910

359698



Door look with barrel

441501

358160



Raised countersunk head screw TB M5x12 mm - INOX

260223

300156

359807



Roll pin Ø 4x16 mm

451123

358161



Raised countersunk head screw TB M6x20 mm - INOX

260224

260239

359809



Roll pin Ø 5x36 mm

451127

358145



Cylinder head bolts TCP M3x10 - INOX

260201

358162



Raised countersunk head screw M4x12 mm

260226

358149



Cylinder head bolts TCP M4x22 - INOX

260206

Small Mechanical Parts

310175



Hexagon head screw TE M4x12 mm

260151

358118



Hexagon head screw TE M6x16 - INOX

260104

H25715

326263



Hexagon head screw TE M5x16 mm INOX
(10 pcs)

260139

316196



Hexagon head screw TE M6x25 mm INOX

260106

358132



Hexagon head screw TE M5x20 - INOX

260129

358122



Hexagon head screw TE M6x35 mm INOX

260110

351982



Hexagon head screw TE M6x10 mm INOX

260100

260102

358123



Hexagon head screw TE M8x16 mm INOX
A2

260112

260147

315421



Hexagon head screw TE M6x12 mm INOX
CH10

260103

358124



Hexagon head screw M8x20 mm - INOX

260113

Small Mechanical Parts

357243



Hexagon head screw M10x16 mm

160788

381681



Countersunk screws M6x12 mm

260317

358241



Knurled screws M6x8 mm Ø 28

261004

261009

360397



Sheet metal screws TSP Ø 2,9x9,3 mm

H33277

358233



Sheet metal screws 3,9x13 inox uni 6954

260706

Bearings

359458



Ball bearing Ø 15x32x9 mm

410119

335224



Ball bearing Ø 17x40x12 mm

410109

Shaft sealing

412572



Shaft sealing Ø 24x10x14 mm /
counter-seal Ø 26x13x8 mm
for pump with shaft Ø 11 mm

630510
630543

630514

630523

360402



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø 26x14x8 mm

H33839

610895



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø 26x14x8 mm
for pumps LGB ZF523V 230-400 V 50Hz

630528

630546

360054



Shaft sealing Ø 22x12x24 mm /
counter-seal Ø 20x13x7 mm
o-ring 2,50x16,00 mm

630518

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

630501

360063



Shaft sealing Ø 24x14x24 mm /
counter-seal Ø 22,5x15x8 mm
o-ring 2,50x18,50 mm

630529

Shaft sealing

360065



Shaft sealing Ø
32,5/21,5x31mm/counter-seal
Ø36,3x23x12,5 mm

630532

360055



Shaft sealing Ø 36x23x37
mm/counter-seal Ø 36.3x23x12.5 mm
for pump 4HP - HTE50

630520

Lockings

359052



Fixing plate hook for AC
dim. 54x27 mm

341016

360430



Support for tie rod Ø 10x20 mm GF90

H35201

357558



Snap lock "BR-BC-FC-F"
dim. 45x17,5 mm - H=23 mm

180506

358637



Spacer 78x22x3 mm
holes Ø 15 mm

330112

358784



Door security hook
AC-ACR

331112

331116

359181



Tie rod door Ø 12x540 mm
thread M8

342796

Knobs

311704

Knob Ø 41,5 mm 0÷90 °C
D-shaft Ø 6x4,6 mm

450315

359754

Knob Ø 40 mm
connection 5x5 mm

450323

359768

Knob Ø 42 mm

450343

357497

Knob black Ø 45 mm
with screw M3x14,5 mm; connection 6x6 mm

180111

357771

Frame for thermostat knob Ø 56 mm

191040

Boilers

358663



Steam boiler 30000 kcal/h

330314

700345

Boiler 3 Heating element
Ø 220x640 mm; ; with insulation

330322

358682

Boiler 1 Heating element LF2004
Ø 150x450 mm; hole Ø 58 mm, bulbholder

330368

358303

Plug G1/8" - brass
H=12 mm; CH13

290121

358678

Boiler 1 Heating element
Ø 150x680 mm

330355

358672

Boiler 1 Heating element
C1000/1300-FC-LC
Ø 155x500 mm

330331

330342

358681

Boiler 2 Heating element
Ø 190X690 mm

330367

Safety groups

358300



Pressure reducer 1/2 "3 bar
with manometer 1/4 "Ø 50 mm 4 bar

281102

Springs

359742



Compression springs BHC Øext 41xH60 mm

450232

359436



Roll spring L=40 mm Ø 46 mm - 4,5Kg
with flange

391318

318616



Roll spring - 2.5 Kg

391323

359430



Roll spring L=40 mm - 4,0Kg
with flange 122x69x65 mm

391309

359437



Roll spring L=40 mm Ø 47 mm - 50N
with flange 123x69.5 mm

391331

359433



Roll spring L=40 mm Ø 45,5 mm - 2,5 Kg
with flange

391311

391315

359438



Roll spring L=40 mm - 5,5 Kg
with flange

391332

359739



Tension spring Ø 12x85xLtot. 108 mm
wire Ø 1,2 mm

450229

Springs

359748



Tension spring Ø 13x78 mm
wire Ø 2,5 mm - LF2006/GF70

450288

H36860

360473



Tension spring Ø 16,5x69xLtot. 87 mm
wire Ø 2,6 mm

H37337

360421



Tension spring Ø 16,5x80xLtot97 mm
wire Ø 2,5 mm - GF90

H34773

359745



Tension spring Ø 22x122xLtot205 mm
wire Ø 3 mm - hole Ø 8 mm

450237

359434



Tension spring Ø 37x640xLtot. 910 mm
wire Ø 5 mm; C-LC

391316

322630



Hexagonal nut M8 self-locking - INOX

357677



Bush for spring holder hood mechanics

358658



Spring rod M8x285 mm

364457



Flat washer M8 Ø 8,5x15,7x1,4 mm INOX

359747



Spring GF70

450287

357677



Bush for spring holder hood mechanics

190607

Springs

360458



Door spring bracket
dim. 21x22x38 mm

H36626

358792



Bracket for door spring
dim: 40/35x30x3 mm

331430

357702



Support 60x20x8 mm

190651

Slide Ways - Shelf Supports

358477



Left runner L=720 mm

322712

358476



Guide right L=720 mm

322711

Printed Circuit Boards

353348



Motherboard GE 2010
GE

121312

353338



Interface board 170x28 mm
BC / GE / LFD

121305

353309



Motherboard CE-GE

121283

353336



Interface board C-GE 2009
C / GE

121284

121304

353184



Motherboard 180x100 mm
FC5 / GF90 / LF320LA / LF400A

121237

353339



Interface board 85x28 mm
BC / GE / LC / LFD

121306

353310



Motherboard 230V 50/60Hz
BHC / C / FC / GF / LB / LC / LF

121287

353366



Interface board 9.3.00.80g
F3E / F4E / GF70E / LF 322E

121319

353256



Motherboard 420x100 mm
ACRS / GMC / LAV / NE / NG / NL

121258

353361



Interface board 170x28 mm
BC / F3E / F4E / GE / LC

121316

Printed Circuit Boards

353264



Interface board
ACR / GMC / LAV / NE

121259

121278

352731



Interface board 170x270 mm
AC / ACR / GMC / NE

121204

350394



Cable for pcb L=1250 mm
FC06-C-G

110482

356736



Electronic card spacer

160537

357363



Electrical box cover
dim. 320x495 mm

161191

Probes

351996

Probe NTC C-G
cable L=250 mm

120960

351983

Temperature probe PT100
bulb Ø 6x76 mm; cable L=680 mm

120943

351760

Temperature probe PT100
bulb Ø 6x58 mm; cable L= 7000 mm;
connection M20

120910

351901

Temperature probe PT100
bulb Ø 6x60 mm; cable L=12 mt; CH27

120928

Thermoregulators

359796

Thermoregulator IC902 Plus
probe Tcj(Tck-PT100); 1 relay output 8(4)A
250V; power supply 12/24V; mounting hole
71x29 mm

450910

450911

Membranes

359870



Membrane keypads 118x218 mm

461353

359812



Membrane keypads 180x50 mm

460344

359863



Membrane keypads 585x44 mm

461343

359862



Membrane keypads 44x584 mm

461340

Oil seals

359651



Oil seal 20x30x5 mm VITON

440415

Gaskets for dishwashers

360464



Door gasket L=592 mm GF70

H36926

360462



Door gasket L=1020 mm GE

H36883

357975



Door gasket 20x1000 mm

200901

200923

O-rings

357950



O-ring 1,00x7,00 mm NBR

200850

532922



O-ring 1,78x6,75 mm NBR

200818

O-rings

531952



O-ring 1,78x8,73 mm NBR

200809

357932



O-ring 2,62x9,92 mm

200810

435313



O-ring 1,78x12,42 mm NBR

200824

200843

357930



O-ring 2,62x13,10 mm EPDM

200806

438348



O-ring 1,78x20,35 mm NBR

200849

357929



O-ring 2,62x28,24 mm

200805

357947



O-ring 2,00x9,50 mm EPDM

200844

357960



O-ring 2,62x45,69 mm

200867

H28226

357933



O-ring 2,40x16,30 mm

200813

357954



O-ring 3,00x6,00 mm EPDM

200854

O-rings

357955



O-ring 3,00x43,00 mm

200855

357946



O-ring 3,53x53,57 mm - NBR

200842

H31948

357956



O-ring 3,00x81,00 mm

200856

441739



O-ring 4,00x110,00 mm NBR

200807

357961



O-ring 3,53x20,22 mm NBR

200869

435303



O-ring 5,34x46,99 mm NBR

200820

416280



O-ring 3,53x34,52 mm NBR

200814

435067



O-ring 5,34x56,52 mm NBR

200815

425696



O-ring 3,53x37,69 mm EPDM

200822

200830

357943



O-ring 5,34x81,92 mm EPDM

200829

Adhesive Gasket

Adhesive Gasket

357846



Gasket adhesive EPDM 8x4 mm (sold by meter)

200432

357835



Gasket adhesive EPDM 25x4 mm (sold by meter)

200402

357860



Gasket adhesive EPDM 65x4 mm (sold by meter)

200478

Flat gaskets

359822



Flat gasket Ø 9,2x14,7x2 mm - Fiber

460528

441494



Flat gasket Ø 27x37x2 mm - Fiber

460503

582600



Flat gasket Ø 10x18x2 mm

200870

357987



Flat gasket Ø 25x38x2,2 mm

200944

Flat gaskets

357327



Gasket 35x14x3 mm

160837

357978



Flat gasket Ø 21x30x2,7 mm - EPDM
C95-155

200927

615070



Gasket silicon Ø 35x45x6 mm

160830

200424

357973



Flat gasket Ø 48x59x2 mm - EPDM

200919

359817



Flat gasket Ø 42x55x2 mm - NBR

460507

H26637

357967



Flat gasket Ø 66x92x2 mm - EPDM

200906

357840



Flat gasket Ø 10x18,5x3 mm - EPDM

200415

357322



Flat gasket Ø 6,2x13,75x2 mm - PTFE

160826

357858



Flat gasket Ø 11x15x2 mm - EPDM

200467

357315



Gasket Ø 8x16x4 mm

160805

Flat gaskets

357325



Flat gasket Ø 8,5x17x0,75 mm - Teflon

160833

357330



Flat gasket 1/2"

160841

357841



Flat gasket Ø 13,5x24x2,2 mm - Neoprene

200416

357869



Flat gasket Ø 47x65x2 mm - Neoprene

200498

357862



Flat gasket Ø 54x60x4 mm - Neoprene

200482

357863



Flat gasket Ø 72x86x2 mm - Neoprene

200489

Dishwashing Baskets

359925



Basket 1325x700x160 mm
G115L-G100L

530227

Feet

359639



Foot M16x80 mm
Ø 59 mm - H=15 mm

440209

359943



Adjustable foot in aluminum - H=135÷190 mm
mm
flange 100x62 mm

620222

358073



Foot M10x38 mm
Ø 60,5 mm - H=31 mm

210203

359638



Foot insert 40x40 mm
thread M16

440208

356702



Foot support plastic H=116,5 mm
flange 109x60 mm; thread M10

160509



Rack Type

Electrical Parts

Water Parts

Mechanical Parts

Electronic Parts

Gaskets

Accessories

Switches, Push Buttons, Selectors

350830



Magnetic switch s90/ac91=202
 Ø 14,5/60xHtot. 88 mm; cable L=540 mm with
 faston 6,3x0,8 mm

120317

354912



**Emergency push button dima Ø 22mm -
 mushroom Ø 40 mm**

130466

130476

354913



Contact 1NC 10A 660V

130477

354913



Contact 1NC 10A 660V

358850



Flange for emergency push but

331819

354562



**Push buttons green Ø 22 mm - unstable
 with base without contacts**

130413

359769



**Cover for push button Ø 21,2x11,2 mm -
 ROLD
 shaft Ø 3,7 mm**

450345

360227



**Red push button Ø 29 mm - unstable
 mounting diameter Ø 22 mm - without contacts**

130413/R

318926



**Black rotary knob Ø 22 mm - unstable
 without contacts - with key**

120743

354758



**Emergency push button dima Ø 40 mm
 manual reset; dim. 65x65x47 mm; Htot. 72 mm**

130453

Switches, Push Buttons, Selectors

436200



Switch-disconnector 3P 8 kW 50Hz - 80A
4 poles for cables 1,5÷25 mmq

120748

120749

356007



Shaft L=6x6x180 mm for switch

150503

356007



Shaft L=6x6x180 mm for switch

613525



Knob ON-OFF

436201



Switch-disconnector 3P 8 kW 50Hz - 125A
4 poles - for cables 10÷70 mmq

120745

356007



Shaft L=6x6x180 mm for switch

613525



Knob ON-OFF

613525



Knob ON-OFF
mounting diameter Ø 22 mm - dim 65x65 mm

450330

Lamps and Lamp Holders

353377



Lamp 1,2W 30V BA9S

130138

363134

Red lens Ø 22 mm, lens Ø 29 mm
with contact-block

130701

420996

Red pilot lamp 240V Ø 9x60 mm
Lens Ø 13 mm, with nut and silicon O-ring

130120

340417

Pilot lamp Ø 9 mm 24V
L=55 mm - faston 6,3x0,8 mm

130170

435511

Green pilot lamp 240V Ø 9x60 mm
Lens Ø 13 mm, with nut and silicon O-ring

300121

353389

Pilot lamp 25x25 mm
16A 220V - connection 6,35x0,8 mm

130176

414094

Green pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

150106

150107

353383

Red lamp 250V 50/60Hz
dim. 80x60x80 mm

130156

355988

Red pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

150105

355834



Green lens Ø 13 mm L=22 mm

130711

Lamps and Lamp Holders

355810



Red lens Ø 13 mm L=22 mm

130710

Contactors and Relays

360090



Auxiliary contact NO 12/60V DX - coil in the opening

630977

351386



Contactor AF12-30-10-11

5,5kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1 aux NO

120469

355883



Auxiliary contact NC for breaker

130925

351388



Contactor A26-30-10 24V

11kW 3P; 24V 50-60Hz 3 cont. NO + 1 aux NO dim 90x54x94 mm

120453

120471

355906



Contact CA5-40E 4NO

dim. 39x43x47 mm

130928

351389



Contactor A30-30-10

15kW 3P; 24V 50-60Hz 400V 3 cont. NO + 1 aux NO

120472

351385



Contactor A9-30-10

4kW 3P; 24VAC 50/60Hz; 400V 3 cont. NO + 1 aux NO; dim. 75x43x72 mm

120468

351608



Overload relay ABB 0,4-0,63a

Contactor 351385

120858

Contactors and Relays

351609



Overload relay ABB 0,63-1a
Contactor 351385

120859

350894



Contactor LC1D18B7
7,5kW 3P; 24V 50Hz-60Hz 3 cont. 1 NO + 1 NC dim. 85x45x72 mm

120430

351610



Overload relay ABB 1-1,4A
Contactor 351385

120860

351400



Pulse relay 250V 16A 1NO
coil 24Vac/dc; dim. 57x33x83 mm

120493

351665



Overload relay ABB 1,7-2,4A TA25DU-2.4
automatic or manual reset; 1NO + 1NC contacts; dim. 44x94x80 mm

120862

351398



Relay 1 contact 9V 50/60Hz 10A

120491

318840



Overload relay ABB 0,74-1,0A 1NO + 1NC
dim. 70,5x45x88 mm

120859V01

434972



Relay 1 contact 24V 50/60Hz 16A
contact capacity 16A 250V

120476

351713



Overload relay ABB 4,2-5,7A
dim. 45x66,5x88 mm

120864

120864V01

350910



Relay 3 contacts 24VAC 50/60Hz 16A 250V
Faston 6.3x0.8 mm

120445

Contactors and Relays

353254



Timer Relay 24/230V 50/60Hz 0.6W

121242

352029



Circuit breaker 1,0÷1,6A

121030

Microswitches

350831



Limit switch with wheel 1NO/1NC 3A
400V
L=98mm lar.40mm H=35mm kind of protection
IP67

120320

358847



Support for 350831

350838



Limit switch with wheel 400V 3A
dim. 118x45x35 mm; kind of protection IP67

120326

350889



Limit switch with lever 1NO/1NC 3A 400V
L=141 mm lar.40mm H=35 mm kind of
protection IP67

120335

120343

120364

350835



Limit switch with button 1NC/1NO 3A
400V
dim. 92x40x35 mm; kind of protection IP67

120322

350866



Magnetic microswitch 1NC 250V 1A
cable L=350 mm

120347

Microswitches

350867



Magnetic microswitch E530 1C NO 250V 0.4A
cable L= 300 mm, micro 65x20x9 mm

120348

359537



Magnet 24x12x5 mm se/1

411002

350847



Door magnetic microswitch E531 TC NO 24V 8A
dim. 65x20x9 mm; cable L=400 mm

120333

120342

357734



Magnet holder 29x15 mm

190805

190806

358798



Support magnetic microswitch E531

360268



Door microswitch 64,5x16x19 mm
center distance hole 54 mm, cabel L=2400 mm

359952



Magnetic microswitch E531 TC 24Vac 8A NO
dim. 65x20x9 mm; cable L=400 mm

CH111025

620273

350847



Door magnetic microswitch E531 TC NO 24V 8A

350883



Micro Float switch Ø 18x55 mm
cabel L=1400 mm; thread M16

120358

359536



Magnet Ø 8x40 mm SE/1

411001

358798



Support magnetic microswitch E531
dim. 25x94,5x20 mm

331455

Microswitches

358847



Support for 350831

331802

350741

357763



Support for magnetic switch PPE Ø
16x75 mm
AC-ACR

191019

Pressure Switches

316092



Pressure switch 1 level 30/12 mbar
contacts capacity 16A 250V; Tmax 85°C

130629

312093



Pressure switch 1 level 190/80 mbar
contacts capacity 16A 250V; Tmax 85°C

130616

337838



Pressure switch 1 level 50/30 mbar
contacts capacity 16A 250V; Tmax 85°C

130605

130622

581989



Pressure switch 3 levels
50/30-50/30-145/80 mbar from 2013
contacts capacity 16A 250V; Tmax 85°C

130620

428812



Pressure switch 1 level 110/70 mbar
contacts capacity 16A 250V; Tmax 85°C

130609

130624

312137



Pressure switch 3 levels
50/30-50/30-160/80 mbar till 2012
contacts capacity 16A 250V; Tmax 85°C

130620_

Pressure Switches

355403

**Pressure switch high pressure wp
28bar**
hose Ø 6,3x55 mm; cable L=2000 mm

130643

Fans

346957

Fan 3 phases 750W 230/400V 50Hz
dim. 430x400x400 mm

100533

319096

Axial fan Ø 170 mm 47/53W 230V 50/60Hz
0,23/0,23A; 2700/3150rpm; cavo L=450 mm

100563

347101

**Fan 3 phases 4000W 230/400V 50Hz
2900rpm**
4800W 460V 60Hz 3420 rpm; dim.
380x550xh430 mm

100541

582554

**Axial fan Ø 170 mm 47/53W 230V 50/60Hz
[Kit]**
0,23/0,23A; 2700/3150rpm; cable L=300 mm

100562

100563R

700340

Fan Ø 300x125 mm

630312

630322

347403

**Axial fan Ø 250 mm 115-150W 230/400V
50/60Hz**
2 pole - cable L=450 mm; 2450/2550rpm; IP54
with moisture protection grid and rear fixing

100550

359692

Silencer Ø 86x200 mm Ltot=260 mm
connection 2"

441203

347429

Axial fan 73W 230V 50Hz 0,32A
100W 230V 60Hz 0,45A - fan Ø 340 mm

100554

Fans

319099



Tangential fan 420/760W 230/400V 50/60Hz

810W 265/400V 60Hz - Ø 210x320 mm
Ltot=380 mm; cable L=1300 mm

100560

Fuses, Capacitors, RFI Filters

418004



**Capacitor for power factor correction 5
µF 400V 50/60Hz**
Ø 30x51 mm; with screw M8

631208

344822



**Capacitor for power factor correction
12,5µF 450V 50/60Hz**
Ø 30x71 mm; with screw M8

631207

H25555

610850



**Capacitor for power factor correction
6,3µF 450V 50/60Hz**
Ø 30x50 mm; with screw M8

631216

318417



**Capacitor for power factor correction
14µF 400/450V 50/60Hz**
Ø 30x71 mm; with screw M8

631220

342369



**Capacitor for power factor correction 8
µF 450V 50/60Hz**
Ø 30x71 mm; with screw M8

631201

344792



**Capacitor for power factor correction
16µF 450V 50/60Hz**
Ø 30x71 mm; with screw M8

631202

332311



**Capacitor for power factor correction
10µF 400/450V 50/60Hz**
Ø 30x71 mm; with screw M8

631206

441189



**Capacitor for power factor correction
10µF 400V 50/60Hz**
Ø 35x77 mm; with screw M8

631206_

Fuses, Capacitors, RFI Filters

360103



**Anti-noise filter 0,47µF(X2) + 0,68MΩhm
2X0,010µF(Y2)
250V; Ø 38xh38,5 mm; M8**

631214

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

130270

435516



Fuse Ø 5x20 mm 0,25A 250V slow

130273

451463



Fuse Ø 5x20 mm 4A slow

130266

435523



Fuse Ø 5x20 mm 0,4A 250V slow

130263

354335



Fuse Ø 5x20 mm 5A slow

130274

312599



Fuse Ø 5x20 mm 1A 250V slow

130264

320007



Fuse Ø 5x20 mm 6,3A 250V slow (10 pcs)

130275

397484



Fuse Ø 5x20 mm 1,6A 250V slow (10 Pcs)

130265

Motors

346499



Cylinder with motor 180W 230/400V 50/60Hz
 Ø 113x360 mm; cable L=2100 mm

100268

346258



Motor 3 phases 180W 400V 50/60Hz 0,80/0,65A
 shaft Ø 14x30 mm

100133

346331



Gear motor 3 phase 120W 230-400/380-420V 0,95/0,55A
 shaft Ø 19 mm and cable gland M20x15

100220

100224

318873



Gear VF49

318874



Gear VF49

346378



Gear motor 3 phase 150W 230/400V 50Hz - 265/460V 60Hz
 shaft Ø 19 mm with wedge 6x6x25 mm

100245

100246

100247

359531



Gear VF49

318635



Motor 3 phases 180W 230/400V 50Hz 1,2/0,72A
 shaft Ø 14x30 mm

100135

359508



Gear wheel Ø 115 mm - 28 teeth

359526



Clutch LC1-AC90-150

439006



Wedge 6x6x25 mm - INOX

318873



Gear VF49

318874



Gear VF49

359531



Gear VF49

Motors

346257



Motor 3 phases 180W 400V 50Hz
shaft Ø 14x30 mm

360205



Gearmotor 3 phases 220/130W 4P/6P
400V 50Hz

100131

100278/1

100278/2

410606/1

318873



Gear VF49

357636



Support for gearmotor Ø 30/40x59/130x85
mm

318874



Gear VF49

357928



O-ring 3,53x98,02 mm EPDM

359531



Gear VF49

357963



O-ring 3,60x23,00 mm

359182



Gearmotor shaft Ltot=345 mm

318873



Gear VF49
reduction rapport 36

410609

318874



Gear VF49
reduction rapport 45

410608

Motors

359531



Gear VF49
reduction rapport 60

410607

358007



Retaining ring Ø 30x40x7 mm

200979

359649



Retaining ring Ø 17x40x7 mm

440411

350868



**Sensor injection M12x1 - L=73 mm PNP
NO H S**

120355

359645



Retaining ring Ø 20x35x7 mm

440407

357636



**Support for gearmotor Ø
30/40x59/130x85 mm**

190157

359647



Retaining ring Ø 25x40x7 mm

440409

318588



**Bush Ø 26,5/35xh30 mm [KIT]
screw TB 8x20 mm**

190693

191130

191148/R

359648



Retaining ring Ø 25x52x7 mm

440410

357540



Flange cover Ø 30x59x9 mm

180256

Motors

357726

Bush \varnothing 30x34x30 mm

190692

Pumps

347882



Recycling pump 3 phases 1100W
220-240V/380-415V 50Hz
inlet 1"1/2, outlet 1"1/4

100745

347612



Wash pump 3 phases 350W 230/400V
1.1/0.65A 50Hz
inlet \varnothing 28 mm; outlet \varnothing 26 mm

100647

348102



Wash pump 3 phases 1780/1500W
230/400V 6,3/3,7A 50Hz
inlet \varnothing 58 mm, outlet \varnothing 58 mm

100778

357945



O-ring 3,53x78,97 mm NBR

359985



Shell for pump

360065



Shaft sealing \varnothing
32,5/21,5x31mm/counter-seal
 \varnothing 36,3x23x12,5 mm

360051



Shaft sealing \varnothing 24x7x13,5 mm/
counter-seal \varnothing 26x13x5,5 mm

348081



Wash Pump 3 phases 3480W 230/400V
10,6/6,1A 50Hz
inlet \varnothing 80 mm thread \varnothing 74 mm, outlet \varnothing 58 mm
thread \varnothing 58 mm; IP55

100770

360131

Impeller \varnothing 72 mm INOX FIR

360065



Shaft sealing \varnothing
32,5/21,5x31mm/counter-seal
 \varnothing 36,3x23x12,5 mm

Pumps

347979



Wash pump 3 phases 350W 220/415V
1,1/0,65A 50 Hz
inlet Ø 28 mm; outlet Ø 26 mm

347821



Wash pump 3 phases 1100W 1,5Hp
220/380V 50Hz
inlet Ø 65 mm, outlet Ø 53 mm

100754

357945



O-ring 3,53x78,97 mm NBR

100703

100712

342235



Cooling fan Ø 142 mm

359985



Shell for pump

342297



Pump flange

360051



Shaft sealing Ø 24x7x13,5 mm/
counter-seal Ø 26x13x5,5 mm

342464



Gasket for pump FIR H=4x4 mm

342610



Shell for pump

360002



Fan cover Ø 175 mm

360119



Impeller Ø 96 mm

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm

Pumps

349054



Wash pump 3 phases 1100W 1,5Hp
230/400V 50Hz
inlet Ø 63 mm, outlet Ø 53 mm

346797



Wash pump 3 phases 1100W
220/380÷240/415V 50Hz
inlet Ø 45 mm, outlet Ø 41 mm

100886

342235



Cooling fan Ø 142 mm

100386

100603

359983



Shell for pump

359995



Shell for pump

360003



Fan cover Ø 140 mm

360020



Fan cover Ø 145 mm

360029



Cooling fan Ø 123 mm

360152



Impeller Ø 100 mm 50Hz

360034



Gasket for pump

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm

360120



Impeller Ø 103 mm 50Hz

583376



Gasket for pump FIR

412572



Shaft sealing Ø 24x10x14 mm/
counter-seal Ø 26x13x8 mm

Pumps

348299



**Wash pump 3 phases 1100W 1,5Hp
220/380V 50Hz**
inlet Ø 63 mm, outlet Ø 53 mm

347842



**Wash pump 3 phases 1500W 230/400V
50Hz**
inlet Ø 63 mm, outlet Ø 53 mm

100663

100664

100797

100361

100380

100716

342464



Gasket for pump FIR H=4x4 mm

342464



Gasket for pump FIR H=4x4 mm

359995



Shell for pump

360111



Impeller Ø 124 mm

360118



Impeller Ø 110 mm 50Hz

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**

412572



**Shaft sealing Ø 24x10x14 mm/
counter-seal Ø 26x13x8 mm**

459651



Fan cover Ø 157 mm

Pumps

347663



Wash pump 3 phases 2000W 220/400V 50Hz
inlet Ø 63 mm, outlet Ø 52 mm

347823



Wash pump 3 phases 2500W 220/240÷380/415V 50Hz
inlet Ø 63 mm, outlet Ø 53 mm

100674

100675

100387

100604

100678

100679

100704

100713

342297



Pump flange

342297



Pump flange

342464



Gasket for pump FIR H=4x4 mm

342464



Gasket for pump FIR H=4x4 mm

342506



Impeller Ø 124 mm

342506



Impeller Ø 124 mm

360002



Fan cover Ø 175 mm

342610



Shell for pump

412573



Shaft sealing Ø 24x11x15,5 mm / counter-seal Ø 26x13x8 mm

360002



Fan cover Ø 175 mm

412573



Shaft sealing Ø 24x11x15,5 mm / counter-seal Ø 26x13x8 mm

Pumps

346868



Wash pump 3 phases 2700W
220-240/380-415V 50Hz
inlet Ø 62 mm, outlet Ø 62 mm

349337



Wash pump 1 phase 520W 230V 50Hz 2,3
A SX
inlet Ø 31 mm, outlet Ø 31 mm; cables L=500
mm; 2800 rpm; C=12,5µF 425V

100398

100633

342459



Gasket for pump Øint. 182 mm - H=5x4,5
mm

100912

318521



Impeller Ø 123 mm

359984



Shell for pump FIR

318536



Gasket for pump LGB

360026



Cooling fan Ø 160 mm

319037



Shaft sealing Ø 24x11x15 mm /
counter-seal Ø 26x13,5x5,5 mm

360129



Impeller Ø 135 mm 50Hz - INOX

344822



Capacitor for power factor correction
12,5µF 450V 50/60Hz

Pumps

583297



Wash pump 1 phase 520W 230V 60Hz 2,3 A SX
 inlet Ø 31 mm, outlet Ø 31 mm; cables L=500 mm; 2800 rpm; C=12,5µF 425V

100912V01

318536



Gasket for pump LGB

319037



Shaft sealing Ø 24x11x15 mm /
 counter-seal Ø 26x13,5x5,5 mm

344822



Capacitor for power factor correction
 12,5µF 450V 50/60Hz

349330



Wash pump 1 phase 850W 230V 50Hz 3,7A DX
 inlet Ø 62 mm; outlet Ø 52 mm; cable L=340 mm; C=16µF/425V

100902

318531



Impeller Ø 90 mm

344792



Capacitor for power factor correction 16µF
 450V 50/60Hz

359994



Shell for pump

360044



Gasket for pump 3,53x158,34 mm

610895



Shaft sealing Ø 24x12x15 mm /
 counter-seal Ø26x14x8 mm

Pumps

349338



**Wash pump 1 phase 990W 230V 50Hz
4,4A SX**
inlet Ø 51 mm, outlet 1" F; 2800rpm; cacle
L=330 mm; C=14µF/425V

342359



Wash pump 1 phase 990W 230V 60Hz
inlet Ø 51 mm, outlet 1" F; C=14µF/425V

100913

318372



Chiocc.pomp.100913 0419-1r lgb

100913V01

318372



Chiocc.pomp.100913 0419-1r lgb

318417



**Capacitor for power factor correction 14µF
400/450V 50/60Hz**

318417



**Capacitor for power factor correction 14µF
400/450V 50/60Hz**

318522



Impeller Ø 102,5 mm 50Hz

318536



Gasket for pump LGB

318536



Gasket for pump LGB

319037



**Shaft sealing Ø 24x11x15 mm /
counter-seal Ø 26x13,5x5,5 mm**

319037



**Shaft sealing Ø 24x11x15 mm /
counter-seal Ø 26x13,5x5,5 mm**

Pumps

583298



Wash pump 3 phases 520W 400V 50Hz - SX
inlet Ø 31 mm; outlet Ø 31 mm

318755



Wash pump 3 phases 990W 400V 50Hz
inlet Ø 51 mm, outlet F1"

100912V03

318521



Impeller Ø 123 mm

100913V03

318372



Chiocc.pomp.100913 0419-1r lgb

318536



Gasket for pump LGB

318417



Capacitor for power factor correction 14µF 400/450V 50/60Hz

319037



Shaft sealing Ø 24x11x15 mm / counter-seal Ø 26x13,5x5,5 mm

318522



Impeller Ø 102,5 mm 50Hz

344822



Capacitor for power factor correction 12,5µF 450V 50/60Hz

318536



Gasket for pump LGB

319037



Shaft sealing Ø 24x11x15 mm / counter-seal Ø 26x13,5x5,5 mm

Pumps

342361



Wash pump 3 phases 990W 440V 60Hz
inlet Ø 51 mm, outlet F1"

100913V02

318372



Chiocc.pomp.100913 0419-1r lgb

318417



Capacitor for power factor correction 14µF
400/450V 50/60Hz

318536



Gasket for pump LGB

319037



Shaft sealing Ø 24x11x15 mm /
counter-seal Ø 26x13,5x5,5 mm

318756



Wash pump 3 phases 1240W 230/400V
50Hz DX
inlet Ø 62 mm; outlet Ø 52 mm; cable L=140
mm

100914

360044



Gasket for pump 3,53x158,34 mm

610895



Shaft sealing Ø 24x12x15 mm /
counter-seal Ø26x14x8 mm

342297



Pump flange

630223

359984



Shell for pump FIR
inlet Ø 62 mm; outlet Ø 62 mm

630122

359983



Shell for pump
inlet Ø 45 mm; outlet Ø 41 mm

630113

359994



Shell for pump
inlet Ø 62 mm; outlet Ø 52 mm

630137

342610



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

630114

Pumps

359995



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

630138

360120



Impeller Ø 103 mm 50Hz

631627

631656

318372



Shell for pump
inlet Ø 51 mm, outlet 1" F, screw M5x14 mm

630152

318531



Impeller Ø 90 mm

631717

359985



Shell for pump
inlet Ø 28 mm, outlet Ø 26 mm

630125

360119



Impeller Ø 96 mm

631654

342532



Impeller Ø 96 mm

631619

360152



Impeller Ø 100 mm 50Hz

632501

360110



Impeller Ø 85 mm
D-shaft Ø 8x9 mm

631617

360118



Impeller Ø 110 mm 50Hz

631653

Pumps

360111



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631618

360149



Impeller Ø 135 mm
hole Ø 18 mm; thread M14; 2 holes Ø 8 mm;
Htot. 17 mm

631706

360139



Impeller Ø 120 mm
ZF800DX

631692

360129



Impeller Ø 135 mm 50Hz - INOX
thread M14

631672

342506



Impeller Ø 124 mm
for shaft Ø 12 mm; thread M8

631620

631655

360131



Impeller Ø 72 mm INOX FIR

631675

318521



Impeller Ø 123 mm
thread M8 left

631719

360029



Cooling fan Ø 123 mm

630325

318522



Impeller Ø 102,5 mm 50Hz

631720

360032



Cooling fan Ø 131 mm

630330

Pumps

342235



Cooling fan Ø 142 mm
Ø int. 15 mm

630306

360044



Gasket for pump 3,53x158,34 mm

630426

H33855

360026



Cooling fan Ø 160 mm
Ø int. 24 mm

630315

342464



Gasket for pump FIR H=4x4 mm
EPDM

630411_

318536



Gasket for pump LGB

630435

583376



Gasket for pump FIR
flat profile in NBR

630411

630436

342459



Gasket for pump Øint. 182 mm - H=5x4,5
mm

630418

360003



Fan cover Ø 140 mm

630219

360034



Gasket for pump

630410

360020



Fan cover Ø 145 mm

630254

Pumps

360002



Fan cover Ø 175 mm

630216

Heating Elements

349345



Boiler heating element 3000W 230/400V
L=344 mm; triangular flange H=90 mm Ø 50 mm

110226

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

349859



Boiler heating element 4200W 230V
L=335 mm; triangular flange 92,5x89,5 mm; Øint. 60 mm; connection M5

110282

357347



Heating element cover Ø 58x61x42 mm

349877



Boiler heating element 4200W 230V 5000W 230V
L=330 mm; triangular flange 92,4x89,5 mm; Øint. 60 mm; connection M5

110283

357347



Heating element cover Ø 58x61x42 mm

350012



Boiler heating element 4200W 230/400V
L=340 mm; triangular flange H=90 mm Ø 50 mm

110331

357339



Heating element cover Ø 58x61x54 mm

435067



O-ring 5,34x56,52 mm NBR

435067



O-ring 5,34x56,52 mm NBR

Heating Elements

349879



Boiler heating element 6000W 230V
 L=375 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; connection M5

110284

318859



Boiler heating element 7000W 230/400V

113500

350115



Boiler heating element 5000W 230/400V
 L=345 mm; triangular flange; bulbe housing Ø
 6 mm

110371

357339



Heating element cover Ø 58x61x54 mm

435067



O-ring 5,34x56,52 mm NBR

110383

435067



O-ring 5,34x56,52 mm NBR

350027



Boiler heating element 6000W 255/440V
 L=410 mm; triangular flange; connection M5

110354

315463



Boiler heating element 8000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110343

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

110365

435067



O-ring 5,34x56,52 mm NBR

350140



**Boiler heating element 5000/6000W
 240/415V**
 L=405 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7,5x295 mm;
 connection M5

110383

435067



O-ring 5,34x56,52 mm NBR

350081



**Boiler heating element 8000W 240/415V -
 9000W 254/440V**
 L=415 mm; triangular flange 92,5x89,5 mm
 Øint. 60 mm; with bulb housing Ø 7.5x300 mm;
 connection M5

110365

435067



O-ring 5,34x56,52 mm NBR

Heating Elements

312215



Boiler heating element 9000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

350478



Boiler heating element 12000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110362

357339



Heating element cover Ø 58x61x54 mm

113502

357339



Heating element cover Ø 58x61x54 mm

357347



Heating element cover Ø 58x61x42 mm

435067



O-ring 5,34x56,52 mm NBR

435067



O-ring 5,34x56,52 mm NBR

350113



Boiler heating element 12500W 230/400V
 L=630 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

350175



Boiler heating element 10000W 230/400V
 L=487 mm; triangular flange 92,5x89,5 mm
 Øint. 60 mm; bulb housing Ø 7.5x300 mm;
 connection M5

110367

110379

110382

435067



O-ring 5,34x56,52 mm NBR

110388

357347



Heating element cover Ø 58x61x42 mm

350126



Boiler heating element 12500W 254/440V
 L=630 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; with bulb housing Ø 7.5x300 mm;
 connection M5

435067



O-ring 5,34x56,52 mm NBR

110381

435067



O-ring 5,34x56,52 mm NBR

318856



Boiler heating element 11000W 230/400V

113501

Heating Elements

350159



Boiler heating element 14000W 240/415V
 L=630 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; with bulb housing Ø 7.5x300 mm;
 connection M5

110385

435067



O-ring 5,34x56,52 mm NBR

350173



Boiler heating element 14000W 230/400V
 L=630 mm; triangular flange 92,5x89,5 mm
 Øint. 60 mm; with bulb housing Ø 7.5x300 mm;
 connection M5

110386

435067



O-ring 5,34x56,52 mm NBR

350234



Boiler heating element 14000W 230/400V
 L=510 mm; triangular flange 92,4x89,4 mm
 Øint. 60 mm; with bulb housing L=285 mm

110392

352113



Boiler heating element 6000W 230V
 L=345 mm; triangular flange 92,5x89,5 mm;
 Øint. 60 mm; with bulb housing Ø 7,5x295
 mm; connection M5

110349

435067



O-ring 5,34x56,52 mm NBR

350451



Heating element 1000W 220V
 dim.405x50xh25 mm, connection M5

110704

315360



Heating element 1500W 230V
 dim.405x50xh25 mm, connection M6

110706

358086



Steam coil ecorinse 6000 kCal

240727

358084



Steam coil ecorinse 12000 kCal

240720

357347



Heating element cover Ø 58x61x42 mm

161123

Heating Elements

357339



Heating element cover Ø 58x61x54 mm

161102

358750



Flange Heating element

330910

355950



Bridge for heating element 66x10x1,5 mm

140101

Commutators

351473



Commutator 0-1 position
shaft 5x5x25 mm - 16A 400V 50/60Hz

120712

351479



Commutator 0-2 positions
shaft 5x5 mm - 16A 400V 50/60HZ

120714

351493



Commutator 0-2 positions
shaft 5x5 mm - 25A 600V 50/60HZ

120736

351485



Commutator 0-2 positions
shaft 5x5x24 mm - 16A 400V

120722

Commutators, Energy Regulators

351480



Commutator 0-3 positions
shaft 5x5x24 mm - 16A 400V 50/60HZ

120715

357629



Support for commutator

190138

190144

700351



Commutator 0-3 positions
shaft 5x5 mm L=25 mm - 3P 230V 50Hz

110805

357503



Ring nut

180129

700352



Commutator 0-3 positions
shaft 5x5 mm - 32A 600V 50/60HZ

120718

359669



Snap ring Ø 9,4x11x6 mm

440817

351488



Commutator 0-3 positions
shaft 5x5x23 mm - 25A 500V 50/60HZ

120733

318975



Support for commutator Ø 43x56x21 mm

190160

Transformers

351460



**Transformer 400VA pri. 240/390V sec.
24/12V**
Dim. 120x100x100mm

120635

Thermostats

351402



Operating thermostat 1P 0÷90°C
coated capillary L=1500 mm; bulb Ø 6,5x97
mm; D-shaft 6x4,6 mm; 1NC 16A 250V - 1NO
6A 250V

120501

357864



Gasket of thermostat dim. 98x68x2 mm

200491

351406



Security thermostat 0÷90°C
bulb Ø 7,5x110 mm

120515

359783



Thermostat shield for 2 termos
connection 1/2"; Ltot.=130 mm

450514

450516

351410



Security thermostat 1P 95÷135°C
bulb Ø 5x130 mm; 1CO 16A

120519

620527

357349



Box thermostat 97x67x40 mm
with threaded hole Ø 14 mm

161127

Curtains

357748



Curtain 450x150 mm
without shaft

190932

357747



Triple curtain 630x465 mm
without shaft; exit BTM-NE/2

190931

357738



Double curtain 590x475/325 mm
without shaft

190916

315382



Shaft for curtain Ø 8x660 mm INOX

357746



Triple curtain 630x535/365/210 mm
without shaft

190930

357737



Double curtain 620x245/265 mm
without shaft

190913

190914

359058



Shaft for curtain Ø 8x752 mm INOX

315382



Shaft for curtain Ø 8x660 mm INOX

357736



Triple curtain 690x420 mm
without shaft

190909

310278



Double curtain 620x480/325 mm
without shaft

190906

190910

359058



Shaft for curtain Ø 8x752 mm INOX

315382



Shaft for curtain Ø 8x660 mm INOX

359141



Shaft for curtain Ø 8x618 mm INOX

342097

Curtains

359190



Shaft for curtain Ø 8x650 mm INOX

342934

315382



Shaft for curtain Ø 8x660 mm INOX

340422

359058



Shaft for curtain Ø 8x752 mm INOX

341210

359039



Shaft for curtain Ø 8x835 mm INOX

340442

Wash units

357441



Wash ramp S90 L=280mm
AC / SNL

170611

700348



Plug for wash ramp Ø 50xh16 mm

359545



Wash ramp Ø 43x465 mm INOX
6 nozzles - ACR / GMC / LAV

420166

358823



Lower wash ramp L=550 mm
AC / ACR

331664

358936



Upper wash ramp L=630 mm
LVP / NE / NL

332227

358974



Upper wash ramp L=560 mm
AR / ACS / GMC

332215

332554

315384



Lower wash ramp 525x360x360 mm - Ø
49 mm
ACR / GMC

332265

332553

358970



Upper wash ramp 560x360x65 mm
ACS

332548

358927



Lower wash ramp 720x350x190 mm - Ø
42,5 mm
NE / NL

332201

315364



Upper wash ramp 560x440 mm - Ø 35
mm
ACR / GMC

332552

358928



Upper wash ramp 630x500x210 mm
LVP / NE / NL

332202

Wash units

359595



Rinse arm L=525 mm
AC / ACR / ACS

430185

359605



Rinse arm L=604 mm
AC2 without PRS

430234

359585



Rinse arm L=485
AC / ACR

430136

430137

318342



Rinse arm

430235

359599



Rinse arm
complete tap and nozzles - BTM NE/2

430214

358754



Support jets Ø 30x34xh44 mm
flange 73x73 mm

330940

359594



Rinse arm L=516 mm
4 nozzles - AC / ACR / GMC

430181

315391



Support jets 101x101 mm

180232

359598



Rinse arm L=620 mm
NE / NL

430198

359625



Feeder hose H=950 mm

430457

Wash units

582159



Feeder hose H=950 mm

430456

430469

358301



Brass End cap TE 1/2"xh13 mm
Htot. 20 mm; CH 27 mm

290105

700348



Plug for wash ramp Ø 50xh16 mm

160724

358400



Fund splash AC135-181

321643

358078



Plug for wash arm SE/1

210406

359372



Rinsing nozzle M5 - 0,6 L/min INOX

380341

357182



Plug for wash arm

160780

359366



Rinsing nozzle 1/8" - 37,5 L/h INOX

380320

380323

315380



End cap collector

160781

359367



Rinsing nozzle 1/8" - 52,5 L/h INOX

380324

Wash units

359362



Rinsing nozzle 1/8" - 125L/h INOX
H=11 mm

380317

700346



Washing nozzle

170910

357484



Rinsing nozzle

170954

615064



Rinse nozzle support 1/8" NEXL-S

170926

357523



Opposite support

357523



Opposite support
center distance hole 31 mm

180213

615064



Rinse nozzle support 1/8" NEXL-S

700349



Opposite support
center distance hole 50 mm

180211

700347



Opposite support for wash jet

180221

357549



T-connection Ø 49 mm L=170 mm

180406

357550



T-connection Ø 42 mm L=170 mm

180407

Wash units

359339



Rinse economiser

370218

359338



Rinse economiser

370213

357731



Bush 3/4" F
Ø 32x28 mm

190697

357730



Bush 3/4" - 3/8"
L=34,5 mm

190696

332162

357547



Rubber holder 90° for hose Ø 12 mm - G3/8"

180331

357493



Ring nut 1" 1/2 FC75

180102

357530



Support for suction filter AC91

180236

357502



Ring nut Ø 65,4 mm
C140-85-155

180128

357626



Wash arm support
dim.65x64xh33 mm; hole Ø 23 mm - ACR

190137

357710



Bushing Ø 50 mm
reducing pre NE2

190661

Wash units

357708



Bushing Ø 50 mm
reducing pre NE2

190659

357861



Gasket for rinse connect Ø 14x26x10 mm
SE/1

200480

358848



Support wash ramp

331807

357994



Gasket Ø 33x45x5 mm
BTM

200936

200959

359000



Rinse arm support

332819

358008



Flat gasket Ø 41x54x3 mm

200981

358871



Bracket economiser lever
dim. 80x42 mm

331978

582553



Extension Ø 100x130x9,8 mm

180261

357521



Magnetic switch housing s90 s

180208

357859



Gasket 70x70x3 mm
hole Ø 48,5 mm

200468

Wash units

357983



Gasket 100x78x3 mm
BTM

200937

359128



Shaft coupling upper manifold washing
Ø 8x507 mm

342070

357852



Gasket 100x100x3 mm
hole Ø 76 mm

200448

358393



Support lower arm AC 91/101
mounting distance 500 mm

321083

357836



Gasket 110x100x3 mm
hole Ø 63 mm

200405

363303



Gasket Ø 58x75x3 mm

200913

315392



Gasket 100x100x3 mm
hole Ø 41 mm, hole for fix Ø 10 mm

200428

359127



Shaft coupling lower manifold washing
Ø 8x430 mm

342069

Air-gaps

317545



Air break AC2-AC3

191142

359382



Air break Ø 48x255 mm INOX ACR/GMC

380830

357376



Air break BHC

161316

357556



**Air break Øext 28x70 mm
connection Øext 9 mm**

180420

357377



Nut for air break

357929



O-ring 2,62x28,24 mm

357372



**Air break Ltot.170 mm
connection 1/2"**

161310

161324

357987



Flat gasket Ø 25x38x2,2 mm

357371



Air break L=260 mm Øext 34 mm

161308

161323

357368



**Air break Ø 49x72 mm
with connection M10**

161303

357374



**Hose for Air break L=400 mm
connection Ø 30 mm, pipe Øint 5 mm for
357371**

700343



**Air break Ø 49x124 mm
with connection M10**

161301

161312

Air-gaps

357511



Nut Air break Ø 65mm

180149

Steam element/Condenser and Evaporator

358364



Condenser Ø 200 mm

310708

359444



**Evaporator unit 500x240x250 mm
connection F3/4"**

400815

359446



**Evaporator unit 500x185x305 mm
connection 3/4"; AC/ACR/NE/NG**

400810

400817

360236



Rinse water condensor

310703/WP4

Dispensers and Peristaltic pump

337007



Filter with nonreturn valve Ø 17 mm
connection for pipe Ø 4x5

180719

180726

311413



Pipe fitting 90° M12 mm inox
for hose Ø 4x6 mm

180308

251213

Solenoid Valves and Reducers

352601



Solenoid valve 180° - 1 way - 24V 50/60Hz
- Ø 10,5 mm
with fastons; inlet Ø 3/4"; Tmax. 90°C

121178

352592



Solenoid brass valve L140 - NC - G1/2" - 230V 50/60Hz
L=41 mm - Pmax. 16 bar - NBR membrane - Fluid. Temp -10°C++90°C

121170

318470



Elettrovalvola 180° - 1 way - 50/60Hz Ø 10,5 mm
with fastons; inlet Ø 3/4" ; Tmax 90°C

121183

350665



Solenoid brass valve L140D05 - G1/2"F - 3/4"M - 24V 50/60Hz
L=61,5 mm - Pmax. 16 bar

120189

120191

350489



Solenoid brass valve L140 - NC - G1/2" - 24V 50/60Hz
L=41 mm - Pmax. 16 bar - NBR membrane - Fluid. Temp -10°C++90°C

120125

120141

120168

Solenoid Valves and Reducers

350559



Steam solenoid valve L153D5 - G1" - 24V 50Hz
L=105 mm - Pmax. 16 bar

120108

120166

355953



Power socket plug type small DIN 43650

349269



Solenoid brass valve L182 - NC - G1/2" - 24V 50/60Hz
L=66 mm; 4W - NBR membrane - Fluid. Temp -10°C+90°C

120131

120154

410235



Solenoid brass valve L182 - NC - G1" - 24V 50/60Hz
L=105 mm - NBR membrane - Fluid. Temp -10°C+90°C

120123

350479



Solenoid brass valve L182 - NC - G3/4" - 24V 50/60Hz
L=79 mm - NBR membrane - Fluid. Temp -10°C+90°C

120122

355953



Power socket plug type small DIN 43650

360083



Coil Z610A - 24V 50/60Hz - for solenoid valve L140

630948

360087



Coil Z534A 24V 50/60 Hz for solenoid valve L145

630972

360094



Coil ZB10A - 220/240V 50/60Hz - for solenoid valve L182

630986

355953



Power socket plug type small DIN 43650

150034

350554



Solenoid brass valve L145 - NC - G1" - 24V 50Hz
L=105 mm - PTFE membrane (steam) - Fluid. Temp +60°C+ +170°C

120163

Solenoid Valves and Reducers

350547

Solenoid brass valve L145 - NC - G3/4" - 24V 50Hz
 L=79 mm - PTFE membrane (steam) - Fluid.
 Temp +60°C÷ +170°C

120162

360084

Coil 24V 50Hz
 faston 6,3x0,8 mm

630967

350545

Solenoid brass valve L145 - NC - G1/2" - 24V 50Hz
 L=66 mm - PTFE membrane (steam) - Fluid.
 Temp +60°C÷ +170°C

120161

436181

Solenoid brass valve L153 - NC - G3/4" - 24V 50Hz
 L=79 mm - PTFE membrane (steam) - Fluid.
 Temp -10°C ÷ +140°C

120107

120165

350556

Solenoid brass valve L153 - NC - G1/2" - 24V 50Hz
 L=66 mm - PTFE membrane - Fluid. Temp -10° ÷ +140°C

120164

355953

Power socket plug type small DIN 43650

349272

Solenoid brass valve L182 - NC - G1/2" - 230V 50/60Hz
 L=66 mm - NBR membrane - Fluid. Temp -10°C÷+90°C; coil 8W

120174

Ball valves, Pipe fittings

357548



Rubber holder 90° G3/4" - outlet Ø 12 mm

180332

358311



Rubber holder G3/4" - outlet Ø 20 mm

290403

359915



Rubber holder 90° 1/2" - brass

510408

358269



Elbow fitting 1/2" - MF

280115

358288



Rubber holder G1/2" - outlet Ø 13 mm

280525

524461



Elbow fitting 90° 3/4" M/F

280119

440933



Rubber holder G1/2" - outlet Ø 15 mm

290410

357669



Elbow fitting 90° 3/4"

190328

280408

360229



Rubber holder G3/4" - outlet Ø 12 mm

180311/1

353166



T-connection Ø 12-12-12 mm

180413

Ball valves, Pipe fittings

700462



T-connection Ø 13-13-13 mm

180403

358304



Raccord M1/2" with ring nut F3/4"

290215

357555



T-connection G3/4"
dim: 35x65.8x50mm

180419

359937



Twin solenoid valve manifold

620121

358100



T-connection Ø 51-12-51 mm

250608

441675



Backflow preventer dishwasher

190330
620243

280121
620535

460502

357662



Y-connection Ø 8-8-5,5 mm

190314

342780



Backflow preventer dishwasher
rubber holder Ø 12 mm

621052

358307



Connection Øext. 12÷14 mm - M 1/2"

290218

Hoses

358940



Flexible hose M1/2" F3/4" L=110 mm DN15

332243

358012



Formed hose Ø 50x52 mm AC95-AC135
dim. 360x670x100 mm

201004

357813



Rubber hose with spiral Ø 50x58 mm
(sold by meter)
-25°C / +125°C

200131

357900



Formed hose Ø 50x63x95 mm

200758

357811



Rubber hose with spiral Ø 60 mm - in
PVC

200128

358048



Formed hose 90° Ø 26x35 mm - for
boiler

201070

H36028

358054



Hose Ø 28x36x720 mm

201076

357907



Formed hose 90° Øint 60 mm

200767

358055



Formed hose Ø 50x64 mm - Ø 52,5x67
mm

201077

357894



Formed hose 90° Ø 60x76 mm
dim. 215x130 mm

200745

Hoses

358069

Formed hose 90° Ø 53x68,5 mm - Ø 63x78 mm
dim. 360x103 mm

201112

700447

Hose EPDM Ø 20x30 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200104

358049

Formed hose 90° Ø 46x63 mm - Ø 61x80 mm
dim. 300x100 mm

201071

700448

Hose EPDM Ø 25x35 mm (sold by meter)
working temp. -35°C+110°C; Pmax 10 bar;
black; WRAS certified

200101

200005

Hose EPDM Ø 5x12 mm (sold by meter)

160121

200129

700541

Hose EPDM Ø 35x45 mm (sold by meter)
working temp. -35°C+110°C; Pmax 6 bar

200120

200004

Hose EPDM Ø 11x19 mm - blue - (sold by meter)
Pmax 10 bar; Work Temp. -35°C+110°C; FDA approved

200118

200122

700455

Hose EPDM Ø 50x60 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200105

200329

200002

Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp -35°C+120°C

200113

700457

Hose EPDM Ø 65x74 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

200108

Hoses

356342



Hose PVC Ø 5x8 mm blue (sold by meter)

160108

160132

357810



PVC hose Ø 35x45x1000 mm d.35

200127

357901



Rubber feeder hose Ø 25 mm 180°+ Ø 13 mm L= 630 mm
Ø 25x30 mm; Ø 13x21 mm

200759

700446



Drain pipe PPE Ø 34 mm 180°+ Ø 28 mm
L=3000 mm
muffs Øint/ext 34x40 mm, pipe Øext 35 mm

200721

Water conditioning

318318



Assieme 4 membrane 150 gpd

TW0007A

325024



Refil filter cartridge Profine blue (small)
capacity 15000 lt

TW0002

Drain components

357659

T-connection Ø 30x34 mm L=140 mm
with gasket Ø 33x44x3 mm

190307

357492

Retaining nut 3/4"
H=11 mm

180101

357531

Inlet/outlet connection BC-AC
connection Øext 31,5/25 mm

180239

357534

Inlet-Outlet tank C2001
with ring nut

180248

180249

356363

Pipe for outlet 1"1/2 a 90°
Øint. 30 mm

160203

316375

Lip gasket Ø 28x40xh6 mm

200912

357665

Connectione 90° 1" 1/2
Øint 37 mm

190322

357991

Lip gasket Ø 27x44x7 mm VITON

200950

357667

Connectione 90° 2" F / 2" M 1/4 mm
dim. 135x110 mm

190326

357839

Flat gasket Ø 33x45x3 mm

200412

Drain components

315359



Lip gasket Ø 35,5x43x7 mm

200469

357666



Drain plate Ø 37 mm
dim. 64,5x52 mm; M47

190325

357838



Flat gasket Ø 47x65x4 mm

200410

356361



Drain plate Ø 30,5x34,5/44xh60 mm

160201

700342



Drain plate Ø 39x68x39 mm
thread 1/2"

160301

160305

357496



Lock nut 1" 1/2

180109

358260



Ecorinse drain outlet 1"1/2

270406

358246



Lock nut 1" 1/2

270104

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm
hole over flow pipe Øint. 44/35.5 mm

270409

311769



Siphon 1" 1/2 DN50/40

440907

358246



Lock nut 1" 1/2

Drain components

357456



Overflow pipe for pre-wash 400

359395



Overflow pipe Ø 35x450 mm INOX

170714

315381



Overflow pipe Ø 61x70 mm
internal thread Ø 46 mm

380857

315359



Lip gasket Ø 35,5x43x7 mm

160114

359389



Overflow pipe Ø 34x270 mm INOX

357838



Flat gasket Ø 47x65x4 mm

380845

315359



Lip gasket Ø 35,5x43x7 mm

358246



Lock nut 1" 1/2

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm

Drain components

359383



Overflow pipe Ø 35xh395 mm Htot=405 mm INOX

359394



Overflow pipe Ø 35xh405 mm Htot=530 mm INOX

380822

380831

380856

315359



Lip gasket Ø 35,5x43x7 mm

315359



Lip gasket Ø 35,5x43x7 mm

357838



Flat gasket Ø 47x65x4 mm

357838



Flat gasket Ø 47x65x4 mm

358246



Lock nut 1" 1/2

358246



Lock nut 1" 1/2

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm

Drain components

359387



Overflow pipe Ø 35x470 mm
AC91/101/122 INOX

357582



Overflow pipe Ø 37,5x190 mm c85-140

380836

315359



Lip gasket Ø 35,5x43x7 mm

180708

357496



Lock nut 1" 1/2

357838



Flat gasket Ø 47x65x4 mm

357838



Flat gasket Ø 47x65x4 mm

358246



Lock nut 1" 1/2

700342



Drain plate Ø 39x68x39 mm

358263



Ecorinse drain outlet Ø 1"1/2 H=47 mm

359377



Overflow tube Ø 38xh145 mm Htot=150
mm INOX

380818

357838



Flat gasket Ø 47x65x4 mm

358246



Lock nut 1" 1/2

358260



Ecorinse drain outlet 1"1/2

Drain components

359397



Overflow pipe Ø 38x168 mm

357591



Overflow pipe Ø 42x420 mm
connection Ø 38 mm, Øint 31 mm

380863

357496



Lock nut 1" 1/2

180728

357385



Plug for overflow pipe Ø 63x55xh31 mm

357838



Flat gasket Ø 47x65x4 mm

357601



Tank filter Ø 240 mm H=95 mm

358260



Ecorinse drain outlet 1" 1/2

357991



Lip gasket Ø 27x44x7 mm VITON

311768



Overflow pipe Ø 40x460 mm

319062



Overflow pipe Ø 42x490 mm

380860

357496



Lock nut 1" 1/2

180732

357601



Tank filter Ø 240 mm H=95 mm

357839



Flat gasket Ø 33x45x3 mm

357991



Lip gasket Ø 27x44x7 mm VITON

700342



Drain plate Ø 39x68x39 mm

357505



Ring nut 2" Ø 78 mm H=8 mm

180132

Drain components

356424



Plug for overflow pipe Ø 60 mm H= 25 mm

160209

359114



**Overflow spacer prewash tank a
L=185 mm**

342008

356412



**Plug for overflow pipe Ø 60 mm H=25 mm
hole Ø 12,3 mm**

160208

359130



Lever for overflow pipe BTM-NE / 2

342072

357385



Plug for overflow pipe Ø 63x55xh31 mm

161408

358919



Clamping pieces Ø 10x25x12 mm

332110

357152



Plug for overflow pipe

160777

358606



**Overflow pipe lever
dim. 183x30x60 mm; Ø 6 mm**

324002

Filters

582552



Water filter MF 3/4"
L=87,5 mm

121179

358911



Suction filter ecorinse 100x100x60 mm
mod. AC2001

332081

356852



Knob of manifold f. solen. Val 1"
H=38 mm

160709

358877



Tank filter 395x260x32 mm

332003

358705



Filters solenoid valve manifold Ø 22x88mm

330526

358917



Tank filter

332094

358709



Filter Ø 185x80 mm

330528

330550

330565

357603



Tank filter 396x356x42 mm

180823

357601



Tank filter Ø 240 mm H=95 mm
drain holes Ø 54mm

180818

700344



Tank filter 455x230 mm

330555

Filters

315373



Tank filter 457x107x105 mm INOX

332092

358720



Tank filter 575x225x20 mm INOX

330584

358916



Filter basket 460x180x45 mm

332093

358887



Tank filter 420x495 mm

332022

358714



Tank filter 515x215x20 mm INOX

330567

359006



Tank filter 645x170 mm

333005

315389



Tank filter [Kit]

333001

359005



Tankfilter 645x400 mm

333004

358719



Tank filter 573x198x20 mm AC/ACR

330583

357599



Pump suction filter Ø 82xh72 mm

180816

Filters

358699



Filter support 400x535 mm
ACS

330491

359004



Filter support 534x285 mm

333002

358700



Filter support 595x535 mm
ACS

330492

Transmission components

359188



Gearmotor shaft L=244 mm

342926

359079



Shaft

341281

359182



**Gearmotor shaft Ltot=345 mm
shaft Ø 20xh30 mm**

342799

359917



Drive shaft support Ø 50/100x50,5 mm

510421

357720



Flange bushing Ø 20x32/42,5x27 mm

359691



Wedge 8x7x32 mm

359534



False chain link 1/2"

410902

359938



**Gearmotor shaft
AC-ACR**

510298
620648

510299

620144

359535



Chain link 1/2" SE/1

410903

359133



Shaft Ø 17/20x740 mm

342078

359532



**Chain 1/2" - 38 links L=1012 mm
N-AC-ACR**

410801

Transmission components

357434



Pulley Ø 120x26 mm

170442

359472

Gear wheel 14 teeth
Øint. 20 mm; for wedge 6 mm

410231

359526

Clutch
LC1-AC90-150

410407

359502

Gear wheel Ø 69 mm - 16 teeth
Øint. 19 mm; for wedge 6 mm

410282

359525

Clutch Ø 25 mm
NTP SE/1

410405

359469

Gear wheel - 16 teeth
Øint. 20 mm; for wedge 6 mm

410227

359494

Gear wheel Ø 58 mm - 13 teeth
plastic

410262

359480

Gear wheel - 17 teeth
Øint. 20 mm; for wedge 6 mm

410240

359497

Gear wheel - 12 teeth
Øint. 20 mm; for wedge 6 mm

410273

359467

Gear wheel Ø 76 mm - 18 teeth
Øint. 20 mm; for wedge 6 mm

410224

Transmission components

359468



Gear wheel \varnothing 94 mm - 22 teeth
 \varnothing int. 20 mm; for wedge 6 mm

410225

359513



Gear wheel 14 teeth - 40 teeth

410306

359481



Gear wheel - 23 teeth
 \varnothing int. 20 mm; for wedge 6 mm

410242

357437



Gear wheel \varnothing ext 150 mm - 7 teeth
hole for hub \varnothing int35,5xh38 mm

170447

359508



Gear wheel \varnothing 115 mm - 28 teeth

410301

357428



Gear wheel \varnothing 150 mm
hole \varnothing 25 mm

170342

359514



Gear wheel \varnothing 134 mm - 32 teeth

410307

359515



Gear wheel \varnothing 145 mm - 35 teeth

410308

Structural components

358376



Upper mounting plate

320668

359217



Rear panel dryer 600x520 mm AC

351131

357356



Rear panel 1235x275x100 mm

161153

358731



Upper bracket

330715

331429

358631



Guide support 43x585 mm

324194

Finger Links

357396



Finger link L=97 mm - H=74 mm

170217

357424



Wheel Ø 24x10 mm
shaft Ø 6 mm

170336

357397



Finger link L=97 mm - H=74 mm

170218

357417



Wheel tape gray Ø 30xh17 mm
shaft L=19,5 mm

170314

357407



Finger limit switch

170238

357704



Wheel Ø 25x35/40x63 mm

190653

359973



Guide L=2100 mm
with 8 pawls

620785

359035



Shaft Ø 8x611 mm INOX

340405

359974



Guide L=2400 mm
with 9 pawls

620786

359125



Shaft Ø 25x700 mm

342061

359918



Pawl INOX

Finger Links

358471



Guide L=1320 mm

322535

322609

358638



Connector for transport system
78,3x20x2 mm
Ø 8,5mm

330113

358380



Lever for economizer

320698

359919



Pawl INOX

510426

359918



Pawl INOX

510425

359117



Shaft Ø 8x30 mm

359799



Cotter pin Ø 2,0x12 mm INOX

364457



Flat washer M8 Ø 8,5x15,7x1,4 mm INOX

359916



Finger link Moplen 18x80x32 mm

191015

510414

357797



Economiser lever ACS 2006
dim. 180x55x47 mm

191110

357408



Spacer 152x32 mm

170239

Finger Links

359117



Shaft Ø 8x30 mm

342020

359694



Belt for cutlery holder 1820x360 mm

441307

346121



Cord for conveyor belt Ø 12 mm - green
(sold by meter)

60216

Handles

358777



Door handle L=1260 mm
ac-acr

331061

358079



Right plug for handle

358080



Left plug for handle

357501



Knob Ø 30 mm M6

180126

358079



Right plug for handle

210411

Handles

358080



Left plug for handle

210412

Rollers

359633



Central roller

440108

Thermostatic steam trap

425035



Vertical Steam trap Ø 1/2" FF
PMA 25 bar - TMO 400°C - 1.4305 CF16F

310702

310705

Hinges

358833



Hinge support

331758

358385



Guide hinge INOX

320883

Thermometers

359795



Thermometer Ø 52 mm 0÷120°C
coated capillary L=1500 mm, bulb Ø 6x38 mm

450905

416427



Thermometer Ø 52 mm 0÷120°C
coated capillary L=2500 mm; bulb Ø 6x38 mm

450907

Manometers, Safety Valves

360193



Manometer Ø 50 mm 0÷1 bar
rear connection G1/4" M

870072

359695



Manometer Ø 80 mm 0÷2,5 bar
connection G1/4"

441401

359696



Manometer Ø 85/68 mm 0÷18bar
rear connection Ø 11; cut out Ø 61,5 mm

441409

359697



Manometer 0÷38bar Ø 85/68 mm
rear connection Ø 11; cut out Ø 61,5 mm

441410

Small Mechanical Parts

359665



Snap-ring Ø 15x1 mm INOX

440811

359690



Antivibration Ø 25xH20 mm - M6x18 mm hole M6

441103

441139

359671



Snap-ring Ø 25x1,2 mm INOX

440820

359678



Antivibration Ø 40xH30 mm - M8x25 mm

441104

441131

359667



Snap-ring Ø 32x1,1 mm INOX

440815

357690



Flange bushing Ø 20x24,7/28xh23 mm

190636

381454



Radial snap ring INOX Øest. 10,8x0,7 mm

440827

357720



Flange bushing Ø 20x32/42,5x27 mm

190677

416014



Radial snap ring INOX Øest. 13,8x0,9 mm

440828

439006



Wedge 6x6x25 mm - INOX

441122

Small Mechanical Parts

359691



Wedge 8x7x32 mm

441143

337045



Hexagonal nut M5 - H=4 mm INOX

260403

H25774

359799



Cotter pin Ø 2,0x12 mm INOX
UNI1336

451002

358187



Hexagonal nut M6

260404

438438



Hexagonal nut M6 self-locking - INOX

260412

H25792

358196



Hexagonal nut "M6" inox A2 "5587"

260416

322630



Hexagonal nut M8 self-locking - INOX
H=8 mm

260415

358188



Hexagonal nut M8 - H=5 mm INOX

260405

H25776

362940



Hexagonal nut M4 - H=3,2 mm INOX
CH7

260402

358190



Hexagonal nut M10 - H=8 mm INOX
CH17

260407

Small Mechanical Parts

334942



Hexagonal nut M12 - H=10 mm INOX (10 pcs)
CH19

260408

260410

356697



Spacer Ø 9x12xh26,5 mm

160501

358115



Hexagonal nut 3/4" - H=6,5 mm - INOX
CH36; AC-ACR

251302

358325



Spacer Ø 12x22x10 mm

290815

358250



Hexagonal nut 1/2" - H=11 mm - INOX
CH30 mm

270121

358324



Spacer Ø 12x18x1 mm - brass

290813

418034



Hexagonal nut M6 - H=11,5 mm

290701

359424



Spacer Ø 15x20x7,4 mm

390906

356717



Spacer Ø 8,8x13,7xh7,9 mm

160514

359118



Spacer Ø 34x42x5 mm

342021

Small Mechanical Parts

358327



Spacer Ø 40x50x7,6 mm

290820

359721



Double wire clamps Ø 37,7x39,7 mm

450143

356760



Spacer

160541

438480



Hose clamp Ø 12÷22/9 mm - INOX

450102

450103

359717



Double wire clamp Ø 8,8÷9,3 mm

450134

322082



Hose clamp Ø 32÷52/9 mm - INOX

450106

359714



Double wire clamps Ø 9,8x10,4 mm

450125

438464



Hose clamp Ø 32÷50/9 mm - INOX

450107

359723



Double wire clamp Ø 34,6x36,4 mm

450149

518655



Hose clamp Ø 40÷60/9 mm - INOX

450135

Small Mechanical Parts

433052



Hose clamp Ø 16÷27/12 mm in INOX

450104

359719



Hose clamp Ø 15÷20x7 mm

450137

359703



Hose clamp Ø 25÷40/12 mm - INOX

450105

H25807

375037



Grub screw M5x8 mm INOX
conical point

250202

438463



Hose clamp Ø 50÷70/12 mm - INOX

450109

H25809

358091



Grub screw M6x6 mm
flat point

250204

441709



Hose clamp Ø 60÷80/12 mm - INOX

450119

H32130

358092



Grub screws M6x8 mm INOX
flat point

250206

359715



Hose clamp Ø 68÷85/12 mm - INOX

450127

358090



Grub screw 8x12 mm
conical point

250203

Small Mechanical Parts

358745



**Shoulder ring Ø 20x40x10 mm
thread M6**

330884

357518



Blind flange Ø 85x5 mm

180202

358870



**Economiser lever
AC**

331977

358560



**Support for finger limit switch L=575
mm**

323348

358832



Hook for door support

330778

331755

358749



Flange 100x100x5 mm

330906

359001



**Support saving AC2
dim. 35,5x36x25 mm; holes Ø 8,2 mm; M6**

332820

359069



**Pin Ø 8xLtot.55 mm
thread M8x9 mm**

341255

359027



Bearing flange towing 39x116x35 mm

340288

359060



Pin Ø 9,8x39 mm SE-ACR

341235

Small Mechanical Parts

359040



Pin Ø 12xLtot.60 mm
thread M8

340443

358209



Grower washer Ø 4,2x7,2x1 mm INOX

260510

359426



Pin M8x120 mm NE/2

391009

358226



Grower washer M5 INOX

260542

359161



Pin NE2

342700

358203



Flat washer Ø 4,3x9x0,8 mm INOX

260502

H25743

358211



Grower washer Ø 6,3 mm INOX

260512

H25750

358222



Flat washer M6 Ø 6,6x18x1,6 mm INOX

260538

350781

358213



Grower washer Ø 10,2x18,1x2,2 mm
INOX

260514

432605



Flat washer M6 Ø 6,4x11,6x1,6 mm INOX

260504

H25746

H30940

Small Mechanical Parts

358216



Flat washer Ø 7,6x22 mm INOX

260530

359809



Roll pin Ø 5x36 mm

451127

364457



Flat washer M8 Ø 8,5x15,7x1,4 mm INOX

260505

H35231

358162



Raised countersunk head screw M4x12 mm

260226

359316



Flat washer Ø 20x34x3 mm

360102

358160



Raised countersunk head screw TB M5x12 mm - INOX

260223

300156

359698



Door look with barrel

441501

358161



Raised countersunk head screw TB M6x20 mm - INOX

260224

260239

359807



Roll pin Ø 4x16 mm

451123

358145



Cylinder head bolts TCP M3x10 - INOX

260201

Small Mechanical Parts

358148



Cylinder head bolts TCP M4x16mm INOX

260205

358118



Hexagon head screw TE M6x16 - INOX

260104

H25715

326263



Hexagon head screw TE M5x16 mm INOX
(10 pcs)

260139

358144



Hexagon head screw TE M6x35 mm INOX

260153

358132



Hexagon head screw TE M5x20 - INOX

260129

358123



Hexagon head screw TE M8x16 mm INOX
A2

260112

260147

351982



Hexagon head screw TE M6x10 mm INOX

260100

260102

358124



Hexagon head screw M8x20 mm - INOX

260113

315421



Hexagon head screw TE M6x12 mm INOX
CH10

260103

358127



Hexagon head screw M8x35 mm

260116

Small Mechanical Parts

365118



Hexagon head screw M8x40 mm

260117

358135



Hexagon head screw TE M10x55 mm
INOX

260130

260133

381681



Countersunk screws M6x12 mm

260317

319110



Countersunk screws TS M8x25 mm
UNI5933

260331

Bearings

612850



Ball bearing Ø 12x32x10 mm

410126

359458



Ball bearing Ø 15x32x9 mm

410119

Bearings

335224



Ball bearing Ø 17x40x12 mm

410109

359463



Ball bearing Ø 20x42x12 mm

410131

359460



Ball bearing Ø 25x47x12 mm

410125

359093



Bearing support 96x79 mm

341795

Shaft sealing

360051



Shaft sealing Ø 24x7x13,5 mm/
counter-seal Ø 26x13x5,5 mm
for pumps with shaft Ø 8 mm

630511

412572



Shaft sealing Ø 24x10x14 mm/
counter-seal Ø 26x13x8 mm
for pump with shaft Ø 11 mm

630510
630543

630514

630523

Shaft sealing

319037



Shaft sealing \varnothing 24x11x15 mm /
counter-seal \varnothing 26x13,5x5,5 mm

630547

360065



Shaft sealing \varnothing
32,5/21,5x31mm/counter-seal
 \varnothing 36,3x23x12,5 mm

630532

610895



Shaft sealing \varnothing 24x12x15 mm /
counter-seal \varnothing 26x14x8 mm
for pumps LGB ZF523V 230-400 V 50Hz

630528

630546

412573



Shaft sealing \varnothing 24x11x15,5 mm /
counter-seal \varnothing 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

630501

412354



Shaft sealing \varnothing 24x12x16 mm /
counter-seal \varnothing 26x12x8 mm
shaft sealing in TEFLON

630522

630524

630541

342632



Shaft sealing \varnothing 39x16x16 mm /
counter-seal \varnothing 42x21x8 mm
for pump FIR 2275

630516

Lockings

359052



Fixing plate hook for AC
dim. 54x27 mm

341016

360269



Door magnet 41x18x13 mm
center distance hole 54 mm

CH111026

358784



Door security hook
AC-ACR

331112

331116

Knobs

311704



Knob Ø 41,5 mm 0÷90 °C
D-shaft Ø 6x4,6 mm

450315

359752



Knob Ø 42 mm - H=27 mm
connection 5x5 mm

450316

359754



Knob Ø 40 mm
connection 5x5 mm

450323

357513



Knob blue Ø 45 mm
with screw M3x14,5 mm; connection 6x6 mm

180152

Knobs**357497**

Knob black Ø 45 mm
with screw M3x14,5 mm; connection 6x6 mm

180111

357515

Knob red Ø 45 mm
M5

180159

357771

Frame for thermostat knob Ø 56 mm

191040

Boilers**358663**

Steam boiler 30000 kcal/h

330314

358665

Boiler 1 Heating element AC2/AC3/ACRs
Ø 170x680 mm; with insulation

330320

582295

Boiler 1 Heating element
Ø 165x630 mm; with insulation

330376

Boilers**358670****Boiler 2 Heating element**

Ø 200x640 mm; hole Ø 58 mm; ; with insulation

330339

358750**Flange Heating element****700345****Boiler 3 Heating element**

Ø 220x640 mm; ; with insulation

330322

358303**Plug G1/8" - brass**

H=12 mm; CH13

290121

Safety groups**358300****Pressure reducer 1/2 "3 bar**

with manometer 1/4 "Ø 50 mm 4 bar

281102

Springs

318627



Roll spring L=50 mm Ø 47,5 mm - 7,5kg

391337

318626



Roll spring - 5.5 Kg

391329

318616



Roll spring - 2.5 Kg

391323

359437



Roll spring L=40 mm Ø 47 mm - 50N
with flange 123x69.5 mm

391331

318617



Roll spring - 3.0 Kg

391324

359438



Roll spring L=40 mm - 5,5 Kg
with flange

391332

318622



Roll spring - 3.5 Kg

391325

359436



Roll spring L=40 mm Ø 46 mm - 4,5Kg
with flange

391318

318624



Roll spring - 5.0 Kg

391328

359430



Roll spring L=40 mm - 4,0Kg
with flange 122x69x65 mm

391309

Springs

359433



Roll spring L=40 mm Ø 45,5 mm - 2,5 Kg with flange

391311

391315

357702



Support 60x20x8 mm

190651

359432



Roll spring L=40 mm Øest. 45 mm - 3 Kg with flange

391314

323331



Torsion spring wire Ø 1,6 mm

450294

359739



Tension spring Ø 12x85xLtot. 108 mm wire Ø 1,2 mm

450229

358792



Bracket for door spring dim: 40/35x30x3 mm

331430

Slide Ways - Shelf Supports

358476



Guide right L=720 mm

322711

358470



Guide mod. 1300 AC

322585

357774



Guide

191051

357804



Guide 175x10x25 mm
hole Ø 5 mm

191123

359911



Drawer rail

510302

357416



Block sliding center guide

170313

357421



Guide support SE-S2200 AC98

170324

357422



Guide support

170326

357630



Guide support AC-ACR

190145

357631



Guide for transport system
45x15 mm H=34 mm hole Ø 8,5mm

190146

Slide Ways - Shelf Supports

357684



Guide 44x34mm H=20 mm

190620

360233



Guide with brake
dim. 710x30x16 mm - ACS/ACRS

180630

180651

180651/R

700353



Guide 91x45 mm H=113mm

170325

360231



Guide with brake L=883 mm [Kit]

180629

180643/R

358872



Protection

331982

357578



Right guide 682x20x15 mm

180663

359142



Support 505x43x77 mm

342117

357577



Right guide 682x20x15 mm

180662

358563



Guide

323390

Photocells

351744



Light barrier M18x61 mm Ltot=85 mm
24/240Vac
 cable L=2000 mm

120907

Printed Circuit Boards

353256



Motherboard 420x100 mm
 ACRS / GMC / LAV / NE / NG / NL

121258

352731



Interface board 170x270 mm
 AC / ACR / GMC / NE

121204

353312



Interface board
 ACS

121289

357363



Electrical box cover
 dim. 320x495 mm

161191

353330



Interface board 110x90 mm
 ACS/E DIGIT

121296

353264



Interface board
 ACR / GMC / LAV / NE

121259

121278

Probes

351996



Probe NTC C-G
cable L=250 mm

120960

351907



Temperature probe PT100
bulb Ø 6x58 mm; cable L=12 mt

120929

351983



Temperature probe PT100
bulb Ø 6x76 mm; cable L=680 mm

120943

351760



Temperature probe PT100
bulb Ø 6x58 mm; cable L= 7000 mm;
connection M20

120910

351901



Temperature probe PT100
bulb Ø 6x60 mm; cable L=12 mt; CH27

120928

Thermoregulators**359796****Thermoregulator IC902 Plus**

probe Tcj(Tck-PT100); 1 relay output 8(4)A
250V; power supply 12/24V; mounting hole
71x29 mm

450910

450911

Membranes**359849****Membrane keypads**

461234

359859**Membrane keypads 217x118 mm**

461295

359874**Membrane keypads 220x120 mm**

461362

359812**Membrane keypads 180x50 mm**

460344

Oil seals

359651



Oil seal 20x30x5 mm VITON

440415

Gaskets for dishwashers

358006



Gasket 19x560x6 mm - INOX

200978

O-rings

532922



O-ring 1,78x6,75 mm NBR

200818

435313



O-ring 1,78x12,42 mm NBR

200824

200843

363350



O-ring 1,78x7,65 mm

200871

438348



O-ring 1,78x20,35 mm NBR

200849

531952



O-ring 1,78x8,73 mm NBR

200809

357936



O-ring 1,78x25,12 mm NBR

200817

O-rings

357930



O-ring 2,62x13,10 mm EPDM

200806

425696



O-ring 3,53x37,69 mm EPDM

200822

200830

357929



O-ring 2,62x28,24 mm

200805

357945



O-ring 3,53x78,97 mm NBR

200834

630416

357954



O-ring 3,00x6,00 mm EPDM

200854

357928



O-ring 3,53x98,02 mm EPDM

200803

357965



O-ring 3,53x52,40 mm NBR

200877

438405



O-ring 3,53x110,72 mm NBR
for drain manifold

200873

416280



O-ring 3,53x34,52 mm NBR

200814

315365



O-ring 4,00x24,00 mm EPDM

200933

O-rings

441739



O-ring 4,00x110,00 mm NBR

200807

435067



O-ring 5,34x56,52 mm NBR

200815

357943



O-ring 5,34x81,92 mm EPDM

200829

357963



O-ring 3,60x23,00 mm

200872

Adhesive Gasket

357847



Gasket adhesive EPDM 6x3 mm (sold by meter)

200433

357846



Gasket adhesive EPDM 8x4 mm (sold by meter)

200432

Adhesive Gasket

357835



Gasket adhesive EPDM 25x4 mm (sold by meter)

200402

357860



Gasket adhesive EPDM 65x4 mm (sold by meter)

200478

Flat gaskets

359822



Flat gasket Ø 9,2x14,7x2 mm - Fiber

460528

357974



Flat gasket Ø 34 mm

200921

441494



Flat gasket Ø 27x37x2 mm - Fiber

460503

615070



Gasket silicon Ø 35x45x6 mm

160830

200424

358003



Flat gasket Ø 25x35x3,2 mm

200975

357840



Flat gasket Ø 10x18,5x3 mm - EPDM

200415

Flat gaskets

357978



Flat gasket Ø 21x30x2,7 mm - EPDM
C95-155

200927

357869



Flat gasket Ø 47x65x2 mm - Neoprene

200498

357967



Flat gasket Ø 66x92x2 mm - EPDM

200906

357863



Flat gasket Ø 72x86x2 mm - Neoprene

200489

357322



Flat gasket Ø 6,2x13,75x2 mm - PTFE

160826

358005



Lip gasket Ø 14,28x20,63x4,46 mm
SILICONE

200977

357315



Gasket Ø 8x16x4 mm

160805

357971



Lip gasket Ø 23x40x6 mm

200917

357855



Flat gasket Ø 16x24x3 mm - Neoprene

200457

357330



Flat gasket 1/2"

160841

Augers

360281



Inox auger + brush
dim. 970x170x170 mm

319310

CH312781

Feet

359639



Foot M16x80 mm
Ø 59 mm - H=15 mm

440209

359943



Adjustable foot in aluminum - H=135÷190 mm
mm
flange 100x62 mm

620222

358073



Foot M10x38 mm
Ø 60,5 mm - H=31 mm

210203

359638



Foot insert 40x40 mm
thread M16

440208

359640



Adjustable foot - H=32÷95
dim. 40x40x120 mm; foot Ø 30 mm

440211



info@professionalspares.com - www.professionalspares.com
Via Malignani, 7 - 33083 Villotta di Chions (PN) - Italy
Tel. +39 0434 639992 - Fax +39 0434 630217