

CONVOTHERM

Spare Parts Catalogue



**GAS
PARTS**

**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

CONSUMABLES

ACCESSORIES

Crimp terminals assortment case - TOP QUALITY - 1660 pieces




code **description**
 585630 Crimp terminals assortment case
22 sections - 1660 pieces



Content description

pic.	description	colour	quantity
A	end sleeve 1 mm ² L=8 mm	Yellow	100 PCs
	end sleeve 1,5 mm ² L=10 mm	Red	100 PCs
	end sleeve 2,5 mm ² L=12 mm	Blue	100 PCs
	end sleeve 4 mm ² L=12 mm	Grey	50 PCs
	end sleeve 6 mm ² L=12 mm	Black	50 PCs
	end sleeve 10 mm ² L=12 mm	White	50 PCs
B	Pre-insulated faston 1,5 - 2,5 mm ² 4,8x0,8 mm	Blue	80 PCs
	Pre-insulated faston 1,5 - 2,5 mm ² 6,3x0,8 mm	Blue	80 PCs
C	M/F piggy back faston 1,5 - 2,5 mm ² 6,3x0,8 mm	Blue	50 PCs
D	butt connector 1,5 - 2,5 mm ²	Blue	50 PCs
	butt connector 4 - 6 mm ²	Yellow	50 PCs
E	blue insulated eyelet Ø 4 mm 1,5 - 2,5 mm ²	Blue	100 PCs
	blue insulated eyelet Ø 5 mm 1,5 - 2,5 mm ²	Blue	50 PCs
	yellow insulated eyelet Ø 5 mm 1,5 - 2,5 mm ²	Yellow	50 PCs
F	Blue insulated fork d=4 mm 1,5 - 2,5 mm ²	Blue	100 PCs
	Blue insulated fork d=6 mm 4 - 6 mm ²	Blue	50 PCs
G	insulated M faston 2,8x0,8 mm 1,5 - 2,5 mm ²	Red	100 PCs
H	short M faston 6,3x0,8 mm 1 - 2,5 mm ²	Blue	100 PCs
I	short M faston cover 6,3x0,8 mm	White	50 PCs
J	F nickel-plated steel faston 6,3x0,8 mm 0,5 - 1 mm ²	Blue	100 PCs
J	F nickel-plated steel faston 6,3x0,8 mm 1 - 2,5 mm ²	Blue	100 PCs
K	nickel-plated steel piggyback 1 - 2,5 mm ²	Blue	100 PCs



Gas Burners

584682



Burner head Ø 225 mm

Convothem 2528200

376604



Burner Ø 50x150 mm 20kW
P3

Convothem 2010014

360661



Venturi 40kW
P3 Convothem 4

Convothem 6016000 6056960

377268



Gland nut with gasket
OGS/OGB

Convothem 2625120 6015041

Plugs

377140



Spark plug Ø 11x101 mm [Kit]
faston F 2,8 mm

Convothem 2617322 4018001

377139



Spark plug Ø 11x53,5 mm - 24V [KIT]
faston 2,8 mm

Convothem 2617321 4018002

Plugs

338211



**Spark plug - insul. Ø 6x44 mm electrode
L=8,0x2 mm
connection M4x1**

Convothem 4008104

377476



**Spark plug - insul. Ø 6,9x44 mm
electrode Ø 2 mm
connection M4x1; Ltot.=63,3 mm**

Convothem 4008101

377138



Detection plug Ø 9,5x51 mm [Kit]

Convothem 2617320 4018000

338347



Spark plug fitting M10x1 - Øint. 7x11 mm

Convothem 2200704

377220



**Flange Ø 50 mm
for spark plug 377140**

Convothem 2619429

Ignition Cables

377475



Ignition cable L=1200
faston F2,8-Øint. 6,2

Convothem 4008100

Flame Control Devices

378226



Flame control device S4575B-1066
TW=- sec. - TS=5 sec. 230/240V 50/60Hz
4VA

Convothem 6016020 6016021 6016022

352967



Flame control device S4965V3075
Ts=5s; 230V 50Hz; 2,5VA

Convothem 6056957

Heat exchangers

377134



Heat exchanger
dim. 520x440 mm; OGS/OGB 6.10 (Special packaging)

Convothem 2010025 2617315

345698



Upper heat exchanger
dim. 830x590 mm; 10.10/20.10 - C4 (Special packaging)

Convothem 2064003

377238



Convactor heat exchanger OGS 10.10/20.10
dim. 600x550x130 mm; OGS 10.10/20.10 (Special packaging)

Convothem 2010000 2617317 2623208

345735



Lower heat exchanger
dim. 680x590 mm; 20.10 - C4 (Special packaging)

Convothem 2064006

Heat exchangers

377136



Convectector heat exchanger

dim. 765x680 mm;
OGS/OGB10.20/12.20/20.20 (Special packaging)

Convotherm 2010016

2617318

377150



Gaskets for burner 12-20kW P3 [Kit]
with screws and nuts

Convotherm 2618161

6015032

377137



Convectector heat exchanger lower

dim. 765x680 mm; OGS/OGB20.20 (Special packaging)

Convotherm 2010090

2617319

377151



Gaskets for burner 30-40kW P3 [Kit]
with screws and nuts

Convotherm 2618162

6015033

360802




Drain manifold

Convotherm 4

Convotherm 2456493

360776



Flat gasket hot air burner chamber Ø 102x135x2 mm

6.10/6.20/10.10/20.10 Con 4

Convotherm 6050290

6064015

378162



Gasket Ø 134x170x2 mm

10.20/12.20/20.02 P3

Convotherm 6015029

Gas Pipes

377118



Gas pipe L=580 mm - P3
with 90° connection

Convothem 2616516

377119



Gas pipe L=780 mm - P3
with 90° connection

Convothem 2616517

377120



Gas pipe L=1550 mm - P3
with 90° connection

Convothem 2616518

378401



Gas hose DN12 L=580 mm INOX
P3

Convothem 7012102

Gas Valves and Accessories

439106



Gas valve Honeywell VK4115V1014 - FF Ø 3/4" - 230V 50Hz
inlet Ø 18.6 mm not threaded, outlet Ø 14 mm not threaded; pressure range 5-50 mbar; working temperature -15+70°C; premix gas/air device 1/1

Convothem 6016010

582324



Gas valve Honeywell VK8105A - 24V 50Hz
pressure range 60 mbar mbar; working temperature -15+80°C

Convothem 8067465SP

Gas Valves and Accessories

356633



Gas valve Honeywell VK4115V2038 - 230V 50Hz
 inlet Ø 18.6 mm not threaded, outlet Ø 14 mm not threaded; working temperature -15÷70°C

Convothem 6056955

377107



Gas conversion nozzels from NG to LPG [Kit]
 2 x 400, 2 x 440, 3 x 490, P3

Convothem 2615313

377105



Gas conversion nozzels Natural Gas LL/G25 [Kit]
 2 x 630, 2 x 660, 3 x 680; P3

Convothem 2615311 6017006 6017008

310235



Gas valve 810 ELETROSIT Ø 1/2" FF - 230V 50Hz
 thermocouple connection M9x1 mm; pressure range 3-18 mBar - work temp 0-60°C; long buttons - side pilot and thermocouple connections

Convothem 5001051

361065



Gasket Ø 15,5x21/23x3,3 mm
 P3 Convothem 4

Convothem 6016030 6064077

Commutators, Energy Regulators

377581



Commutator 0-1 positions
16A 250V - Tmax 150°C; D-shaft Ø 6x4,6 mm

Convothem 5003022

377582



Commutator 0-7 positions - with bridge installed
16A 250V - max 150°C D-shaft Ø 6x4,6 mm

Convothem 5003023

Contactors and Relays

361110



Green auxiliary contact 1NO HN10 T 10A 690V
dim. 43x10x21 mm

Convothem 5056965

377478



Contactor LC1D093P7 + LAD4RCU
4kW 3P; 230V 50/60Hz 400V; 3 cont. NO + 1 aux NC

Convothem 4001020 4011000 4011000K 4030608

200315



Contactor K3-10ND10 190R T
4kW 3P; 200-240V 50-60Hz 400V - 3 cont.NO + 1 aux NO

Convothem 5056961

377479



Contactor LC1D183P7
7,5 kW 3P; 230V 50/60Hz 440V; 3 cont. NO + 1 aux NO

Convothem 4011001K 4030609

360655



Contactor K3-18ND10 190 T
7,5kW 3P; 200-240V 50/60Hz - 3 cont. NO + 1 aux NO - dim. 65,5x45x60 mm

Convothem 5056373

377417



Contactor LC1DT40P7
11kW 3P; 230V 50/60Hz 400V; 3 cont. 1 NO + 1 aux NC

Convothem 4001030 4001030K 4030607

Contactors and Relays

377486



Contactor LC1D32P7 50A 230V + LAD4RCU
15kW 3P 400V; 230V 50/60Hz; 3 cont. NO + 1
aux NO + 1 aux NC; dim. 92x45x85 mm

Convotherm 4001041 4011013 4011013K 4030610

360686



Relay SSR 90A
dim. 57x44,5x31,5 mm; Convotherm 4

Convotherm 5056381

377416



Relay
12V DC a 250V 10A

Convotherm 4000012

377422



Circuit breaker 0,63÷1A 0,5kW
type Mbs25-010

Convotherm 4002032

377424



Circuit breaker 1÷1,6A 0,55kW
type Mbs25-016

Convotherm 4002034

321034



Circuit breaker 1,6÷2,5A 1,1kW
type Mbs25-025

Convotherm 4002035

Fuses, Capacitors, RFI Filters

377746



Filter power factor 3 phase 4x25A
250/440V 50/60Hz

Convothem 5014021

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

Convothem 4005066 4056944

352997



Power line filter 277/480Vac 50/60A 32A
dim. 104x130x55 mm; Convothem 4

Convothem 5056967

451463



Fuse Ø 5x20 mm 4A 250V slow

Convothem 4016002

377418



Interference suppressor filter for
solenoid valve
cables L=150 mm; faston MF 6,3 mm

Convothem 4001075

320007



Fuse Ø 5x20 mm 6,3A 250V slow (10 pcs)

Convothem 4005068

310982



Fuse Ø 5x20 mm 0,315A 250V slow

Convothem 4056945

377454



Fuse Ø 5x20 mm 0,5A

Convothem 4005063

312599



Fuse Ø 5x20 mm 1A 250V slow

Convothem 4005064

377457



Fuse Ø 6,3x32 mm 10A 500V fast

Convothem 4005067

Fuses, Capacitors, RFI Filters

519172



Fuse Ø 6,3x32 mm 16A 500V slow
(10pcs)

Convothem 4016000

377433



Fuse holder 63A 400V Neozed

Convothem 4004023 4004025 4030773

377534



Fuse Ø 6,3x32 mm 25A 440V slow

Convothem 4016001

377515



Fuse holder 6,3x32

Convothem 4014037

377447



Fuse 25A 400V Neozed
400Vac, 250Vdc; Ø 15 mm L 35,6 mm

Convothem 4005046 4005055

518964



Fuse Ø 15x36 mm 63A 250/400V (10 pcs)
NEOZED D02; 250/400V Ø 15mm L 36mm

Convothem 4005059

377432



Fuse holder 16A 400V Neozed

Convothem 4004020

Lamps and Lamp Holders

427658



Lamp 15W 240V E14
Tmax 300°C

Convotherm 5005040 5005040K

377593



Green pilot lamp Ø 15,5 mm 240V
lens Ø 18 mm

Convotherm 5004022

435360



Lamp 25W 240V E14
dim. Ø 26x57 mm; Tmax 300°C

Convotherm 5005016 5005045 5005045K

360909



Cooking chamber light socket G4
cable L=2250 mm; Convotherm 4

Convotherm 5056315

610847



Halogen lamp 10W 12V G4 300°C

Convotherm 5015020 5056314

582883



Lamp holder complete 70x55 mm - E14
25W 230V

Convotherm 2614841 2618725 2618780 5015001

377894



Halogen lamp 10W 12V G4 300°C
gasket Ø 62x70x5,9 mm

Convotherm 2628500 5005021 6005013

435360



Lamp 25W 240V E14

200014



Lens 73x58 mm

377594



Yellow pilot lamp Ø 15,5 mm 240V
lens Ø 18 mm

Convotherm 5004026

200012



Lamp holder frame 95x80 mm

459498



Lamp holder gasket 94x78x3 mm

Lamps and Lamp Holders

377331



Lamp holder complete G4 12V 10W
CSS

Convothem 2628267 2629402

377894



Halogen lamp 10W 12V G4 300°C

377269



Lamp holder complete 105x105 mm with
lamp 15W 230V
lamp holder 105x105 mm

Convothem 2625155

200012



Lamp holder frame 95x80 mm

Convothem 5015003

361115



Lamp holder frame 98x83 mm
P3

Convothem 5015006

377155



Lamp 15W 230V E14 with gasket 94x79x3
mm

Convothem 2618779

360677



Frame with glass and gasket 100x85 mm

Convothem 5056317


377597



Frame for lamp lenses
Ø 72x83 H=1 - holes Ø 6,3

Convothem 5005020

377596



Lens Ø 52 mm

Convothem 5005017 5005017K 5030620

377598



Lens Ø 69x4 mm [Kit]
with gasket Ø 62x70x6 mm

Convothem 5005022 5005022K 5030621

200014



Lens 73x58 mm
Tmax 800°C

Convothem 5015002

Lamps and Lamp Holders

360923



Lens 87x72x3 mm

Convothem 5015005

459498



Lamp holder gasket 94x78x3 mm

Convothem 6015018 6015020

360685



Cooking chamber light gasket (5 pcs)
int. 67x52 mm, ext. 87,5x72,5x2 mm

Convothem 5056316

Microswitches

361431



Snap action microswitch for retractable
hand shower
cable L=540 mm; Convothem 4

Convothem 4064180

361388



Door magnet OES mini
dim. 7x25x23 mm

Convothem 5011060

377316



Snap action microswitch with lever L=14
mm

Convothem 2627994

377045



Magnetic switch
dim.28x19; 0,3A 1 NO; cable Ltot.=2000 mm

Convothem 2518798 5003075 5013070

Terminal Boards


377575



Terminal board 9P
RM 3.5 mm

Convothem 5002095

377728



Terminal board 10P
RM 3.5 mm P3 ZEC 1

Convothem 5012004

377571



Terminal board 9P
RM 5 mm; X1 OSC, OSG, OSP P2 P3

Convothem 5002090

377727



Terminal board 12P
RM 3.5 mm P3 ZEC 1

Convothem 5012003

377724



Terminal board 6P
RM 5 mm P3; dim. 31,5x24x14 mm

Convothem 5012000

377574



Terminal board 10P
RM 5 mm P3; dim. 51x24x14 mm

Convothem 5002094

377725



Terminal board 7P
RM 5 mm P3; dim. 36x24x14 mm

Convothem 5012001

361340



White marker for terminal blocks
dim. 81x6,5x1,6 mm

Convothem 4014038

377726



Terminal board 8P
RM 5 mm P3; dim. 41x24x14 mm

Convothem 5012002

Motors

377164



Motor 1 phase 250W 200-240V 1,6A 50/60Hz
shaft L=65 mm, shaft terminal M5, cable L=750 mm, C=5µF/400V; OES

Convothem 2618802 5018053

378208



Motor spacer Ø 7x20x22 mm

377165



Fan Ø 200x42 mm - 45 blades, hole for shaft Ø 8 mm

377163



Set of motor seals OES mini

377645



Motor 3 phase 6/4 pole 380-440V
shaft Ø 14x55/Ø15x25 mm; Ltot.=80 mm;
wedge 5x45x5 mm

Convothem 5008048 5008048K

361512



Motor 3 phase 320W 200-240/346-440V 50/50Hz
1400/1700rpm

Convothem 5008051 5008051K 5030636

345984



Motor 3 phase 350W 215-230V 50Hz
conical shaft H=76 mm; 1430rpm; cable L=820 mm; Convothem 4

Convothem 5056347

377133



Set of motor seals [KIT]

377649



Motor 3 phase 140-400/260-680W 380-415V 380-480V 50/60Hz
shaft Ø 14x100 mm cable L=1000 mm

Convothem 5008060 5008060K 5030637

377652



Set of motor seals [KIT]

377641



Motor 3 phase 680/400W 200-254V/346-480V 50/60Hz
shaft Ltot.=101 mm; 1420/1720rpm; cables L=1200 mm; cables L=780 mm

Convothem 5008036K

377651



Fitting set for motor M8

377652



Set of motor seals [KIT]

Motors

377129



Motor 3 phase 600/820W 200-254V 346-480V 50/60Hz 2,8/1,6A
6.10/6.20/10.10/20.10 P3 all voltages

Convothem 2617286 5018019 5018021

377133



Set of motor seals [KIT]

377126



Motor 3 phase 200/860W 380-415V 50Hz 0,6-1,6A
conical shaft L=80 mm; 710-1390/820-1690 rpm

Convothem 2617283 5018011

377133



Set of motor seals [KIT]

377125



Motor 3 phase 240/860W 200-240V 50Hz 1,3/3,2A
conical shaft L=75 mm; 300/1100W 60Hz 1,3/3,6A

Convothem 2617282 5018004

377130



Motor 3 phase 1150W 200-254V 346-480V 50/60Hz 4,0/2,36A
10.20/12.20/20.20 P3 all voltages

Convothem 2617287 5018020 5018022

377133



Set of motor seals [KIT]

377332



Motor 3 phase 1150W 200-254V 346-480V 50/60Hz 4/2,3A
1410/1700rpm; Tmax 70°C; all voltage P3

Convothem 2629427

377128



Motor 3 phase 1200W 380/415V 0,9/2,1A 50Hz
complete with fixing flange; spring for motor fan and gasket

Convothem 2617285 5018003 5018012

377133



Set of motor seals [KIT]

377263



Motor 230/400V 50/60Hz 0.8A
Ø 150x150 mm; cable L=130 mm; shaft M5; L=64.5 mm; with flange and screws

Convothem 2625108 5018057 5018080

377165



Fan Ø 200x42 mm - 45 blades, hole for shaft Ø 8 mm

377163



Set of motor seals OES mini

378208



Motor spacer Ø 7x20x22 mm

Motors

377165



Fan Ø 200x42 mm - 45 blades, hole for shaft Ø 8 mm

Convotherm 2618803 6010050

377234



Fan Ø 405x155 mm - 12 blades - conical hole P3

Convotherm 2619959 6010003

377232



Fan Ø 280x110 mm - 12 blades conical bore, screw TE M10x20, washer 10,2x28x2 mm

Convotherm 2619957 6010000

377935



Set of motor seals [KIT]

Convotherm 6005079

355762



Fan Ø 340x130 mm - 6 blades 6.10/10.10/20.10 Convotherm 4

Convotherm 6056333

377133



Set of motor seals [KIT]

Convotherm 2617295 6015206

351001



Fan Ø 340x150 mm - 12 blades 6.20/10.20/12.20/20.20 Convotherm 4

Convotherm 6056334

377652



Set of motor seals [KIT]

Convotherm 5008067

377233



Fan Ø 350x110mm - 12 blades conical bore, screw TE M10x20, washer 10,2x28x2 mm

Convotherm 2619958 6010001

377163



Set of motor seals OES mini

Convotherm 2618801

Motors

377651



Fitting set for motor M8

Convotherm 5008066

378427



Fan removal tool P3 with accessories

Convotherm 6015050 7015200

378208



Motor spacer Ø 7x20x22 mm
OES mini

Convotherm 6015304

Pumps

376705



Drain pump 38W 200/240V 50/60Hz
inlet Ø 30 mm, outlet Ø 24 mm - connection
Rast 5

Convotherm 2019700 5008079 5018024

360804



Vibration pump 14W 208-240V 50/60Hz
class 10; suction Ø 6,5 mm; outlet Ø 7,8 mm;
L=87,5 mm; faston 6,3x0,8 mm; ConvoClean
Convotherm 4

Convotherm 5050285 5056376

360743



Drain pump 38/43W 200-240V 50/60Hz
inlet Ø 24 mm, outlet Ø 24 mm

Convotherm 5056380

319236



Vibration pump 38-54W 208/240V 50/60Hz
F class - faston terminals 6,3x0,8 mm -
suction Ø 7,75 mm; outlet 1/8"

Convotherm 5008011 5008011K 5018010 5018032

Pumps

377767



Vibration pump 70W 208-240V 50/60Hz

F class - faston terminals 6,3x0,8 mm - suction Ø 6 mm; outlet Ø 6 mm; with safety thermostat

Convotherm 5018028 5018035

377328



Washing pumps 70W 208-240V 50/60Hz [Kit]

dim. 215x305 mm; pressure switch 0/200mbar 250V 6A; P3

Convotherm	2614474	2614475	2614476	2616454
	2616456	2617250	2619914	2619915
	2621702	2623810	2627023	2629358
	2629360	2629362		

377327



Washing pumps 70W 208-240V 50/60Hz [Kit]

dim. 215x305 mm; pressure switch 150mbar; P3

Convotherm	2614470	2614471	2614472	2614473
	2616451	2616452	2616453	2619861
	2619911	2619912	2619913	2621696
	2627798	2629354	2629355	2629356
	2629361			

360553



Recirculation pump 1 phase 100W 200-240V 50/60Hz [Kit]

inlet Ø 24 mm - outlet 24 mm; cable L=140 mm; C=2,5µF/420V; ConvoClean System Convotherm 4

Convotherm 5056337

377660



Kit for drain pump

Convotherm 5008084

Pressure Switches

376975



Kit Pressure switch 10A 250V - nozzle 0,5 mm
 pressure gauge Ø 40 mm 0-4 bar, pressure switch 0,2-3 bar; rubber holder Ø 10,5 mm; adjustable 0,1-2 bar

Convothem 2226365 2230013 5010005 6015422

376935



Pressure switch 0.2-3bar 10A 250V T85
 manometer Ø 40 mm 0-4 bar; outlet Ø 1,0 mm; faston 6.3x0.8 mm

Convothem 2217335 6015234

376976



Pressure switch 10A 250V - nozzle Ø 0,6 mm
 pressure gauge Ø 40 mm 0-4 bar, pressure switch 0,2-3 bar; rubber holder Ø 10,5 mm; adjustable 0,1-2 bar

Convothem 2226366 2230014 6015424 6050466

376933



Pressure switch 10A 250V
 manometer Ø 40 mm 0-4 bar; 0,2-3 bar; 4 connection 2 pipe holder Ø 10 mm

Convothem 2217333 6015232

376950



Spray Ø 0,6 mm with pressure switch and manometer
 rubber holder Øext 10,5 mm

Convothem 2223452 6006029

376932



Pressure switch 10A 250V
 pressure gage Ø 40 mm 0-4 bar, pressure switch 0,2-3 bar; raccord 4 ways, 2 pipe fitting Øest. 10,5 mm; 1NO

Convothem 2217332 6015231

360579



Kit Pressure switch 10A 250V - nozzle 0,7 mm
 12.20 P3 Convothem 4pressure gauge Ø 40 mm 0-4 bar, pressure switch 0,2-3 bar; rubber holder Ø 10,5 mm; adjustable 0,1-2 bar;

Convothem 2226367 2230015 6015425 6050467

586728



Kit Pressure switch
 10.10 10.20 Convothem4

Convothem 2055236

360578



Kit Pressure switch 10A 250V - nozzle 1,0 mm
 manometro Ø 40 mm 0-4 bar, pressostato 0,2-3 bar; portagomma Ø 10,5 mm; regolabile 0,1-2 bar; 20.20 P3 Convothem 4

Convothem 2226368 2230016 6015426

377191



Pressure switch Ø 45 mm 0/200mbar 250V 6A
 ConvoClean system 12.20/20.10/20.20 P3

Convothem 2619149 5013051

Pressure Switches

377096



Pressure switch 80 mbar [kit]
pipe L=1600 mm

Convotherm 2611022 2611025 2611026 2611027
2611504 5009055 5013050

377231



Pressure switch Ø 45 mm 0/120mbar
ConvoClean system
6.10/6.20/10.10/10.20/OES

Convotherm 2619860

360732



Pressure switch 13 mbar
G1/8" F; Pmax 4 bar; Convotherm 4

Convotherm 5056352

360833



Pressure switch 0.2-3bar 10A 250V T85
thread 1/8"; Convotherm 4

Convotherm 5009063 5056375

376923



Pressure reduction valve with hose connection Ø 10 mm
0,1÷2bar; L=99,5 mm

Convotherm 2011111 2011112 2016059 2016067
2016171 2016172 2217288 2230017

Heating Elements

377207



Boiler heating element 6600W 230V
L=275 mm; flange 88x57 mm; with bulb housing L=155 mm; cable L=1100 mm; with gasket e nuts

Convothem 2619187 5017012

377200



Boiler heating element 13200W 230V - star connection
L=545 mm; flange 88x57 mm; cables L=1050 mm; with bulb housing; with gasket e nuts

Convothem 2619180 5017003

377199



Boiler heating element 6600W 230V - star connection
L=275 mm; with bulb holder Ø 6,5 mm, flange 88x57 mm; with gasket EPDM, cable L=1000 mm

Convothem 2619178 5017001 5017023

360654



Boiler heating element 9000W 230V
L=212 mm; flange 82x82 mm; bulbs housing L=1119/139 mm; cable L=1200 mm; with gasket e nuts

Convothem 5056320

377206



Boiler heating element 9900W 200V
L=415 mm; flange 88x57 mm; bulb housing L=155 mm; cable L=1100 mm; with gasket e nuts

Convothem 2619186 5017011

360602



Boiler heating element 13300W 230V
L=275 mm; flange 82x82 mm; bulbs housing L=125 mm; cable L=1200 mm; with gasket e nuts; Convothem 4

Convothem 5056321

317527



Boiler heating element 9900W 230V - delta bridge
L=420mm, flange 88x57 mm, bulb housing L=155 mm; cables L=1100 mm

Convothem 2619188 5017013 5017050

361475



Boiler heating element 9000W 220V
L=430 mm; flange Ø 57 mm; cable L=800 mm

Convothem 3355727 5007066 5007066K 5030630

317291



Boiler heating element 9900W 230V - star connection
L=420 mm; flange 88x57 mm; cable L=1100 mm; with bulb housing; with gasket e nuts

Convothem 2619179 5017002 5017029

377623



Boiler heating element 6000W 220V
L=330 mm; triangular flange 83,5x78,5 mm; Øint. 48 mm; with bulb housing L=155; cable L=810 mm

Convothem 5007062 5007062K 5030628

Heating Elements

361470



Boiler heating element 9000W 240V

L=390 mm; triangular flange 83,5x78,5 mm
 Øint. 48 mm; bulb housing L=155; cables
 L=800; O-ring 5,34x46,99; OD/OS

Convothem 5007071 5007071K 5030632

377271



Heating element 6800W 230V

Ø 265x65 mm; flange 90x70 mm; faston
 6,3x0,8 mm

Convothem 2625181 5017084

377631



**Boiler heating element 12000/14300W
 220/240V**

L=580 mm; triangular flange 83,5x78,5 mm
 Øint. 48 mm; with bulb housing; cables L=820
 mm

Convothem 5007076 5007076K

360490



Heating element 6800W 230V [Kit]

Ø 320xh55 mm; flange 70x90 mm; faston
 6,3x0,8 mm; OES 6.10

Convothem 2625105 2625105K

361233



Heating element 5400W 230V

dim. 267x60 mm; with gasket and flange
 90x70 mm; faston 6,3 mm

Convothem 2625218K

377615



Heating element 9000W 230V

HUD/OD/AR

Convothem 5007033 5007033K 5030624

377167



Heating element 5400W 230V

Ø 265x63 mm; flange 100x22 mm; faston 6,3
 mm; gasket 100x22,5 mm; OES 6.06

Convothem 2618805

377260



Heating element 10200W 230V

Ø 320x50 mm; flange 90x70 mm; faston
 6,3x0,8 mm; with gasket

Convothem 2625104K 2630606

377251



Heating element 6800W 230V

Ø 270x60 mm; flange 22x100 mm; faston
 6,3x0,8 mm; with gasket; OES 6.10 mini

Convothem 2623634

377211



Heating element 10500W 230V

dim. Ø 415 mm H=85 mm; cable L=1100 mm

Convothem 2619192 5017018

Heating Elements

377616



Heating element 12000W 200/240V
 Ø 400xh85 mm - connection M14x1,5 mm

Convothem 5007035 5007035K 5030625

352925



Heating element 18900W 230V
 Ø 485x75 mm; flange 70x90 mm; cables
 L=1350 mm; 6.20/10.10/20.10 Convothem 4

Convothem 5056331

361486



Heating element 15000W 220V
 Ø 405x135 mm; connection M14; screw
 connection M5; HUD/OD

Convothem 5007036 5007036K 5030626

345865



Heating element 2x16500W 230V
 Ø 570x140 mm; flange 105x175 mm; cables
 L=1500 mm; 10.20/12.20/20.20

Convothem 5056332

377618



Heating element 18000W 380V
 Ø 400 mm; screw mounting M14x1,5

Convothem 5007038 5007038K

377241



**Heating element gasket OES/OEB X.10/
 OES**
 flange 90x70x2 mm, gasket 90x70x1,7 mm

Convothem 2623226 6015025

377201



Heating element 18900W 230V
 Ø 485 mm; with gasket e flange 90x70 mm-
 cables L=800 mm

Convothem 2619181 5017004 5017024 5017036

361080



Heating element gasket 85,5x81,5x3 mm
 Convothem 4

Convothem 6056322

377209



Heating element 18900W 230V [KIT]
 Ø 485x100 mm; flange 90x70 mm; screw
 connection M5; with gasket; cables L=1400
 mm

Convothem 2619190 5017016 5017043 5017045

317293



Heating element gasket 87x57x3 mm

vothem 6015023

Heating Elements

377166



Heating element gasket OES 6.06 [Kit]
gasket 100x22x1,7 mm, flange 100x25x2 mm,
n. 3 Nut M4 INOX

Convothem 2618804

361137



Flange for heating element 90x70x2 mm

Convothem 2614253

Thermostats

451532



Bi-metal thermostat Klixon 80°C

Convothem 5056372

360679



Safety thermostat 1P 170°C
capillary L=1500 mm; bulb Ø 6x66 mm;
Convothem 4

Convothem 5056319

377543



Operating thermostat 1P 58-258°C
coated capillary L=1120 mm; bulb Ø 3x201mm;
D-shaft Ø 6x4,6 mm; 16A 250V

Convothem 5001021

5001021K

5030613

377551



Safety thermostat 1P 340°C
coated capillary L=1200 mm; bulb Ø 3x160
mm; 16A 250V

Convothem 5001041

5056329

377546



Safety thermostat 135°C
capillary L=520 mm; bulb Ø 6x77 mm; 16A
250V

Convothem 5001026

5001026K

5030614

361442



Safety thermostat 1P 340°C
capillary L=1200 mm; bulb Ø 3x200 mm

Convothem 5001029

5001029K

5001033

5030615

Thermostats

377158



Safety thermostat 3P 360°C

coated capillary L=1490 mm; bulb Ø 4x122 mm; 16A 250V

Convothem 2618787 5001039

Timers

581949



Timer 24-240VDC/DC

5-15min. / 1-6 min.; 1NC/1NO; faston 6,3 mm

Convothem 040000879

377538



Timer 90 min 16A 250V

shaft 6x4,6 mm; rear connection

Convothem 5001001 5001001K 5030611

377540



Timer 90 min 16A 250V

shaft 6x4,6 mm; lateral connection

Convothem 5001003 5001003K 5030612

Transformers

377235



Transformer 60W 50/60Hz

input 100-240V 2-1A 50/60Hz; output 12Vdc
5A 60W; dim. 150x100x38 mm

Convothem 2618809 2619973 5009301 5019151
5056385

Fans

376834



Compact fan 92x92x25 mm - 2,3W 12Vdc
cable L=300 mm - ball bearing

Convothem 2118786 5018058

377084



Ventilation valve Ø 48
Ø 56/60 mm; H=58 mm

Convothem 2608962

377768



Compact fan 120x120x38 mm - 6W 12V DC
cable L=1500 mm - ball bearing

Convothem 5008083 5018023 5018040 5056318

428908



Radial fan RG128 100W 230V 50Hz
dim. 40x45 mm

Convothem 5018000

376911



Compact fan 120x120x38 mm with support P3
6,7W 12Vdc; cable L=1450 mm - ball bearing

Convothem 2216090

377763



Radial fan 140W 230V 50Hz - RG148

Convothem 5018001

377653



Compact fan 127x127x38 mm - 4,9W 12Vdc
cable L=1200 mm - ball bearing

Convothem 5008068

345791



Radial fan 110W 230V 50Hz - NRG118

Convothem 5056959

360564



Dehumidification flap 15W 220Vac

Convothem 6050260 6055280 6056326 6062700

378164



Gasket Ø 52,5x82,5x2

Convothem 6015034

361123



Pressure equalization valve seal [Kit]

Drain components

360766



Collecting tray 12.20/20.20 P3
dim. 550x350x80 mm

Convothem 3015001

377169



Flue condensation pipe 500x30 mm [Kit]
with screws and plastic ties

Convothem 2618810

377369



Drain pipe [KIT] set P3
graduated pipe Øext. 50x560 mm

Convothem 3416730

376698



Flue condensation pipe 500x30 mm

Convothem 2018000 2018006

377368



Drain pipe [KIT]
straight hose L=560 mm; rubber holder Ø 14.3 mm

Convothem 3416709

361073



Flue condensation pipe 520x26,5 mm
6.10/10.10 Convothem 4

Convothem 2556335

361096



Flue condensation pipe L=480 mm
Convothem 4 6.10/10.10 C4

Convothem 2556345

377117



Flue condensation pipe 705x34x22 mm

Convothem 2616470

377116



Flue condensation pipe 500x35x60 mm

Convothem 2018002 2616469

376699



Flue condensation pipe L=705 mm
6.20/10.20 P3

Convothem 2018007

Drain components

378229



Flue condensation tray P3

Convotherm 6016025 6016027

378170



Gasket Ø 7,5x20,5x6,5 mm

Convotherm 6015042

Dispensers and Peristaltic pump

378316



Red PE hose Ø 6x8 mm red (sold by meter)

Convotherm 7002008

378314



PVC transparent hose Ø 6x10 mm (sold by meter)

Convotherm 7002006

378313



Red PVC hose Ø 6x10 mm (sold by meter)

Convotherm 7002002 7064207

377144



Suction pipe ConvoCare
with suction lance P3. Probe Ø 8x350 mm with filter; transparent green tube Ø 6x10x1700 mm and two-wire clamp

Convotherm 2609349 2617598

361169



Green PVC hose Ø 6x10 mm (sold by meter)
ConvoClean

Convotherm 7012051

377143



Suction pipe ConvoClean
with suction lance P3. Probe Ø 8x330 mm with filter; transparent red tube Ø 6x10x1700 mm and two-wire clamp

Convotherm 2609347 2617594

Dispensers and Peristaltic pump

377342



Filter Ø 17xLtot. 25,5 mm

rubber holder Ø 4 mm; ConvoCare P3 / OES mini

Convotherm 3007061

Solenoid Valves and Reducers

528246



**Solenoid valve 90° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**

with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Convotherm 5011050

200124



**Solenoid valve 180° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**

with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Convotherm 5001080

312395



**Solenoid valve 90° - 3 way - 220/240V
50/60Hz - Ø 14 mm**

with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Convotherm 5001062

200121



**Solenoid valve 180° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm**

with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Convotherm 5011000

377554



**Solenoid valve 90° - 2 ways - 230V
50/60Hz - Ø 14 mm**

with fastons; inlet Ø 3/4" without filter; Tmax 90°C

Convotherm 5001056

5001057

377717



**Solenoid valve 180° - 1 ways - 220/240V
50/60Hz**

with fastons; inlet 3/8" outlet 3/8"

Convotherm 5011013

435409



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**

with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Convotherm 5001059

583816



**Solenoid valve 90° - 3 way - 220/240V
50/60Hz - Ø 14 mm**

with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Convotherm 5001062_

Solenoid Valves and Reducers

583804



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Convothem 5001059_

360920



**Solenoid valve 90° - 1 way -200/240V
50/60Hz - Ø 10,5 mm**
rast 5; inlet Ø 3/4" with filter and inlet reducer
10 lt/min; Tmax 90°C

Convothem 5064067

583809



**Solenoid valve 180° - 2 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Convothem 5001080_

360868



**Solenoid valve 180° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
rast 5; inlet Ø 3/4" with filter and inlet reducer
10 lt/min; Tmax 90°C

Convothem 5050511 5056379

583813



**Solenoid valve 180° - 3 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Convothem 5011000_

360937



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
rast 5; inlet Ø 3/4" with filter and inlet reducer
10 lt/min; Tmax 90°C

Convothem 5056378

377719



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 11 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 10 lt/min; Tmax 90°C

Convothem 5011005 5011020 5030489

581881



**Solenoid valve 90° - 1 way - 208/240V
50/60Hz - Ø 17,5 mm**
outlet Ø 16 mm

Convothem 000001768

377555



**Solenoid valve 90° - 1 way - 230V 50/60Hz
- Ø 14 mm**
with fastons; inlet Ø 3/4"; Tmax 90°C

Convothem 5001058

360709



Flowmeter 180° - Ø 10,5 mm
L=67,5 mm; Convothem 4

Convothem 5056377

Filters

377294



Drain filter Ø 66 mm
OES mini

Convothem 2625856

377901



Drain filter Ø 85 mm

Convothem 6005024

583641



Oil filter 500x708 mm (100 pcs)

Convothem 8030170

Shower units and Water columns

377274



Hose reel P3

Convothem 2625194

377279



Pipeline for hand-shower P3

377281



Retractable hand shower
6.10/6.20/10.10/10.20 P3

Convothem 2625201 6011015

378409



Hand-shower hose Øext 10 mm mm L=205 mm

348466



Hand shower 3/8\"/>

Shower units and Water columns

377280



Retractable hand shower
12.20/20.10/20.20 P3

Convotherm 2625200 6011020

377279



Pipeline for hand-shower P3

377274



Hose reel P3

348466



Hand shower 3/8" F

324110



Retractable hand shower
Convotherm C4 6.10 - 6.20 - 10.10 - 10.20

Convotherm 6056491

360718



Hand shower 130 mm

360718



Hand shower 130 mm
threaded connection 3/8" F; Convotherm 4

Convotherm 6056382

377890



Hand shower 1/2" M

Convotherm 6005005

348466



Hand shower 3/8" F
L=132 mm - plastic connection

Convotherm 6011005 6011010

377891



Shower head 1/2" - Ø 47 mm
for hand shower 377890; O-ring 2,00x17,50 mm

Convotherm 6005006 6005006K 6030643

378397



Hand-shower hose 1/2" FF L=1500 mm
phthalate free PVC cover and fiberglass gasket; 20.10/20.20 P3

Convotherm 7012073

378395



Hand-shower hose PVC 1/2" MF L=1500 mm
with gaskets; 10.10/10.20 P3

Convotherm 7012071 7012072_

Shower units and Water columns

378407



Flexible pipe INOX Ø 17 mm 3/4" F - 3/4" F
L=2000 mm

Convothem 7012304

378107



Hand-shower holder

Convothem 6011012

378409



Hand-shower hose Øext 10 mm mm
L=205 mm
6.10/6.20/10.10/10.20 P

Convothem 7012307

376518



Hand-shower holder 52x80x97 mm
P3

Convothem 2002042

377279



Pipeline for hand-shower P3
L=1700 mm, with quick coupling

Convothem 2625199 6011019

377892



Hand-shower holder

Convothem 6005007

376658



Pipeline for hand-shower 20.10/20.20 P3
Øext. 12 mm, ring nut 1/2"

Convothem 2016113

377276



Holder for retractable hand-shower
6.10/6.20/10.20 P3

Convothem 2625196

378108



Guide roller for retractable hand shower
P3

Convothem 6011041

378130



Flange Ø 35 mm
P3

Convothem 6014004

Shower units and Water columns

376653



Feeder hose
ConvoClean system OES 6.06

Convotherm 2016072

376657



Feeder hose Ø 12x14 mm
dim. 910x390 mm; 10.10/10.20 P3

Convotherm 2016112

Wash units

377309



Rotary nozzle for combi-steamer
L=150 mm; hole Ø 1,1/1,5 mm; thread 1/8"

Convotherm 2611068 2611184 2627250

376971



Injection pipe P3 6.10/10.10
Ø 10 mm L=210 mm

Convotherm 2225074

376930



Top distributor Ø 14 mm
M6; 20.20 P3

Convotherm 2217330

376685



Injection pipe OES/OGS 6.10/10.10/20.10
Ø 10 mm L=210 mm

Convotherm 2016305

376924



Top distributor Ø 14 mm
OES 6.10

Convotherm 2217289

376651



Injection pipe L=570 mm P3

Convotherm 2016021

Wash units

376667



Pipe Ø 8 mm
ConvoClean system 6.20/10.20/12.20 P3

Convotherm 2016166

376963



J-Injector
dim. 170x95 mm; Øext. 14 mm; OES 6.10

Convotherm 2224791


376648



Pipe Ø 8,2 mm
ConvoClean system 6.10/10.10 P3

Convotherm 2016018

376931



Y-Injector
Ø 14 mm; Ltot=1085 mm; screws M6; 20.20

Convotherm 2217331

376650



Pipe Ø 8 mm
ConvoClean system 6.10/10.10/20.10 P3 dim.
290x555x85 mm

Convotherm 2016020

377088



Sprinkler nozzle
ConvoClean system P3 / OES mini

Convotherm 2611010

376663



Pipe Ø 8 mm
ConvoClean system 20.10 P3; dim.
1350x620x310 mm

Convotherm 2016122

378010



Wash nozzle Ø 1,5 mm - M10x1
CH14

Convotherm 6005413

376964



J-Injector
Øext. 14 mm OES/OGS 10.10

Convotherm 2224792

377243



Cleaning nozzles Ø 0,7 mm G1/8" - M8x1
[Kit]
ConvoClean system P3 / OES mini

Convotherm 2623282

6015415

Wash units

376510



Injector nozzle OD
 Øext. 4x79 mm; Ltot.=109 mm

Convothem 2000026

376622



Condenser quenching nozzle P3
 Ø 3x6,82 mm

Convothem 2012103

Hoses

378388



Formed hose Ø 43x53 mm L=780 mm
 P3

Convothem 7012009

360985



Formed hose Ø 22x28 mm EPDM
 dim. 210x135 mm; from 6.10 to 10.20
 Collector-Drainbox Convothem 4

Convothem 7064084

378389



Formed hose Ø 44x54 mm
 dim. 450x235 mm; 6.10 P3

Convothem 7012010

360887



Formed hose [KIT]
 from 12.20 to 20.20 Ø22 Collector-Drainbox
 Convothem 4

Convothem 7064085

378390



Formed hose Ø 43,5x53,5 mm EPDM
 dim. 455x345 mm; 6.20 P3

Convothem 7012011

378127



Formed hose 2 ways
 L=95 mm

Convothem 6014001

Hoses

360941



Formed hose 2 ways Ø 10-11-16-11 mm
dim. 85x40 mm; CCP4

Convotherm 6064036

378406



Hose EPDM Ø 6x10 mm (sold by meter)

Convotherm 7012302

378126



Formed hose 3 way
L=195 mm

Convotherm 6014000

378328



Hose EPDM Ø 9x16 mm (sold by meter)
PN 20bar; max. 100°C

Convotherm 7002033

361401



Hose Ø 21x28/23,5x29,5x54,5 mm
Convotherm 4

Convotherm 7064209

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp -35°C+120°C

Convotherm 7012080

378179



Drain hoses
dim. 165x50 mm boiler P3

Convotherm 6015100 6015100K 6030644

378399



Hose EPDM Ø 12,7x23x1400 mm
for hot water - non-toxic - T110 ° C; Pmax 10 bar

Convotherm 7012081 7012082 7012083 7012084
7012086 7012087

378076



Hose
Øint. 48mm Øest. 54mm L=110 mm

Convotherm 6006201

378408



Hose Ø 15x20x1100 mm SILICONE

Convotherm 7002015 7012305

Hoses

552916



Hose EPDM Ø 16x22 mm (sold by meter)
ConvoClean Convotherm 4

Convotherm 7050852

378404



Drain hose Ø 12x450 mm 6.10/10.10 P3

Convotherm 7012300 7012300K 7030646

378351



Hose EPDM Ø 26x34x300 mm
OSP 6.10 P2

Convotherm 7002200

376643



Hose with clamp
silicon pipe Ø15x20x340 mm, clamp
3,7x140mm

Convotherm 2016000K 2030603

378321



Hose EPDM Ø 45x54 mm
working temp. -35°C+120°C; Pmax 6 bar

Convotherm 7002025

360859



Drain hose Ø 22x28 mm
dim. 630x80 mm; from 12.20 to 20.20 Electric
Convotherm 4

Convotherm 5064083

378383



Hose EPDM Ø 45x55 mm L=800 mm
10.20 P3

Convotherm 7012003

378387



Hose EPDM Ø 45x55 mm L=830 mm
OEB 20.10 P3

Convotherm 7012008

Ball valves, Pipe fittings

320672



Rubber holder 90° 1/8" - outlet Ø 6 mm

Convotherm 6005416

361272



Bushing for pressure switch M10x1
Ø 12/13xh15 mm; P3

Convotherm 6015229

378011



Elbow fitting 2 ways Ø 6x20 mm

Convotherm 6005414 6064159

378129



Tap 1/2"-1/2"
L=85 mm; P3

Convotherm 6014003 6014006 6267850

377192



Rubber holder ConvoClean system P3 /
OES mini [Kit]
rubber holder Ø 7,5 mm/M10; nut M10; washer
Ø 10,8x15,8x1,5 mm; double wire clamp Ø 9,5
mm

Convotherm 2619150 6015247

378237



Non-return valve
rubber holder Ø 10,5/13,5 mm; connection
3/4"; P3

Convotherm 6016500

520748



Manifold 3 way 3/4"F - 1/2"M - 3/4"M

Convotherm 5011003

377715



Connection 2 ways DN 13 P3

Convotherm 5011002

Boilers

377016



**Electric steam generator
OEB10.20/12.20/20.10**

dim. 585x435x83 mm, insulating, fixing flange
L=755, gasket for heating element

Convotherm 2314213
2325170

2314218

2317308

2323805

361423



**Bypass measuring pipe P3 with fixing
accessories**

Convotherm 2016007K

2030604

377015



Electric steam generator

dim. 465x435x63 mm

Convotherm 2314212
2325169

2314217

2317307

2323804

377014



Electric steam generator OEB6.10

dim. 430x385x60 mm

Convotherm 2314211
2325168

2314216

2317306

2323803

378043



Steam generator drain cap 1" 1/4

dim. 50x50x20 mm

Convotherm 6006081

377005



Steam generator support

dim. 40x40x22,5 mm

Convotherm 2314243

Hinges

377195



Door support L=188 mm [Kit] teflon P3

Convotherm 2619154 6012008 6012016

376635



Lower hinge P3
dim. 57x28 mm; Øint 10, Øint 6,5

Convotherm 2014003

376638



Hinge plate 48x31x12 mm

Convotherm 2014007

377820



Hinge OD 6.10P/10.10P

Convotherm 6001027

377196



Support for retractable door P3 [KIT]
plastic 84x30x20 mm, with screw and washer

Convotherm 2619155 6012009

377056



Lower and upper hinge P3 [KIT]
dim. 125x30 mm; shaft Ø 9,7 mm; with screws TE M8x35 mm and washer

Convotherm 2013004 2013006 2013012 2013013
2517297 2523667

377197



Block stationary for retractable door
plastic 60x25x20 mm, with screws and washers

Convotherm 2619156 6015226

377194



Door stop dim. 20x60x18 mm P3
holes M6; screws TE 6x12 mm

Convotherm 2619153 6012006

Lockings

376910



Magnetic door catch P3
cable L=280 mm

Convothem 2216070K 2230605 6012001

360519



Oven door handle Floor model L=198 mm
Convothem 4 MOD.12.20 20.10 20.20

Convothem 6056809

377585



Door magnet UL OD 20.10/12.20/20.20
dim. 28x18,5 mm

Convothem 5003076

414197



Oven door handle - right side
handle L=170 mm - flange 80x69 mm - 4 holes
Ø 6,5 mm

Convothem 6002053 6002053K 6030642_

354738



Oven door handle 47-57 mm
with lock mechanism

Convothem 2518784 6012051

317337



Oven door handle - left side
handle L=170 mm - flange 80x69 mm - 4 holes
Ø 6,5 mm

Convothem 6002048 6002048K

360681



Oven door handle
L=195 mm; Convothem 4 MOD.6.10 6.20
10.10 10.20

Convothem 6056384

354733



Oven door handle - right side

Convothem 6030642

377069



Oven door handle MiniLine
L=170 mm - flange 88x40 mm

Convothem 2528055 6012026

316978



Oven door handle P3

Convothem 2525040 6012000

Lockings

377851



Handle plug

Convothem 6002056

377070



Door catch L=20,5 mm - M8x12 mm
MiniLine

Convothem 2528056 6012028

361036



Door catch 58x20x17 mm
Convothem 5

Convothem 6056499

378182



Door spacer Ø 20x28 mm - M4x5 mm P3

Convothem 6015201

361077



Door catch 2-stage [Kit]
catch L=34,5, catch L=37,4 mm

Convothem 6050961 6055139 6055170 6056807
6064283

377097



Guide
P3

Convothem 2614740

377850



Left-Door catch - H=74 mm

Convothem 6002049 6002049K

378204



Catch for interior door
dim. 30x30x30 mm; P3

Convothem 6015248

320560



Right-Door catch - H=74 mm

Convothem 6002054 6002054K

361133



Lock cover
Floor Model Convothem 4

Convothem 6056810

Structural components

376805



Panel 1720x665 mm left
20.10 P3

Convotherm 2117416

376777



Panel 1720x385x170 mm for Oven 20.10 P3
with water tap

Convotherm 2115446

376954



Air guide panel
OES 6.10 mini dim. 313x215x26 mm

Convotherm 2223836

376958



Suction panel OEB 6.10
dim. 505x560x25 mm

Convotherm 2224029


377100



Slide panel assembly for disappearing door
10.20 P3 dim. 975x195 mm

Convotherm 2614802

360598



Suction panel
Sprayer 10.10 Convotherm 4 dim. 760x560 mm

Convotherm 2251373 2251373NP

376727



Back panel
OES/OEB 20.10 972x784 mm

Convotherm 2114703

376854



Condenser cover
P3 dim. 260x675 mm

Convotherm 2124530

361237



Suction panel
OES 6.06mini, 6.10mini, 6.06mini 2in1, 6.10min
dim. 320x325 mm

Convotherm 2225528 2225528NP

360826



Panel 135x490x9 mm
with bushings; 20.10 Convotherm 4

Convotherm 2656836

Structural components

355256



Preheat bridge
dim. 290x505x70 mm; 20.10 Convotherm 4

Convotherm 2656828

377186



Slider panel 982x197 mm
10.10 P3; including guide rail and fixing accessories

Convotherm 2619144

361141



Support H=29,5 mm
Convotherm 4

Convotherm 6056808

376913



Upper suction panel sealing P3

Convotherm 2216462

360609



Support profile cross gasket door L=572 mm
20.10 Convotherm 4

Convotherm 2664041

376912



Lower suction panel sealing P3

Convotherm 2216461

376902



Suction panel
dim. 770x560 mm; 10.10 cpl P3

Convotherm 2214143

377073



U-profil for gasket
dim. 724x37x5,7 mm; V1 12.20/20.20 P3

Convotherm 2528744

376909



Suction panel IN 20.20 cpl P3
dim 710x1510 mm

Convotherm 2214157

Slide Ways - Shelf Supports

377181



Guide rail 765x30x15 mm
20.10 P3

Convothem 2619139

Knobs

377870



Knob Ø 42 mm
D-shaft hole Ø 6x4,6mm

Convothem 6003010

377712



Knob Ø 46 mm
D-shaft hole Ø 6x4,6mm; with spacer

Convothem 5009313

5009314

5009320

360733



Knob Ø 55 mm
D-shaft hole Ø 6x4,6mm; easyDial Convothem
4

Convothem 5056360

377872



Knob Ø 50 mm 50-250° C
D-shaft hole Ø 6x4,6mm

Convothem 6003016

Small Mechanical Parts

378486



Radial snap ring INOX Øest 11,8x0,7 mm

Convothem 8005039

378194



Hexagonal nut G 1/2"
H=7,2 mm; CH30

Convothem 6015227

378112



Antivibration Ø 8

Convothem 6012050

377267



Nut and gasket nichel-copper
nut Ø 13 H=3 mm; gasket Ø 14,5x20x1,6 mm

Convothem 2625117 6005409

376793



Buffer for disappearing door
P3 with fixing accessories

Convothem 2117280

361122



Door buffer (set 4 pcs)
Table Top Model Convothem 4

Convothem 6056370

376637



Silicone bumper Ø 20x21,5 mm
M4; P3

Convothem 2014005

377264



Spacers L=33 mm [KIT]
screw M8 - L=55 mm

Convothem 2625109 6015213

378181



Spacer Ø 20x24 mm - M4x6 mm

Convothem 6015200

359714



Double wire clamp Ø 9,8÷10,4 mm

Convothem 8009058 8064204

Small Mechanical Parts

378598



Double wire clamp Ø 13,2x17 mm

Convothem 8019010

361367



Cable tie L=140x3.6mm

Convothem 4007087

378540



Double wire clamp Ø 33,20÷34,80 mm

Convothem 8009057

378055



Hose clamp Ø 11 mm

Convothem 6006122

438480



Hose clamp Ø 12÷22/9 mm - INOX

Convothem 6006086

376526



Holder for core temperature probe cable
Ø 29x2 mm M4

Convothem 2004035

441699



Hose clamp Ø 25÷40/9 mm - INOX

Convothem 6006087

361410



Supporting bar 188x44,5x22 mm
Convothem 4

Convothem 6055160 6064169

518655



Hose clamp Ø 40÷60/9 mm - INOX

Convothem 6006089

377831



Pin Ø 4x13,5 mm

Convothem 6002002

Small Mechanical Parts

377148



Connector protection
dim. 127x57x0,8 mm

Convothem 2618140K

378526



Black cap P2 P3
Ø 14x15xh4,5 mm

Convothem 8009009

377098



Door guide
P3

Convothem 2614750

360835



Fixing screw
Ø 9,4x20 mm

Convothem 6002100

376563



Wheel-in ramp for loading trolley
P3; dim. 80x24x14/21 mm

Convothem 2004234 2064226

378501



Conical lock washer Ø 8,5x12,8x1,45 mm

Convothem 8006060

377022



Fixing parts for condenser [Kit]
OES mini

Convothem 2418795

378577



Conical lock washer Ø 21x30x1,9/2,5 mm
P3

Convothem 8016000

376991



Grid support
dim. 30x20 mm

Convothem 2229204

358203



Flat washer M4 Ø 4,3x9x0,8 mm INOX

Convothem 8005021

Small Mechanical Parts

378453



Raised countersunk head screw MLF
M5x10 mm A2 P2 P3

Convothem 8003029

377131



Hexagon screw TE M10x20 mm [Kit]
washer Ø 10,2x28x2,2 mm

Convothem 2617293

378448



Raised countersunk head screw TGS
M6x12 A2 P2 P3

Convothem 8002043

381286



Pan head screw TC M4x10 mm

Convothem 8001024

378437



Cylinder head screw M8x20 mm

Convothem 8001074

378575



Round head screw M6x8 mm A2 P3
flange Ø 13 mm

Convothem 8015000

522497



Hexagonal head screw
TE M5x10 mm - INOX [10 pz]

Convothem 8003094

378552



Countersunk screw M6x35 mm

Convothem 8010001

315421



Hexagon head screw TE M6x12 mm INOX
CH10

Convothem 8013011

Doors

377054



Door

20.10 P3; dim. 1720x612 mm

Convothem 2520416

377040



Interior door with fixing accessories

20.10 P3; dim. 495x1375x4 mm

Convothem 2514393 2518470 2518484 2525464

377376



Kit for adjusting door gasket P3

dim. 30x30x1 mm, Ø 4,5x20x1 mm

Convothem 3417275

Rollers

377183



Roller Ø 25x46 mm - for door P3

with screw and ring nut

Convothem 2619141 6012017

376794




Roller Ø 25x60 mm - VST P3

with screw and ring nut

Convothem 2117291

Glasses

377032



Oven door glass
dim. 438x342 mm

Convothem 2518352

377035



Oven door glass with hinge
6.10 P3; dim. 545x505 mm; with fixing accessories

Convothem 2518479

377038



Oven door glass with hinge
10.20 P3; dim. 690x810x6 mm

Convothem 2518482

345869



Oven door glass with hinge
dim. 700x1370 mm; 20.20 Convothem 4

Convothem 2656819

377041



Oven door glass with hinge
dim. 700x1365x6 mm; 20.20 P3

Convothem 2514394 2518471 2518485 2525465
6018018

Inverter and motor controls

377750



Inverter ATV12H018M2 1 phase 200/240V 50/60Hz 3,4A
 output 3 phase 0...200-240V/400V 50/60Hz
 1,4A; 0,18kW 1/4HP 200/240V; dim.
 142x71x100 mm

Convothem 5014025 5014027

345863



Inverter ATV12H075M2 1 phase 200/240V 50/60Hz 10,2A
 output 3 phase 0...200-240V 0...400Hz 4,2A;
 0.75kW 1HP; dim. 132x72x142 mm

Convothem 5014013	5014022	5052684	5056374
5065300	5065301	5065306	5065307
5065309	5065310	5065311	

Membranes

376798



Adhesive membrane keypads 604x160x30 mm
 Convothem Press&Go OES/OG

Convothem 2117302	2117305	2120606	2120606NP
2120612NP	2129329	2130125	2130128

345888



Adhesive membrane 355x250 mm
 EasyDial Convothem 4

Convothem 5056365

378255



Adhesive membrane keypads 605x162 mm
 ET 7 EB GB CON P3

Convothem 6019032

378101



Adhesive membrane keypads 695x143 mm
 P2 OSP

Convothem 6009370

Potentiometers

357107



Potentiometer

shaft Ø 6x5,5x15,5 mm; EasyDial Convothem
4

Convothem 5056359

Printed Circuit Boards

377792



Printed Circuit Board

dim. 280x100 mm

Convothem 2124675	2621202	2621203	2621204
2621206	2621207	2621213	2621214
2621216	2621217	2621218	2624798
2624803	2625997	2627199	5019100
5019111	5019112	5019113	5019306
5019308	5019309	5019310	5019313
5019406	5019407	5019408	5019409
5019413	5019416	5019417	5019418
5019422			

376871



Printed Circuit Board

Convothem 2126208	2126215	2126353	2126355
2128696	2128717	2130967	2130968
5032100			

377671



Printed Circuit Board

440x95 mm

Convothem 5009005	5009006	5009007	5009008
5009029	5009029K	5009182	

377790



Printed Circuit Board

280x100 mm

Convothem 5019103	5019302	5019402
-------------------	---------	---------

377779



Printed Circuit Board

dim. 132x100 mm

Convothem 5019105	5019304
-------------------	---------

316736



Electronic card 5000 SM

Convothem 5009300

323311



Printed Circuit Board

dim. 100x70 mm

Convothem 2617838	5019104	5019303
-------------------	---------	---------

Printed Circuit Boards

345846



Printed Circuit Board
dim. 140x292 mm; Convotherm 4

Convotherm 2650714 2650794 2665210 5050612

360575



Printed Circuit Board with main switch ON/OFF
cable L=1200 mm; Convotherm 4

Convotherm 5056362

377778



Printed Circuit Board P3
dim. 337x132 mm

Convotherm 5019101 5019300 5019311

377775



Printed Circuit Board
dim. 95x465 mm; OES mini

Convotherm 5019150

377704



Printed Circuit Board 5000 BM OSP

Convotherm 5009305


345744



Interface Printed Circuit Board Easy Dial; dim. 352x250 mm

Convotherm 5056367

316742



Printed Circuit Board 5000 BM

Convotherm 5009303

345672



Interface Printed Circuit Board Easy Touch; dim. 352x250 mm

Convotherm 5056366

376843



Printed Circuit Board with main switch Easy Touch; dim. 62x29 mm

Convotherm 2119918

376796



Front panel
dim. 605x160 mm; OEB/OGB

Convotherm 2117300 2117303 2120608 2120608NP
2120614NP 2125088 2130127

Printed Circuit Boards

376797



Front panel
dim. 605x160 mm; OES/OGS

Convothem 2117301
2129778

2117304 2120613 2120613NP

377782



Connection cable L=935 mm

Convothem 5019322 5019349

377684



Installation set for control board IRG 3031/3032

Convothem 5009089


377757



Speed sensor P3
L=420mm

Convothem 5016029

378380



Gasket front cover 570x156x2,5 mm
P3

Convothem 7011010

377773



Programmer suitable for CONVOTHERM-Ovens P3
SD cards with software and data

Convothem 5019011

377703



Printed Circuit Board connecting cable

Convothem 5009304 5012016

377474



SD card for easyTOUCH operating module

Convothem 4008099

377710



Connection cable RS232
L=9500 mm; for P2 P3

Convothem 5009315

Probes

377678



Level probe

bulb Ø 3 mm - L=110/140 mm; Ltot=190 mm
G1/2"

Convothem 5009062

376946



**Temperature probe TCK (NiCr-Ni) cable
PTFE**

bulb Ø 1,5x60mm -50 / +1150°C, cable L=
4000 mm

Convothem 2219137 5002064

377680



Level probe

L1=170 mm L2=220 mm; G 1/2"

Convothem 5009065

377580



Temperature probe L=2100 mm

bulb Ø 3x140/220 mm; M8; -50 / +1150°C

Convothem 5002102 5002102K 5030619

377771



Boiler level probe

Convothem 5019000K 5056348

377579



Temperature probe L=3000 mm

bulb Ø 3,5x20 mm; -50 / +1150°C

Convothem 5002100 5002100K 5002101 5016009
5016011 5016013 5016014 5016014K
5030618

377677



Temperature probe PT100

bulb Ø 3x125 mm; stuffing box M10; cable
L=1500 mm - OD Gas

Convothem 5009053

360782



Temperature probe L=3200 mm

bulb 3,5x20 mm, M5; Convothem 4

Convothem 5050587 5050588 5050589 5050590
5056324

317295



Safety probe L=1600 mm

bulb Ø 1,5x35 mm-50 / +1150°C

Convothem 5002103 5002104

360693



Temperature probe M5x0,75 L=3200 mm

bulb Ø 3,5xLt. 27 mm; Convothem 4 UL

Convothem 5055287 5055288 5055289 5055290
5056947

Probes

360907



Temperature probe L=2300 mm
bulb Ø 2,4x135 mm; Convotherm 4

Convotherm 5050687 5056323

361473



Core temperature probe 3 measurement points [Kit]
bulb Ø 3,3x100 mm; Ltot. 175 mm; cable L=4000 mm

Convotherm 5002068K 5030617

377754



Safety probe L=1650 mm
bulb Ø 1,5x36 mm

Convotherm 5016004

552554



Internal chamber probe protection
Ø 16x18x30 mm; flange Ø 59x25 mm; Convotherm 4

Convotherm 2264172

377544



Temperature probe 90°
bulb Ø 3 mm; dim. 224x132 mm; cable L=2200 mm

Convotherm 5001023

378159



Seal for core temperature probe Ø 10x8 mm - P3

Convotherm 6015026

317047



Core temperature probe 3 measurement points
bulb Ø 3x100 mm; Ltot. 175 mm; cable L=3000 mm; P3

Convotherm 5013000 5013001 5013004 5013005
5013007 5013010 5013020 5013021
5013022K 5030638 5030676

377564



Cable gland for core temperature probe [Kit]

Convotherm 5002061

360518



Core temperature probe 4 measurement points
bulb Ø 3,3x100 mm; Ltot. 175 mm; cable L=2650 mm; P4

Convotherm 5056325

376921



Sensor protection
OES/OGS 10.20/12.20/20.20

Convotherm 2217279

Probes

378000



Flat gasket Ø 5x15x1,2 mm (5 pcs)
P2, P3, Convotherm 4

Convotherm 6005260 6056351

378169



Gasket for sensor
dim. 65x55 mm P3

Convotherm 6015040 6056350

Alarms/Buzzers

434776



Buzzer M4, 230V
65-75dB

Convotherm 4003050

377785



Loudspeaker 2W Ø 50 mm
cable L=360 mm

Convotherm 5019321 5019327

360916



Loudspeaker 2W Ø 50 mm
cable L=310 mm; EasyTouch Convotherm 4

Convotherm 5056949

Adhesive Gasket

377895



Flat seal Ø 10x19x2,3 mm
ODC P2 P3

Convotherm 6005016

Flat gaskets


377902



Flat gasket 1" 1/4 Ø 42,5x54x2 mm - Fiber

Convotherm 6005025

377923



Flat gasket Ø 13,5x23x2 mm - EPDM

Convotherm 6005057

377922



Gasket 3/4"

Convotherm 6005056

377921



Sealing ring copper nickel plated
Ø 14,5x20x1,6 mm

Convotherm 6005055

377933



Flat gasket Ø 4x45x5 mm Silicon

Convotherm 6005074

378016



Flat gasket Ø 53x87x9 mm
DG 60

Convotherm 6005427

357840



Flat gasket Ø 10x18,5x3 mm - EPDM

Convotherm 6005010

Gaskets for heated units

360783



Oven door gasket 458x490 mm
6.10 Convothem 4

Convothem 7056338

360697



Oven door gasket 460x1500 mm
20.10 Convothem 4

Convothem 7056343

360705



Oven door gasket 458x763 mm
10.10 Convothem 4

Convothem 7056340

360698



Oven door gasket 665x1505 mm
20.20 Convothem 4

Convothem 7056344

360719



Oven door gasket 760x470 mm
12.20 Convothem 4

Convothem 7056342

378371



Oven door gasket 465x510 mm
6.10 P3

Convothem 7011001

360750



Oven door gasket 665x495 mm
6.20 Convothem 4

Convothem 7056339

378374



Oven door gasket 552x664 mm
6.20 P3

Convothem 7011004

360694



Oven door gasket 660x758 mm
10.20 Convothem 4

Convothem 7056341

378372



Oven door gasket 465x775 mm
10.10 P3

Convothem 7011002

Gaskets for heated units

378375



Oven door gasket 670x780 mm
10.20 P3

Convothem 7011005

378290



Oven door gasket 625x725 mm

Convothem 7001017

378376



Oven door gasket 670x970 mm
12.20 P3

Convothem 7011006

378305



Oven door gasket 670x760 mm

Convothem 7001050

378377



Oven door gasket 670x1500 mm
20.20 P3

Convothem 7011007

378295



Oven door gasket 635x808 mm

Convothem 7001032

378373



Oven door gasket 458x1500 mm
20.10 P3

Convothem 7011003

378292



Oven door gasket 700x1065 mm

Convothem 7001020

378289



Oven door gasket 485x625 mm
for convection ovens P1 - OD6.10, OD6.10
LA, OD6.10 RA, OD6.10 VST, OS6.10,
OSP6.10

Convothem 7001016

378306



Oven door gasket 710x1300 mm
OD 20.20

Convothem 7001051

Gaskets for heated units

378291



Oven door gasket 700x1650 mm

Convothem 7001018

354979



Oven door gasket 450x700 mm

Convothem 7001035

378311



Oven door gasket 695x885 mm

Convothem 7001078

378308



Spacer 12x10 mm L=1000 mm

Convothem 7001058

378312



Oven door gasket 700x1410 mm

Convothem 7001079

378301



Seal Frame Glass (sold by meter)

Convothem 7001041

321018



Oven door gasket L=1500 mm
OES 6.06/6.10 mini

Convothem 7011051 7011054 7011060

378302



Seal Outer Glass (sold by meter)

Convothem 7001042


586104



Oven door gasket L=1900 mm
OES 10.10 mini

Convothem 7011052 7011055 7011061

355009



Seal Frame Glasst L=1800 mm

Convothem 7001045

Gaskets for heated units

377065



Tray trolley gasket L=535 mm [Kit]
with bracket L=520 mm and screw TC M5x10 mm; P3 20.10

Convotherm 2525227 7011000

360758



Tray trolley gasket L=780 mm (new profile)
P4 12.20/20.20

Convotherm 7056805

377064



Tray trolley gasket L=740 mm [Kit]
with bracket L=725 mm and screw TC M5x10 mm; P3 12.20/20.20

Convotherm 2525226 7001077

378299



Tray trolley gasket
dim. 2150x15 mm

Convotherm 7001039 7001039K 7030645

378379



Tray trolley gasket L=535 mm (new profile)
P3 20.10

Convotherm 7011009

377356



Tray trolley gasket L=655 mm ODG

Convotherm 3306950

378378



Tray trolley gasket L=740 mm (new profile)
P3 12.20/20.20; for the old profile see cod. 377064

Convotherm 7011008

360789



Tray trolley gasket L=575 mm (new profile)
P4 20.10

Convotherm 7056806

O-rings

377991



O-ring 3,00x53,00 mm
P2 P3

Convothem 6005236

378156



O-ring 4,00x67,00 mm VITON

Convothem 6015000 6015010

377931



O-ring 5,33x43,82 mm silicone

Convothem 6005068 6056349

435303



O-ring 5,34x46,99 mm NBR

Convothem 6005015

377932



O-ring 5,34x59,69 mm SILICONE

Convothem 6005069

Miscellaneous

361094



Gasket Øext. 60x17 mm
Convotherm 4

Convotherm 6056494

361123



Pressure equalization valve seal [Kit]
Convotherm 4

Convotherm 6056327

Detergents

320961



Rinse aid-neutralizer for ovens
ConvoCare - 1 canister 1 lt
Product subject to some limitations of transport (ADR)

Convotherm 3007028

320980



Detergent for ovens ConvoClean - 1 canister 10 lt
Product subject to some limitations of transport (ADR)

Convotherm 3007017

Lubricants and sealants

378424



High temperature grease

Convotherm 7014005

440176



Red silicon high temperature Tmax 300°C
for oven gasket ; cartridge 310 ml

Convotherm 7004023

Lubricants and sealants

441817



**Transparent silicone sealant HT Tmax
350C° - 100 gr**
with dispenser - for oven gasket

Convothem 7004020

Miscellaneous

440630



Aluminium adhesive band Tmax 300°C;
H=50 mm x 50 mt.

Convothem 7014004

Filters

361325



Fat filter for oven
CONVOVent Plus 6.10/10.10/20.10

Convothem 6019512

Feet

360902



**Adjustable metal foot 50x50mm -
H=25÷50 mm**
Convothem 4

Convothem 6064137

378141



Adjustable metal foot

Convothem 6014042

Castors

377352



**Swivel castor with brake Ø 125x30 mm -
inox**
shaft M10x63H mm

Convotherm 3303456

6004056

378146



**Swivel castor with brake Ø 125x30 mm -
INOX**
hole Ø 13; Htot=158 mm

Convotherm 6014052

6064223

378145



Castor on flange Ø 125x30 mm - INOX
flange 57x48 mm; Htot=155 mm

Convotherm 6014051

378144



**Swivel castor without brake Ø 125x30
mm - INOX**
hole Ø 13; Htot=158 mm

Convotherm 6014050

6064224

325308



**Swivel castor with brake Ø 101x32 mm -
galvanized**
flange 92x61 mm; H=215 mm

Convotherm 8100326
