

ELETTROBAR

Spare Parts Catalogue





Undercounter



Hood Type



Wareswasher



Rack Type

UNDERCOUNTER

**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Crimp terminals assortment case - TOP QUALITY - 1660 pieces




code **description**
 585630 Crimp terminals assortment case
22 sections - 1660 pieces



Content description

pic.	description	colour	quantity
A	end sleeve 1 mm ² L=8 mm	Yellow	100 PCs
	end sleeve 1,5 mm ² L=10 mm	Red	100 PCs
	end sleeve 2,5 mm ² L=12 mm	Blue	100 PCs
	end sleeve 4 mm ² L=12 mm	Grey	50 PCs
	end sleeve 6 mm ² L=12 mm	Black	50 PCs
	end sleeve 10 mm ² L=12 mm	White	50 PCs
B	Pre-insulated faston 1,5 - 2,5 mm ² 4,8x0,8 mm	Blue	80 PCs
	Pre-insulated faston 1,5 - 2,5 mm ² 6,3x0,8 mm	Blue	80 PCs
C	M/F piggy back faston 1,5 - 2,5 mm ² 6,3x0,8 mm	Blue	50 PCs
D	butt connector 1,5 - 2,5 mm ²	Blue	50 PCs
	butt connector 4 - 6 mm ²	Yellow	50 PCs
E	blue insulated eyelet Ø 4 mm 1,5 - 2,5 mm ²	Blue	100 PCs
	blue insulated eyelet Ø 5 mm 1,5 - 2,5 mm ²	Blue	50 PCs
	yellow insulated eyelet Ø 5 mm 1,5 - 2,5 mm ²	Yellow	50 PCs
F	Blue insulated fork d=4 mm 1,5 - 2,5 mm ²	Blue	100 PCs
	Blue insulated fork d=6 mm 4 - 6 mm ²	Blue	50 PCs
G	insulated M faston 2,8x0,8 mm 1,5 - 2,5 mm ²	Red	100 PCs
H	short M faston 6,3x0,8 mm 1 - 2,5 mm ²	Blue	100 PCs
I	short M faston cover 6,3x0,8 mm	White	50 PCs
J	F nickel-plated steel faston 6,3x0,8 mm 0,5 - 1 mm ²	Blue	100 PCs
J	F nickel-plated steel faston 6,3x0,8 mm 1 - 2,5 mm ²	Blue	100 PCs
K	nickel-plated steel piggyback 1 - 2,5 mm ²	Blue	100 PCs



Contactors and Relays

315872

**Contactor 3RT2016-2AP01**

4kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1 aux NO; dim. 72x45x57,5 mm

Elettrobar 229037 73350 80350

364351



Relay 3 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 229036 229040 RTFOC00144

376074

**Contactor LC1K09004U7**

4kW 3P; 230/240V 50/60Hz 440V 4 cont. NO + 1 AUX NC; dim. 57x45x58 mm

Elettrobar 229032 229042 H.775599-001 REB229032

336518



Relay 1 contact 230V 50/60Hz 30A 250V
faston 6,3x0,8 mm

Elettrobar 229025 229029 DER111

435271



Relay 2 contacts 230V 50/60Hz 10A 250V
faston 6.3x0.8 mm

Elettrobar 229021 229023 DER11

352543



Relay 2 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 926206 929115 DER1106 DER1108

584093



Relay 2 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 229039

Fuses, Capacitors, RFI Filters



Capacitor for power factor correction

311818	4µF 450V	206013
418004	5 µF 400V	REB206010
610850	6,3 µF 450V	REB206009
342369	8 µF 450V	REB206001
332311	10µF 400/450V	REB206002
344822	12,5µF 450V	DEC212L
318417	14µF 400/450V	73055
344792	16µF 450V	REB206004
334853	20µF 450V	REB206005

457358



Fuse holder 5x20 mm

Elettrobar 74935 H.228047

381157



Capacitor for power factor correction
5µF

Elettrobar 206014



Fuse Ø 5x20 mm - fast

342145	0,315A 250V	926283
315350	0,50A 250V	228009
316857	0,80A 250V	DEF71
312732	2A 250V	228011
435368	4A 250V	228004



Fuse Ø 5x20 mm - slow

435517	0,16A 250V	228012
451463	4A 250V	228014

317727



Fuse holder

Elettrobar 210010

317730



Insulating plate

Elettrobar 210011

Switches, Push Buttons, Selectors

362975

Push button 16A 250V - ROLD
double contact

Elettrobar 208010 REB208010

451454

White embossed button Ø 21 mm - ROLD

Elettrobar 227079

364239

Push button 16A 250V - ROLD instable
double contact

Elettrobar 226071 226115 REB226071

451395

Push button support Ø 25 mm - Øint.
21,5 mm

Elettrobar 226128

438170

Push button 16A 250V - ROLD

Elettrobar 208011 REB208011

319550

Double contact push button 16A 250V - ROLD
double contact

Elettrobar 226095

319551

Grey push button support - ROLD

Elettrobar 226113

319555

Blue elliptical button - ROLD

Elettrobar 227067

Lamps and Lamp Holders

316067



Pilot lamp Ø 6 mm 230V yellow - cable L=200 mm
lens Ø 7 mm

Elettrobar 216003 216025

340417



Fluorescent pilot lamp Ø 9 mm 24V
L=55 mm - faston 6,3x0,8 mm

Elettrobar 927334

317060



Pilot lamp Ø 6 mm 230V with orange lamp lens
L=59 mm

Elettrobar DEL13

340396



Fluorescent pilot lamp Ø 9 mm 240V
L=55 mm, faston 6,3x0,8 mm

Elettrobar 216006 926113 DEL25 DEL31

347116



Pilot lamp Ø 6 mm 230V with green lamp lens
L=59 mm

Elettrobar 216022 DEL15 REB216022

426335



Self locking lens Ø 13 mm - green L=22 mm

Elettrobar 926114 DEP142

316981



Green pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216019 REB216019

439041



Lamp holder

Elettrobar 299035 REB299035

316575



Orange pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216012 216018_ B.30168500_ DEL10_

355988



Red pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

Elettrobar DEL24

Microswitches

455665

**Magnetic E511**

contact NO; 200/250V 1A 58W; cable L=290 mm

Elettrobar 211002 80871 REB211002

Terminal Boards

584833

**Terminal board 4-poles sq.mm. 6**

no bridges installed

Elettrobar 220010 459018 REB220010

439982

**Terminal board 6-poles sq.mm 6 with bridges installed**

capacity 450V 40A; Tmin-max -5/+150°C; faston 6,3x0,8 mm

Elettrobar 220011 3720150 921057 REB220011

Pumps

318615

**Drain pump 32W 220V 0,25A 60Hz**

without cover; RAST 5

Elettrobar 450002

315716

**Drain pump 40W 220-240V 50Hz 0,2A**

suction Ø 24 mm, outlet Ø 22 mm; faston 6,3 mm

Elettrobar 130105 130176

450737

**Drain pump 40W 220-240V 50Hz 0,2A**

suction Ø 24 mm, outlet Ø 22 mm; faston 6,3 mm

Elettrobar 130146

450757

**Drain pump 40W 220/240V 50Hz 0,2A**

inlet Ø 30 mm, outlet Ø 22 mm

Elettrobar 130178

Pumps

450758



Drain pump 30W 220/240V 50Hz 0,3A
inlet Ø 30 mm; outlet Ø 22 mm; RAST 5

Elettrobar 130123 130179 999364 REB130123

450755



Drain pump 40W 220/240V 50Hz 0,2A
inlet Ø 30 mm; outlet Ø 22 mm; faston 6,3 mm

Elettrobar 130175

382205



Drain pump 30W 220/240V 50Hz 0,3A
inlet Ø 30 mm; outlet Ø 24 mm; RAST 5; with support

Elettrobar 130174 130177 80117 999363

389839



Drain pump 30W 220-240V 50Hz
inlet Ø 30 mm; outlet Ø 24 mm; RAST 5

Elettrobar 130206

455338



Wash pump 1 phase 1100W 230V 50Hz 3,4A
inlet Ø 60 mm, outlet Ø 49,5 mm; cavi L=390 mm

Elettrobar 80113 80114 80134 C.80114

344822



Capacitor for power factor correction 12,5µF 450V 50/60Hz

334853



Capacitor for power factor correction 20µF 450V 50/60Hz

455952



Shell for wash pump

360044



O-ring for pompe 3,53x158,34 mm

455490



Pump support for 316692 e 316693

610895



Shaft sealing Ø 24x11x15 mm / counter-seal Ø26x14x8 mm

389847



Wash pump 1 phase 180W 230/240V 50Hz 0.8A
inlet Ø 28 mm; outlet Ø 21,50 mm - Ø 27 mm;
C=5µF

Elettrobar 130202

Pumps

450749



Wash pump 1 phase 190W 230V 50Hz SX
inlet Ø 28 mm; outlet 1 Ø 22 mm, outlet 2 Ø 27 mm; C=4µF/400V; cable L=160 mm

Elettrobar 130166

456590



Wash pump 1 phase 260W 230V 50Hz 1,2A DX
inlet Ø 33 mm, outlet Ø 26 mm; 2800rpm; C=6,3µF/400V

Elettrobar 999241

323717



Wash pump 1 phase 190W 230V 50Hz 0,9A SX
C=5µF

Elettrobar 999134

450781



Wash pump 1 phase 260W 230V 50Hz SX
inlet Ø 33 mm, outlet Ø 26 mm; C=6,3µF/400V

Elettrobar 130993

418004



Capacitor for power factor correction 5 µF 400V 50/60Hz

404086



Shell for wash pump 3/4"

324356



Pressure increase pump 1 phase 450W 230V 50Hz 2,5A
rubber holder Ø 11 mm; cable L=220 mm; C=10µF

Elettrobar 130120 DPE125R REB130120

332311



Capacitor for power factor correction 10µF 400/450V 50/60Hz

456569



Wash pump 1 phase 240W 230V 50Hz SX
C=6,3µF

Elettrobar 130998 999135 REB999135

404086



Shell for wash pump 3/4"

450739



Wash pump 1 phase 250W 200-230V 50Hz DX
inlet Ø 28 mm, outlet Ø 26 mm, capacitor 6,3µF 425V

Elettrobar 130148

Pumps

450772



Wash pump 1 phase 470W 230V 50Hz
2,0A
inlet Ø 42 mm, outlet Ø 24/37 mm; 2800rpm;
C=10µF 400V

Elettrobar 130161 130982

332311



Capacitor for power factor correction 10µF
400/450V 50/60Hz

454137



Pump cover Ø 35x42/115xh53 mm

453639



Threaded ring Ø 70x120 mm

450543



Impeller Ø 67 mm 60Hz

450540



Impeller Ø 88 mm

453014



Cooling fan Ø 112 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

450768



Wash pump 1 phase 470W 230V 50Hz
inlet Ø 42 mm, upper outlet Ø 37 mm, lower
outlet Ø 24 mm; C=10µF

Elettrobar 130977

332311



Capacitor for power factor correction 10µF
400/450V 50/60Hz

450271



Shell for wash pump

450543



Impeller Ø 67 mm 60Hz

450540



Impeller Ø 88 mm

453014



Cooling fan Ø 112 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

Pumps

450767



Wash pump 1 phase 470W 230V 60Hz
inlet Ø 42 mm, upper outlet Ø 37 mm, lower
outlet Ø 24 mm; C=10µF

Elettrobar 130976

450271



Shell for wash pump

316688



**Wash pump 1 phase 600W 230V 50/60Hz
3,8A**
inlet Ø 50 mm; outlet Ø 50 mm; C=16 µF

Elettrobar 130098 130109 REB130109

344792



**Capacitor for power factor correction 16µF
450V 50/60Hz**

612850



Ball bearing Ø 12x32x10 mm

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**

450725



**Wash pump 1 phase 630W 230V 60Hz 3A
SX**
inlet Ø 50 mm, outlet Ø 50 mm; C=16µF/450V

Elettrobar 130119

450733



**Wash pump 1 phase 850W 200-230V 60Hz
3,8A SX**
inlet Ø 50,5 mm; outlet Ø 49 mm; cable L=340
mm; C=16µF/400V

Elettrobar 130133

317746



Wash pump 1 phase 850W 200/230V 3,8A
inlet Ø 50 mm; outlet Ø 48 mm; C=16µF


Elettrobar 130126 REB130126

344792



**Capacitor for power factor correction 16µF
450V 50/60Hz**

403403



Impeller Ø 103 mm

583226



O-ring 2,62x126,67 mm EPDM

612850



Ball bearing Ø 12x32x10 mm

412354



**Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm**

415482



**Rinse pump 1 phase 110W 230V 50Hz
0,5A DX**
inlet Ø 28 mm; outlet 27 mm; cable L=170 mm;
C=4µF/425V

Elettrobar 130197

Pumps

455515



**Rinse pump 1 phase 200W 230V 50Hz
0,9A DX**
inlet Ø 28 mm, outlet Ø 26 mm; C=4µF/425V

Elettrobar 80627

453639



Threaded ring Ø 70x120 mm
LGB LA50

Elettrobar 429074

450122



Shell for wash pump
entrada Ø 60,32 mm; uscita Ø 50,45 mm,
screw M4

Elettrobar 116013

452849



Wash pump flange

Elettrobar 315024

455952



Shell for wash pump
inlet Ø 63 mm, outlet Ø 48 mm; blind rubber
holder Ø 12 mm; threaded bar 4x16 mm

Elettrobar 926086 RAC435

450543



Impeller Ø 67 mm 60Hz
Htot. 39 mm

Elettrobar 124060

450271



Shell for wash pump
Ø 125,5 mm; upper outlet Ø 37 mm, lower
outlet Ø 24 mm

Elettrobar 116032

324038



Impeller Ø 67 mm
for pump 60Hz E40 T177

Elettrobar 124051

404086



Shell for wash pump 3/4"
for pump 456569 - 456571

Elettrobar 111023 REB111023

450546



Impeller Ø 70 mm
Htot. 38 mm

Elettrobar 124063

454137



Pump cover Ø 35x42/115xh53 mm
LGB LA50

Elettrobar 480148

450534



Impeller Ø 72x14 mm
shaft H=19,5 mm

Elettrobar 124049 REB124049

Pumps

450540**Impeller Ø 88 mm**

Elettrobar 124057

403403**Impeller Ø 103 mm**

for pump 316692 - 316688 - 317746

Elettrobar 124031 RAG291

453014**Cooling fan Ø 112 mm**

Elettrobar 335015

583226**O-ring 2,62x126,67 mm EPDM**

for wash pump shell

Elettrobar 456031 REB456031

360044**O-ring for pompe 3,53x158,34 mm**

for wash pump shell

Elettrobar 926084 RAG61

318123**Water container**

SOFT/START LA50

Elettrobar 144028 999316

Pressure Switches

316890**Digital pressure switch 0÷30mbar [Kit]**

Elettrobar 224018 999328

451308**Digital pressure switch 0÷50mbar**
Ø 5,5 mm

Elettrobar 224031

**Pressure switch 1 level**

305962	35/17 mbar	REB224004
451302	35/22 mbar	224024
337190	40/18 mbar	69850
451305	50/30 mbar	224028
337146	55/20 mbar	929039
451289	90/56 mbar	224005
451306	90/60 mbar	224029
451297	90/70 mbar	224016
583341	110/60 mbar	224002
428812	110/70 mbar	224010
451303	120/95 mbar	224026
451304	155/130 mbar	224027
312108	180/70 mbar	DEP45
318119	105/125 mbar	224025
321635	140/110 mbar	224008
451301	165/140 mbar	224023

428519**Pressure switch 1 level 115/90 mbar**
contacts capacity 10A 250V 60Hz

Elettrobar 224011

Heating Elements

451509



Boiler heating element 4600W 230V

L=360 mm; flange 82x28,5 mm; faston 6,3x0,8 mm

Elettrobar 230109

318116



Boiler heating element 4900W 230/400V

L=330 mm; triangular flange 83,5x78,5 mm; Øint. 47 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230111

451508



Boiler heating element 7000W 230V

L=412 mm; flange 81,5x28,5 mm; faston 6,3x0,8 mm

Elettrobar 230108

316839



Boiler heating element 5500W 220/380 - 6543W 240/415V [KIT]

L=365 mm; triangular flange 83,5x78,5 mm; Øint. 47 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230083 230083C REB230083 REB230083C

321636



Boiler heating element 7600W 230V

L=390 mm - flange 70x18 mm - GS55

Elettrobar 230106

390156



Boiler heating element 7000W 230V

L=360 mm; triangular flange 83,5x78,5 mm; Øint. 50 mm; with bulb housing L=175 mm; connection M4

Elettrobar 74086

315710



Boiler heating element 2600W 230V

L=265 mm; triangular flange 69x69mm; with O-ring and bulb housing L=175 mm

Elettrobar 230113

451512



Boiler heating element 7600W 230V

L=330 mm; triangular flange 83,5x78,5 mm; Øint. 49 mm; with bulb housing L=175 mm; connections M4

Elettrobar 230117

316645



Boiler heating element 3000W 230V

L=330 mm; triangular flange 83,5x78,5 mm; Øint. 47 mm; with bulb housing L=180 mm; connection M4

Elettrobar 230116

323472



Boiler heating element 8000W 230V [KIT]

L=365 mm; triangular flange 83,5x78,5 mm; Øint. 50 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230020 230020C 230095 REB230020 REB230095

317921



Boiler heating element 4500W 220/38V 5355W 240/415V

L=335 mm; triangular flange 83,7x78,8 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230013 230034 230081 REB230034

451501



Tank heating element 600W 230V

L=160 mm; flange 50x26 mm; faston 6,3x0,8 mm

Elettrobar 230098 REB230098

Heating Elements

390192



Tank heating element 1400W 230V
dim. 155x190x30 mm; flange 50x26 mm;
faston 6,3x0,8 mm

Elettrobar 230125

415037



Tank heating element gasket in EPDM

Elettrobar 437086 REB437086

456582



Tank heating element Ø 6,5 mm 230V [Kit]
dim. 133x120x10 mm

Elettrobar 999206

318611



Contacts protection cover

Elettrobar 467002 69870 REB467002

390064



Tank heating element 2100W 230V
dim. 155x120x30 mm; flange 50x26 mm;
faston 6,3x0,8 mm

Elettrobar 74169

382202



Resistance mounting bracket
dim. 24x12x14 mm; screw M4x10 mm

Elettrobar 999351

339697



Tank heating element 2050/2450W 220/240V
dim. 260x125 mm; connection M4; mounting
distance 70 mm; thread M10x1 mm

Elettrobar 230006 230009 230017 230044

318690



Tank heating element 3000W 230V
dim. 325x55 mm; mounting distance 65 mm;
connection M10 - NEOTECH 28-06

Elettrobar 080360 70562 80360 80677

317002



Tank heating element 2750/3250W 220/240V
dim. 380x105 mm; connection M10; mounting
distance 75 mm

Elettrobar 230086 REB230060 REB230086

Thermostats

451528



Contact thermostat 60°C +/- 3°C
16A 250V; faston 6,3 mm

Elettrobar 236035 REB236035

451538



Contact thermostat 125°C
faston 6,3x0,8 mm; thread M4

Elettrobar 236056

451532



Contact thermostat 80°C

Elettrobar 236048 REB236048

451535



Contact thermostat 200°C
with manual reset; thread M4; faston 6,3x0,8 mm

Elettrobar 236053

451539



Contact thermostat 70°C
10A 250V

Elettrobar 236059

339691



Operating thermostat 1P 25÷85°C
coated capillary L=600 mm; bulb Ø 9,5x16,5 mm; gland nut M14; 16A 250V

Elettrobar 236014 236023 236042 236042C

318114



Contact thermostat 90°C

Elettrobar 236052

451540



Operating thermostat 1P 65÷85°C
coated capillary L=530 mm; bulb Ø 6,5x65 mm; 16A 250V

Elettrobar 236060

318112



Contact thermostat 95°C
with manual reset; 16A 250V

Elettrobar 236047 926189 DRT140 REB236047

317003



Safety thermostat 1P 83°C
coated capillary L=610 mm; bulb Ø 6x95 mm

Elettrobar 236022 236027 236043 REB236043

435232



Contact thermostat 110°C
with manual reset; 16A 250V

Elettrobar 236039 236057 REB236039

Drain components

450796**Drain manifold**rubber holder \varnothing 7,5 mm - \varnothing 25 mm - \varnothing 30 mm

Elettrobar 136029

450797**Drain manifold**

dim. 158x160x110 mm


Elettrobar 136030

450795**Drain manifold** \varnothing 117x157xh130 mm; rubber holder \varnothing 30/42 mm

Elettrobar 136028

453637**Filter \varnothing 93x180xh37 mm****453928****O-ring 5,34x136,5 mm EPDM****450791****Drain manifold \varnothing 102x140 mm**hose: 1 x \varnothing 50 mm, 1 x \varnothing 60 mm

Elettrobar 136020 80458 REB136020

453911**O-ring 5,34x120,02 mm NBR****454016****Air valve fitting**

Elettrobar 468199

454002**Drain fitting \varnothing 24 mm - L=53,5 mm**

flange 64x34,5 mm

Elettrobar 468152 REB468152

453613**Drain plate \varnothing 3/4" H=25 mm**

Elettrobar 429036 REB429036

453408**Nut M32x2,5**

CH41; H=8 mm

Elettrobar 417125

450793**Drain plate 90° 1" 1/4**outlet \varnothing 30 mm

Elettrobar 136023 REB136023

450834**Overflow pipe \varnothing 35x147 mm**

Drain components

403434



Overflow pipe Ø 22x168 mm

Elettrobar 142051 REB142051

323930



Filter Ø 24x88/112xh68 mm

391574



Overflow pipe Ø 26x164 mm

Elettrobar 142060

453930



O-ring 3x20 mm VITON

450838



Overflow pipe Ø 26x175 mm

Elettrobar 142059

450408



Filter Ø 145x90 mm

453930



O-ring 3x20 mm VITON

450836



Overflow pipe Ø 32x215 mm

Elettrobar 142054

450834



Overflow pipe Ø 35x147 mm

Elettrobar 142052 REB142052

450793



Drain plate 90° 1" 1/4

318126



Overflow pipe Ø 35x200 mm LA50

Elettrobar 142058

450399



Tank filter Ø 195 mm H=105 mm

318132



O-ring 2,62x29,82 mm VITON

Drain components

455384



Overflow pipe \varnothing 36x285 mm
 \varnothing ext 74,85 mm

Elettrobar 80249 C.80249

450374



Filter \varnothing 153x120 mm

456684



O-ring 3,53x32,93 mm VITON

Dispensers and Peristaltic pump

315729



Rinse aid hydraulic dispenser
 IN \varnothing 6x8 mm - OUT \varnothing 6x8 mm

Elettrobar 987023 REB987023

700420



Rinse aid hydraulic dispenser adj.
 capacity 1÷5 cc.
 mod. DIB-5P; connection washer pump \varnothing 10
 mm - IN and OUT 180° for hose \varnothing 4x6 mm

Elettrobar 929198 DWD4

319634



Rinse aid peristaltic pump fixed capacity
 mod MP5-DW, fixed flow rate 0,5 lt/h; 230V
 50Hz; silicone hose with non-return valve;
 cable L=275 mm

Elettrobar 209024 209030 209033 209036
 209042 209042C

410373



Suction filter in inox for hose \varnothing 4x6 mm

344798



Hose for rinse aid pump \varnothing 5x10 mm - L=200
 mm

Dispensers and Peristaltic pump

451068



Rinse aid peristaltic pump adj. capacity (internal use)

mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 209023 209031 209037 75993

319636



Hose for rinse aid pump Ø 3x8 mm

584225



Rinse aid peristaltic pump adj. capacity [Kit]

mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 209025 926278 999323

451068



Rinse aid peristaltic pump adj. capacity (internal use)

337062



Detergent peristaltic pump electronic adj. time-pause

mod. G202; max capacity 2,0 lt/h; 230V 50Hz; rubber holder Ø 5x8 mm

Elettrobar 209014 REB209014

700413



Hose for detergent pump thermoplastic

610862



Detergent peristaltic pump fixed capacity (internal use)

mod. NPG-3; fixed flow rate 3 L/h; 0,1 bar; 230V 50Hz cable L=200 mm; hose in Santoprene; installation kit included

Elettrobar 209013 REB209013

410373



Suction filter in inox for hose Ø 4x6 mm

610864



Pipe fitting 90° M10x22 mm inox

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm

584103



Detergent peristaltic pump adjust. capacity (internal use)

mod. NBR-3; flow rate adj. 0,3÷3 lt/h 0,1 bar; 230V 50Hz; hose in Santoprene; installation kit included

Elettrobar 209021 209029 209038

450899



Hose for detergent pump Santoprene Ø 6x9 mm

Dispensers and Peristaltic pump

451070



Detergent peristaltic pump fixed capacity
mod. NPG 3; fixed flow 3 L/h; 0,1 bar; 230V 8W 50/60Hz; hose in Santoprene; cable L=90mm

Elettrobar 209028 209039 209039C

410373



Suction filter in inox for hose Ø 4x6 mm

311413



Pipe fitting 90° M12x1,5 inox

450899



Hose for detergent pump Santoprene Ø 6x9 mm

700431



Detergent peristaltic pump adj. capacity (internal use)
mod. PBR-3; flow rate adj. 0,3÷3 lt/h 0,1 bar; 230V 50Hz; cable L=1200 mm; installation kit included

Elettrobar 209016 DWD4P

410373



Suction filter in inox for hose Ø 4x6 mm

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm

585529



Detergent peristaltic pump fixed capacity
mod MP5-DW, fixed flow rate 3 lt/h; 230V 50Hz; 1bar; hose in Santoprene; cable L=275 mm

Elettrobar 209043

410373



Suction filter in inox for hose Ø 4x6 mm

450892



Hose for detergent pump Santoprene Ø 4x8,6 mm

339721



PVC green hose Ø 4x7 mm (sold by meter)

Elettrobar 143013 143194 176479 178099
REB143194

457354



PVC transparent hose Ø 6x9 mm (sold by meter)

Elettrobar H.165168

410373



Suction filter in inox for hose Ø 4x6 mm
Ø 20x18 mm

Elettrobar 121075 121143 121993

Dispensers and Peristaltic pump

311413



Pipe fitting 90° M12x1,5 inox
rubber holder Ø 4x6 mm

Elettrobar 468151 999104 999348

344798



Hose for rinse aid pump Ø 5x10 mm -
L=200 mm
silicone Ø 5x10 mm; rubber holder Ø 4x6 mm;
with non-return valve Ø 6 mm

Elettrobar 143261

410181



Hose for rinse aid pump sekobrill Ø 3x8
mm
L=175 mm - rubber holder Ø 4x6 mm

Elettrobar 143251

323214



Membrane for dispenser
dim 39x39x31 mm; Øint. 18/est. 25 mm

Elettrobar 199012 REB199012

450899



Hose for detergent pump Santoprene Ø
6x9 mm
L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143267

453969



Hydraulic dispenser extension
H=54 mm

Elettrobar 466005

450892



Hose for detergent pump Santoprene Ø
4x8,6 mm
L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143258

410180



Hose for detergent pump Santoprene Ø
6,25x10,55 mm
L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143219 REB143219

319636



Hose for rinse aid pump Ø 3x8 mm
sekobrill L=195 mm; rubber holder Ø 4x6 mm;
with non-return valve Ø 6 mm

Elettrobar 143266

Solenoid Valves and Reducers

435437



**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 240006

435409



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 240005 240011 DEV35 REB240011

451572



**Solenoid valve 90° - 1 way - 230V 50/60Hz
- Ø 11 mm**
with fastons; inlet Ø 11 mm; Tmax 90°C

Elettrobar 240024

451570



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 4 lt/min; Tmax 90°C

Elettrobar 240021

451573



**Solenoid valve 90° - 3 ways - 230V
50/60Hz - Ø 9,5 mm**
with fastons; inlet Ø 10 mm; Tmax 90°C (RPE)

Elettrobar 240025

315708



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 5,5 lt/min; Tmax 90°C

Elettrobar 240012 REB240012

411813



**Solenoid valve 180° - 1 way - 24Vac 50Hz -
Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax.
90°C

Elettrobar 927242 DEV34S DEV34S16

316170



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 6,5 lt/min; Tmax 90°C

Elettrobar 240016 240018 DEV3S16

456607



**Flow diverter solenoid valve 220/240V
50/60Hz**
with fastons; inlet/outlet Ø 10,5 mm; outlet 0,5
lt/min; Tmax. 90°C

Elettrobar 999288

451565



**Solenoid valve 180° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; outlet 1
with reducer 0,5 lt/min; Tmax 90°C

Elettrobar 240010 REB240010

349298



**Solenoid valve 180° - 2 ways - 24Vac 50Hz
- Ø 14 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 927001 DEV32416

200121



**Solenoid valve 180° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar DEV3T RTFOC00520

Solenoid Valves and Reducers

339703

Solenoid valve 180° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; outlet
 reducer 0,5 lt/min; Tmax 90°C

Elettrobar 240002

583805

Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240006_

583804

Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240005_ 240011_ DEV35_ REB240011_

583809

Solenoid valve 180° - 2 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240003_ 240004_ 929172_ DEV3D_

583813

Solenoid valve 180° - 3 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar DEV3T_ RTFOC00520_

416623

Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 927380 DEV1

Filters

403060



Filter nut Ø 20,7x13 mm

Elettrobar 408006 REB408006

323930



Filter Ø 24x88/112xh68 mm

Elettrobar 121100 121118 121144 REB121100

450399



Tank filter Ø 195 mm H=105 mm

Elettrobar 121120

403434



Overflow pipe Ø 22x168 mm

453632



Ring nut Ø 67 mm

450797



Drain manifold

453772



Flat gasket Ø 47,5x60x1,9 mm - EPDM

318126



Overflow pipe Ø 35x200 mm LA50

450408



Filter Ø 145x90 mm

453637



Filter Ø 93x180xh37 mm

Elettrobar 121136

453928



O-ring 5,34x136,5 mm EPDM

450796



Drain manifold

450838



Overflow pipe Ø 26x175 mm

453642



Ring nut Ø 136 mm

453794



Flat gasket Ø 86x107,5x2,5 mm

Filters

453614



Filter support Ø 142xh135 mm

Elettrobar 429038 80470 REB429038

453637



Filter Ø 93x180xh37 mm

Elettrobar 429072

450374



Filter Ø 153x120 mm

Elettrobar 121052 121081 DAF136U REB121081

381815



Filter with plug Ø 147xh74 mm

Elettrobar 121162

454043



Suction unit Ø 104 mm

453642



Ring nut Ø 136 mm

453726



Shaft flange gasket Ø 50,5x100x2 mm

453794



Flat gasket Ø 86x107,5x2,5 mm

450407



Filter Ø 195xh100 mm

Elettrobar 121135

450409



Tank filter 363x185 mm

Elettrobar 121137

450797



Drain manifold

450416



Tank filter
dim. 224x485x20 mm

453637



Filter Ø 93x180xh37 mm

Elettrobar 121146

453928



O-ring 5,34x136,5 mm EPDM

Filters

450401



Tank filter 485x223 mm

Elettrobar 121123 121148

320051



Tank filter 247x267x20 mm

Elettrobar 121112

320050



Tank filter 247x267x20 mm

Elettrobar 121111

450405



Filter
dim. 170x210x132 mm; RV 44

Elettrobar 121128 121133

450413



Filter Ø 146,5x90 mm

Elettrobar 121142

450796



Drain manifold

453642



Ring nut Ø 136 mm

453794



Flat gasket Ø 86x107,5x2,5 mm

Wash units

456502



Wash/rinse arm L=400 mm

Elettrobar 990126

434446



Wash arm support

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

450973



Water restrictor disc

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

452756



Retaining ring Ø 34,5x40,5x2,4 mm

456501



Wash/rinse arm L=347 mm

Elettrobar 990125

434446



Wash arm support

450686



Rinse/wash arm support Ø 40,6 mm

450973



Water restrictor disc

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

452756



Retaining ring Ø 34,5x40,5x2,4 mm

Wash units

456504



Wash/rinse arm L=490 mm

Elettrobar 990128

454761



Wash/rinse arm shaft H=53,5 mm

454762



Wash/rinse arm shaft

452921



Wash/rinse arm shaft

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

455361



Retaining ring for wash arm Ø 40x44x3 mm

456492



Wash/rinse arm L=410 mm
8 wash nozzle and 5 rinse nozzle

Elettrobar 990110

386926



Wash/rinse arm L=185 mm

386680



Wash/rinse arm 185 mm

452901



Wash/rinse arm shaft

450686



Rinse/wash arm support Ø 40,6 mm

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

Wash units

456495



Wash/rinse arm L=495 mm

Elettrobar 990113

390213



Wash/rinse arm L=210 mm (G)

390312



Wash/rinse arm L=210 mm (H)

450687



Rinse/wash arm support

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

456493



Wash/rinse arm L=340 mm

Elettrobar 990111

386205



Wash/rinse arm L=135 mm (A)

386659



Wash/rinse arm L=135 mm (B)

450686



Rinse/wash arm support Ø 40,6 mm

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

386205



Wash/rinse arm L=135 mm (A)
3 wash nozzle - 2 rinse nozzle

Elettrobar 106146

386659



Wash/rinse arm L=135 mm (B)
4 wash nozzle - 2 rinse nozzle

Elettrobar 106147

Wash units

386680



Wash/rinse arm 185 mm
4 wash nozzle - 2 rinse nozzle

Elettrobar 106148

386926



Wash/rinse arm L=185 mm
4 wash nozzle - 3 rinse nozzle

Elettrobar 106149

390213



Wash/rinse arm L=210 mm (G)
5 wash nozzle - 2 rinse nozzle

Elettrobar 106152

390312



Wash/rinse arm L=210 mm (H)
5 wash nozzle - 3 rinse nozzle

Elettrobar 106153

379116



Wash/rinse arm L=495 mm

Elettrobar 990151

452921



Wash/rinse arm shaft

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

453644



Ring nut M52x2

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

Wash units

379243



Wash/rinse arm L=400 mm

Elettrobar 990150

452921



Wash/rinse arm shaft

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

452756



Retaining ring Ø 34,5x40,5x2,4 mm

456503



Wash/rinse arm L=450 mm

Elettrobar 990127

586905



Wash/rinse arm L=500 mm

Elettrobar 990158

376396



Wash/rinse arm

Elettrobar 990145

455422



Wash arm L=510 mm

Elettrobar 80345

450693



Wash arm L=498 mm

Elettrobar 129076 129085

Wash units

455409



Wash arm L=510 mm

Elettrobar 80311 C.80311

455390



Upper wash/rinse arm shaft

455439



Upper/lower rinse arm shaft L=46,5 mm

455529



Upper/lower rinse arm shaft L=35,5 mm

455968



Wash arm ring nut H=8 mm

455408



Wash arm support

455361



Retaining ring for wash arm Ø 40x44x3 mm

456490



Wash arm L=510 mm

Elettrobar 990107

450677



Upper wash arm 400x400 mm

Elettrobar 129053

340111



Helix for washing nozzle Ø 19 mm

340107



Nozzle Ø 7 mm

339873



Spring 1,2x21,5x27 mm

Wash units

455432



Rinse arm L=510 mm
5 rinse nozzle

Elettrobar 80370 C.80370

455435



Rinse arm hose - 3 hole

455434



Rinse arm hose - 2 hole

450682



Rinse arm support L=64,5 mm

455972



Plug for rinse arm

317702



Rinse nozzle \varnothing 2,5 mm

453896



Knurled nut M5x0,75 \varnothing 20 mm H=4 mm

382212



Rinse arm L=540 mm

Elettrobar 993072

450697



Braccio di risciacquo L=488 mm

Elettrobar 129080 129089

321464



Right rinse arm L=110 mm
2 nozzle - ECOMAX 400, GE400, H400

Elettrobar 106036

378545



Left rinse arm L=110 mm
2 nozzle - ECOMAX 400, GE400, H400

Elettrobar 106035 REB106035

455435



Rinse arm hose - 3 hole
 \varnothing 12x240 mm

Elettrobar 80376 C.80376

455434



Rinse arm hose - 2 hole
 \varnothing 12x240 mm

Elettrobar 80375 C.80375

456540



Upper rinse arm L=460 mm

Elettrobar 80959 993069

Wash units

339839



Upper rinse arm L=245 mm

Elettrobar 993031 REB993031

321464



Right rinse arm L=110 mm

378545



Left rinse arm L=110 mm

340003



Rinse arm shaft H=32,6 mm

340006



Upper rinse arm support Ø 23 mm - L=51 mm

339698



Rinse nozzle

419146



Hub for jets

Elettrobar 115075 REB115075

454043



Suction unit Ø 104 mm
H=165 mm; tubo Ø 49 mm

Elettrobar 478045 478046 478059

450374



Filter Ø 153x120 mm

455390



Upper wash/rinse arm shaft
Ø 16xh52,5 mm

Elettrobar 80282 C.80282

455391



Lower wash/rinse arm shaft
Ø 11xh52,5 mm; M12

Elettrobar 80283

452891



Pin Ø 14xHtot. 57,5 mm

Elettrobar 325064 REB325064

452912



Washarm shaft Ø 14 mm
Ltot.=60 mm

Elettrobar 325097

Wash units

452897



Rinse arm shaft Ø 15xHtot. 54 mm

Elettrobar 325070

455563

Rinse arm shaft Ø 14xHtot. 35,5 mm
M10x1

Elettrobar 80700

340003



Rinse arm shaft H=32,6 mm

Elettrobar 325001 REB325001

454041



Wash arm shaft Ø 12x148 mm

Elettrobar 478056 REB478056

388804

Wash/rinse arm shaft
Ø 14,5xh68 mm

Elettrobar 325113 325126

455439



Upper/lower rinse arm shaft L=46,5 mm

Elettrobar 80380 C.80380

452907

Wash/rinse arm shaft
Ø 18/14xh80 mm

Elettrobar 325087

434446

Wash arm support
Øext. 38/ext. 59 mm H=70 mm

Elettrobar 115110 REB115110

452921

Wash/rinse arm shaft
Ø 18/15xh63,5 mm

Elettrobar 325109

315727



Wash arm support

Elettrobar 111030 REB111019

452901

Wash/rinse arm shaft
Ø 19/14xh67 mm

Elettrobar 325078

388833

Rinse/wash arm support L=128 mm
rubber holder Ø 12 mm - Ø 23,5 mm

Elettrobar 115151

Wash units

388853



Rinse/wash arm support L=155 mm
rubber holder Ø 12 mm - Ø 23 mm

Elettrobar 115153

404594



Upper wash arm support

Elettrobar 111026

450066



Wash arm support L=127 mm
rubber holder Ø 12 mm - Ø 34 mm

Elettrobar 115149

455355



Upper wash arm support L=310 mm

Elettrobar 69017 80177 C.80177

450682



Rinse arm support L=64,5 mm

Elettrobar 129059

450016



Wash arm support H=147 mm
rubber holder Ø 12 mm

Elettrobar 115144

454389



Rinse arm support L=65 mm

Elettrobar 69632

450011



Wash arm support H=170 mm

Elettrobar 115143

340006



Upper rinse arm support Ø 23 mm - L=51 mm

Elettrobar 129002 REB129002

442791



Connection pipe for jets

Elettrobar 115121

450687



Rinse/wash arm support

Elettrobar 129068

Wash units

450686



Rinse/wash arm support Ø 40,6 mm

Elettrobar 129067

450088



Connection pipe for jets Ø 35x43 mm
EPDM
L=670 mm

Elettrobar 115150

444127



Wash arm support

Elettrobar 115129

450877



Connection pipe for jets Ø 10,5x18,5 mm
EPDM
dim. 500x300x140 mm

Elettrobar 143239

450883



Connection pipe for jets

Elettrobar 143245

455972



Plug for rinse arm
Ø 9,6x16 mm; Ltot. 19 mm

Elettrobar 926132 DWT312

444622



Connection pipe for jets

Elettrobar 115131

453615



Nut for rinse nozzle
Øint. 10 mm

Elettrobar 429039 REB429039

449825



Connection pipe for jets
L=705 mm

Elettrobar 115140

454086



Plug 40x40 mm
holes Ø 4,40 mm

Elettrobar 480087 REB480087

454065



Plug Ø 14x26,5x7,5 mm

Elettrobar 480057 REB480057

Wash units

454066



Plug Ø 17x30x8 mm

Elettrobar 480058 REB480058

454141



Plug Ø 26,60 mm

Elettrobar 480153

339698



Rinse nozzle

Elettrobar 140007 REB140007

450806



Rinse nozzle Ø 8xHtot. 15 mm

Elettrobar 140032

317702



Rinse nozzle Ø 2,5 mm

Elettrobar 140025 140026 140028 80373

453635



Ring nut 1" 1/2 - H=24 mm

Elettrobar 429069 REB429069

450808



Rinse nozzle

Elettrobar 140036

453642



Ring nut Ø 136 mm

Elettrobar 429077

450801



Rinse nozzle

Elettrobar 140019 REB140019

453632



Ring nut Ø 67 mm

Elettrobar 429065 REB429065

340111



Helix for washing nozzle Ø 19 mm

Elettrobar 119003 REB119003

455968



Wash arm ring nut H=8 mm

Elettrobar 80314 926128 C.80314 CDP258

Wash units

453405



Ring nut 3/4" H=10 mm
CH30 mm

Elettrobar 417120

339920



Fixing ring nut

Elettrobar 429008 REB429008

453638



Ring nut M56x2 mm
H=12 mm

Elettrobar 429073

453644



Ring nut M52x2
Øext. 68xh12 mm

Elettrobar 429079

339904



Ring nut for rinse nozzle

Elettrobar 429006 REB429006

453618



Fixing nut

Elettrobar 429050 REB429050

452799



Ring nut Øext. 35 mm - H=11

Elettrobar 308031

450976



Throttle disc Ø 63xh20 mm

Elettrobar 199058

455389



Ring nut Ø 66 mm

Elettrobar 80281 80285

450973



Water restrictor disc
dim. 28,5x21x0,8 mm

Elettrobar 199052 REB199052

340107



Nozzle Ø 7 mm

Elettrobar 140010 REB140010

455411



Throttle disc Ø 34,5x1 mm

Elettrobar 80316 C.80316

Wash units

340102



Flat gasket Ø 12,4x16,4x1,5 mm - PTFE

Elettrobar 437008 REB437008

452756



Retaining ring Ø 34,5x40,5x2,4 mm

Elettrobar 303018 REB303018

452765



Gasket Ø 40x44x3 mm

Elettrobar 303032 303037 303040

455361



Retaining ring for wash arm Ø 40x44x3 mm

Elettrobar 80184

455360



Flat gasket Ø 46,5x61,5x2 mm

Elettrobar 80182

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

Elettrobar 437117 80623

453791



Flat gasket Ø 56,5x75x2 mm

Elettrobar 437102

455408



Wash arm support

Elettrobar 80310

453725

Gasket for water inlet pipe
Ø82mm - Ø50mm sp. 2mm

Elettrobar 437014 REB437014

455969

Wash arm bushing Ø 22 mm - H=37 mm
Øint. 16,3 mm

Elettrobar 926129 DAS258

453760

Gasket 76x76x2 mm
Øint. 49 mm

Elettrobar 437064 REB437064

453402



Wash arm bushing Ø 15x39xh27,5 mm

Elettrobar 417111

Wash units

339999



Sleeve \varnothing 18x20x26 mm

Elettrobar 441010

453248



Safety catch
dim. 20x36,5x12,5 mm

Elettrobar 412029

453373



Ring nut H=19 mm

Elettrobar 417038 REB417038

453809



Gasket \varnothing ext. 13x19,5 mm

Elettrobar 441009 REB441009

339873



Spring 1,2x21,5x27 mm

Elettrobar 449045 REB449045

453249



Safety catch
dim. 20x36,5x12 mm

Elettrobar 412030

Air-gaps

450920



Air break

Elettrobar 144033

318207



Air break
dim. 95xh150mm - rubber holder Ø 6 - Ø 8 mm

Elettrobar 144027 144032

450913



Air break

Elettrobar 144021

321153



Air break
dim. 46x35xH72 mm - thread 3/4" - rubber holder Ø 5,5mm

Elettrobar 107012 70600

453405



Ring nut 3/4" H=10 mm

453788



Flat gasket Ø 25/23x33x2,6 mm

200003



Hose EPDM Ø 4x7 mm (sold by meter)

317923



Air break Ø 30,5x34x79

Elettrobar 107005

339721



PVC gree hose Ø 4x7 mm (sold by meter)

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

324023



Air break Ø 30,5x34x79 mm [Kit]
rubber holder Ø 5,6 mm

Elettrobar 984005 REB984005

339721



PVC gree hose Ø 4x7 mm (sold by meter)

317923



Air break Ø 30,5x34x79

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

Air-gaps

391517



Air break Ø 30,5x34x66 mm

Elettrobar 107017

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

396761



O-ring 2,62x12,37 mm EPDM

382190

Air break Ø 30,5x34x66 mm [Kit]
rubber holder Ø 5,6 mm

Elettrobar 984009

391517



Air break Ø 30,5x34x66 mm

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

396761



O-ring 2,62x12,37 mm EPDM

456453

Air brake Ø 30,5x34x70 mm [Kit]
rubber holder Ø 5,6 mm

Elettrobar 984007

397996



Air brake 2 outlets Ø 6 mm

Elettrobar 107014

200003



Hose EPDM Ø 4x7 mm (sold by meter)

396749



Air brake 1 outlet Ø 6 mm

Elettrobar 107013

200003



Hose EPDM Ø 4x7 mm (sold by meter)

450090



O-ring 2,62x29,82 mm EPDM

453788



Flat gasket Ø 25/23x33x2,6 mm

Elettrobar 437098

Air-gaps

453984



Air break connection 90° M13x2
rubber holder Ø 5,6 mm

Elettrobar 468029 REB468029

Water conditioning

339836



Salt container

Elettrobar 406998 REB406998

363138



Ring nut

Elettrobar 429011 REB429011

339923



Cap for salt container
Ø 65x19 mm

Elettrobar 480005 REB480005

450360



Water softener 4 columns
dim. 380x180mm - with lateral non-return valve

Elettrobar 117009

454143



Cap for salt container
Ø 69x13,5 mm

Elettrobar 480157

340154



Water softener 4 columns
dim. 380x180mm - with central non-return valve

Elettrobar 117004 REB117004

339685



Funnel for salt tank
Ø 34x96 mm

Elettrobar 799002

450336



Water softener 4 columns
dim. 380x180mm - with double non-return valve

Elettrobar 117006 117007

Water conditioning

450357

**Water softener type 425**

rubber holder Ø 10 mm; cables L=640 mm

Elettrobar 117005 117008

325024

**Refil filter cartridge Profine blue (small)**

capacity 15000 lt

Elettrobar 448121

Hoses

324775

**Formed hose Ø 24x32 mm - Ø 34x42 mm**

Elettrobar 127085

450604

**Formed hose Ø 19x26 mm / Ø 22x28 mm**
dim. 250x65x70 mm

Elettrobar 127092

450860

**Ventilation hose Ø 13x17,5 mm L=79 mm**

Elettrobar 143189 REB143189

450577

**Formed hose Ø 20x28 mm / Ø 25x33 mm**
EPDM
dim. 480x245x160 mm

Elettrobar 127053 REB127053

454324

**Formed hose Ø 27x34 mm**
Ø 18x26,50 mm

Elettrobar 69068

450599

**Formed hose Ø 29x36 mm EPDM**
dim. 160x155 mm

Elettrobar 127087

Hoses

382021



Formed hose \varnothing 26,5x32,5 mm - \varnothing 27,5x33,5 mm
dim. 165x100 mm

Elettrobar H.324867

455366



Formed hose 90° - 140x230 mm
 \varnothing int. 46/ext. 60 mm

Elettrobar 80188 C.80188

450607



Sleeve \varnothing 25x31x35 mm

Elettrobar 127095

450610



Formed hose 90°
dim. 185x55 mm; \varnothing 10x16,5 mm

Elettrobar 127098

455367



Sleeve \varnothing 44x55x66 mm

Elettrobar 127036 80189 REB127036

450640



Formed hose 90° \varnothing 28x36,5 mm EPDM
dim. 80x80 mm

Elettrobar 127134

450556



Sleeve \varnothing 60x46,5x56 mm

Elettrobar 127026 REB127026

450597



Formed hose 90° \varnothing 34x42 mm EPDM
dim. 95x90 mm

Elettrobar 127084

450608



Sleeve \varnothing 21,5x27,5x47 mm

Elettrobar 127096

450641



Formed hose \varnothing 20x29 mm EPDM
dim. 400x160x70 mm

Elettrobar 127135

455364



Formed hose 90°
dim. 335x90 mm; \varnothing int. 60 mm

Elettrobar 80186 C.80186

450856



Formed hose \varnothing 9,5x16,5 mm
dim. 315x200x70 mm

Elettrobar 143185 REB143185

Hoses

324780



Formed hose Ø 40/48x80 mm

Elettrobar 127082

700449

Hose EPDM Ø 28x35 mm (sold by meter)
working temp. -35°C÷120°C; Pmax 6 bar

Elettrobar 143009 REB143009

450617

Formed hose Ø 27x35,5 mm EPDM
L=76 mm

Elettrobar 127105

391579



Blue PVC hose Ø 4x6 mm (sold by meter)

Elettrobar H.775601

450633

Formed hose Ø 11x19 mm EPDM
dim. 320x185x100 mm

Elettrobar 127124

585941



PVC transparent hose Ø 4x7 mm (sold by meter)

Elettrobar 143028 REB143028

450605

Formed hose Ø 21x27 mm / Ø 29x34 mm
dim. 280x315 mm

Elettrobar 127093

387776



PVC transparent hose Ø 10x14 mm (sold by meter)

Elettrobar H.775611-001

200005

Hose EPDM Ø 5x12 mm (sold by meter)
Working temp. -35°C÷110°C; non-toxic


Elettrobar 143005 SPG10

339959

Rubber feeder hose 3/4" L=1500 mm
straight connection + 90° plastic connection;
nylon ring nut Ø 3/4"F; pipe Ø 13x19 mm;
Pmax 10 bar; Tmax 90°C; WRAS/VDE
approved

Elettrobar 143170 REB143120 REB143170

346280

Hose EPDM Ø 10x17 mm - blue -(sold by meter)
Pmax 10 bar; working temp. -35°C÷110°C;
FDA approved

Elettrobar 143004 143182 143222 REB143004

438436

Rubber feeder hose 3/4" L=2100 mm
straight connection 90° plastic connection;
plastic ring nut Ø 3/4"F; pipe Ø 13x19 mm;
Pmax 10 bar; Tmax 90°C; WRAS/VDE
approved

Elettrobar 143270 929169 RAT32

Hoses

524407



Feeder hose with armour 3/4" L=1500 mm

straight connection + 90° connection; ring nut in nickel-plated brass Ø 3/4"F; Øint 13 mm; Pmax 25 bar; Tmax 100°C; WRAS approved

Elettrobar 143016 143112 143225 143226
RAT34 REB143016

524404



Feeder hose with armour 3/4" L=2000 mm DN13

straight connection + 90° connection; ring nut in nickel-plated brass Ø 3/4"F; Pmax 25 bar; Tmax 100°C; WRAS approved

Elettrobar 143273

438247



Drain pipe PPE Ø 21 mm 180° + Ø 30 mm M 180° L=2000 mm

muffs Øint/ext 21/28 mm and 30/34 mm, pipe Øext 26,5 mm

Elettrobar 143019 143120

700443



Drain pipe PPE Ø 21,5mm 180° + Ø 21,5mm 180° L=630 mm

muffs Øint/ext 21,5/26 mm, pipe Øext 24 mm, Clean 3

Elettrobar 127037 REB127037

700445



Drain pipe PPE Ø 28 mm 180° + Ø 24 mm 180° L=1500 mm

muffs Øint/ext 28/33 mm and 24/29 mm, pipe Øext 29,5 mm

Elettrobar 143178 DZS14 REB143178

700444



Drain pipe PPE Ø 22 mm 180° + Ø 22 mm M 180° L=280 mm

muffs Ø int/ext 22/27,5 mm, pipe Øext 22,5 mm

Elettrobar 127044 REB127044

327920



Drain pipe PPE Ø 20 mm 180° + Ø 22 mm 90° L=2600 mm

muff 180° Ø 20/24 mm, muff 90° Ø 22/28 mm

Elettrobar 143137 REB143137

450889



Drain pipe Ø 29 mm 90° + Ø 28 mm 180° L=1700 mm

sleeve 180° Ø int/ext 28/34 mm, sleeve 90° Øint/ext 29/34 mm, Øext. tube 29 mm

Elettrobar 143252

403430



Drain pipe Øint. 35 mm + Ø 50 mm F 90° L=1870 mm

Elettrobar 143136 REB143136

Ball valves, Pipe fittings

387905



Fitting kit

Elettrobar XQ00006SHB

454006



Rubber holder 90° for hose Ø 10 mm

Elettrobar 468165 REB468165

339995



Pipe fitting 1/4" - Ø 12 mm

Elettrobar 108006 REB108006

450850



Y-connection Ø 12-12-12 mm

Elettrobar 143173 143268 REB143173

454022



Non-return valve fitting Ø 11,5 mm

Elettrobar 468209

450919



Non-return valve Ø 11,5 mm

Elettrobar 144030

454022



Non-return valve fitting Ø 11,5 mm

321603



Non-return valve 1/2"
rubber holder Øext 12 mm

Elettrobar 144010 144010NT REB144010 REB144010N

450915



Non-return valve L=78 mm
rubber holder Ø 21 mm

Elettrobar 144024

450905



Non-return valve L=142 mm
rubber holder Ø 18 mm/Ø21 mm

Elettrobar 144003 REB144003

Ball valves, Pipe fittings

450925



Non-return valve
L=78 mm; rubber holder Ø 21 mm

450923



Non-return valve with gasket
L=78 mm; rubber holder Ø 21 mm - Ø 10,5 mm

Elettrobar 144992

454016



Air valve fitting

Elettrobar 144991

454020



Non-return valve fitting Ø 10,5 mm

454243



Membrane for non-return valve

454243



Membrane for non-return valve

454033



Ball Ø 8 mm

454033



Ball Ø 8 mm

453776



Flat gasket Ø 19,5x32,5x1,6 mm

453776



Flat gasket Ø 19,5x32,5x1,6 mm

454015



Non-return valve fitting
rubber holder Ø 6 mm

Elettrobar 468198

454020



Non-return valve fitting Ø 10,5 mm

Elettrobar 468205

Ball valves, Pipe fittings

453640



Non-return valve ring nut
Ø 9x14 mm

Elettrobar 429075

454033



Ball Ø 8 mm

Elettrobar 476008

454243



Membrane for non-return valve
dim. Ø 23x1,5 mm - SILICONE

Elettrobar 499092

Boilers

376353



Boiler Ø 110x295 mm
Fast139 - E40F - Fast135 - NG40PP

Elettrobar 104056

316645



Boiler heating element 3000W 230V

318116



Boiler heating element 4900W 230/400V

390156



Boiler heating element 7000W 230V

323472



Boiler heating element 8000W 230V [KIT]

319418



Boiler heating element 9500W 230V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

376376



Boiler Ø 110x295 mm

Elettrobar 104063

315710



Boiler heating element 2600W 230V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

438465



O-ring 5,34x37,47 mm EPDM

376362



Boiler Ø 140x400 mm

Elettrobar 104061

451512



Boiler heating element 7600W 230V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

Boilers

376358



Boiler Ø 145x400 mm

Elettrobar 104030 104050 104060 REB104030

324024



Boiler 1 Heating element

dim. Ø 180x410 mm - EWK 72 - GL 71/72/74 - RV80 - RV81 - RV78

Elettrobar 80389

316645



Boiler heating element 3000W 230V

318116



Boiler heating element 4900W 230/400V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

315710



Boiler heating element 2600W 230V

451539



Contact thermostat 70°C

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

438465



O-ring 5,34x37,47 mm EPDM

Boilers

323428



Boiler Ø 140x405 mm; with insulation

Elettrobar 982019

451508



Boiler heating element 7000W 230V

318112



Contact thermostat 95°C

382021



Formed hose Ø 26,5x32,5 mm - Ø 27,5x33,5 mm

453532



Boiler clamp L=590xh9 mm

450872



Boiler water inlet pipe Ø 7x9x250 mm

Elettrobar 143228

456599



Support with spring DX

Elettrobar 999259

456600



Support with spring SX

Elettrobar 999260

Hinges

452773



Pin M5x8,5 mm Ltot.=30 mm

Elettrobar 304028

452869



Pin Ø 6/10x16 mm

Elettrobar 325034 REB325034

452870



Pin Ø 8/10x38 mm

Elettrobar 325036 REB325036

452806



Guide 14,5x17,5x30 mm

Elettrobar 310013

452770

Door guide rod 50/500/453/463/503
M6 - L=274 mm

Elettrobar 304021 REB304021

452865



Door catch L=27 mm - M5x11mm

Elettrobar 325030 REB325030

Lockings

452784



Door guide L=110 mm
dim. 110x24x18,5 mm

Elettrobar 307015

452776



Sliding plate
dim. 19x88xh10 mm

Elettrobar 307003 REB307003

456543



Door lock
dim. 80x18x20 mm

Elettrobar 994011 994012 DWS30 REB994011

Structural components

451135



PVC transparent protection
220x197x0,2 mm

Elettrobar 214077

454123



Right blue cover plug

Elettrobar 480126

454133



Blue cover plug 50xh23 mm

Elettrobar 480137

454122



Left blue cover plug

Elettrobar 480125

Structural components**454102****Left blue cover plug**

Elettrobar 480105 REB480105

453563**Fixing plate**
dim. 22,5x15x11 mm

Elettrobar 425007 REB425007

452932**Door catch**
dim. 41x22x12,5 mm

Elettrobar 329012 REB329012

455304**Bumper Ø 6x20x20 mm**

Elettrobar 80105 C.80105

Bearings**452830****Ball bearing Ø 8x22x7 mm**

Elettrobar 314011

341601**Ball bearing Ø 8x22x7 mm**

Elettrobar 314009 REB314009

Bearings

612850



Ball bearing Ø 12x32x10 mm
6201-2RS

Elettrobar 314001 REB314001

Small Mechanical Parts

453377



Antivibration L=29 mm
with hexagonal nut M6

Elettrobar 417041 REB417041

453387



Plastic nut 1" 1/4 - H=10 mm

Elettrobar 417081 CDP2

453403



Nut M3 - H=3,5 mm PLASTIC

Elettrobar 417119

453400



Brass nut H=13 mm
CH20

Elettrobar 417104 REB417104

358190



Hexagonal nut M10 - H=8 mm INOX
CH17

Elettrobar H.602493

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

Elettrobar 454006

323541



Hexagonal nut M14x1 - H=4 mm INOX

Elettrobar 417017 REB417017

453896



Knurled nut M5x0,75 Ø 20 mm H=4 mm

Elettrobar 454005

Small Mechanical Parts

455560



Knurled nut M10x1 Ø 25 mm H=4 mm
Ø 25x4 mm

Elettrobar 80697

453532



Boiler clamp L=590xh9 mm

Elettrobar 423016 REB423016

337237



Sheet metal screws TBC 3,5x13 mm
INOX

Elettrobar 486242

Springs

453043



Gas spring 50N Ø 15/200-379 mm
holes Ø 6,4 mm

Elettrobar 35070

453871



Tension spring Ø 10x130xLtot. 146,5 mm
wire Ø 1 mm

Elettrobar 449049

453784



V-ring

452783



Spring support

453878



Tension spring Ø 10x82,5xLtot. 152 mm
wire Ø 1,1 mm

453784



V-ring

Elettrobar 449057

Springs

453882



Tension spring \varnothing 10,5x155xLtot. 200 mm
wire \varnothing 1,2 mm

Elettrobar 449059 449063

452783



Spring support

388337



Tension spring \varnothing 17,5x65 mm
wire \varnothing 1,2 mm

Elettrobar 449067

453883



Tension spring \varnothing 21x59,5xLtot. 84 mm
wire \varnothing 1,9 mm

Elettrobar 449064

453866



Spring
dim. 39,5x18x6 mm

Elettrobar 449036 REB449036

452932



Door catch

453879



Spring 75x165 mm
wire \varnothing 4 mm

Elettrobar 449058

456599



Support with spring DX

456600



Support with spring SX

452783



Spring support
dim. 18x19x17 mm

Elettrobar 307014

Doors

452589



Door

Elettrobar 29489

Shaft sealing

610895



Shaft sealing \varnothing 24x11x15 mm /
counter-seal \varnothing 26x14x8 mm

Elettrobar 926274

412573



Shaft sealing \varnothing 24x11x15,5 mm /
counter-seal \varnothing 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

Elettrobar 141002 80121 RAT19

450815

Shaft sealing \varnothing 24x12x15 mm

Elettrobar 141013

412354



Shaft sealing \varnothing 24x12x16 mm /
counter-seal \varnothing 26x12x8 mm
shaft sealing in TEFLON, pump shaft \varnothing 13 mm

Elettrobar 141007 141008 141009 80843
RAT211 REB141007

Printed Circuit Boards

451190



Pcb
dim. 61x41 mm; GET50.1

Elettrobar 215036

451183



Motherboard
dim. 137x85 mm

Elettrobar 215034-1

318118



Motherboard
NT400-NT800

Elettrobar 215027

451173



Motherboard
dim. 176x125 mm

Elettrobar 2150321 215032-1

451188



Pcb
dim. 135x85 mm

Elettrobar 215034-6

451176



Pcb
dim. 178x126 mm

Elettrobar 2150324 215032-4

317723



Motherboard
LP201

Elettrobar 215022

451185



Pcb
dim. 135x85 mm

Elettrobar 2150343 215034-3

315530



Motherboard
K500/500P - ST330/330H

Elettrobar 215029 215038

451193



Pcb
dim. 52x90 mm

Elettrobar 215039

316865



Motherboard (without processor)
GL71/72/71 - GS55/77 - GOLD43 - LP201 - SV71/72

Elettrobar 215023

390456



Pcb GET 50.2

Elettrobar 215042-7

Printed Circuit Boards

390464



Pcb GET 50.2
dim. 105x183 mm

Elettrobar 215042-4

317721



Interface board
RV44 - RV80

Elettrobar 227059 227084

390472



Pcb GET 50.2

Elettrobar 215042-5

319647



Interface board
NT800 - NT901

Elettrobar 227074

390483



Pcb
dim. 105x182 mm

Elettrobar 215042-6

455693



Pcb
dim. 34x155 mm

Elettrobar 80944

390551



Pcb

Elettrobar 215042-9

454786



Keyboard pcb
dim. 224x34 mm

Elettrobar 74904

584052



Pcb
dim. 105x183 mm

Elettrobar 215041-1 215042-1

455718



Eprom

Elettrobar 81000

321262



Interface pcb
dim. 40x220 mm; RV262

Elettrobar 227083 80929

451325



Eprom

Elettrobar 225032

Printed Circuit Boards

453447**Pcb spacer M3**

dim. 6x6xLtot. 18 mm

Elettrobar 419036 461021

317724**Flat cable L=2300 mm 10 poles**

Elettrobar 211013

321263**Flat cable L=3000 mm [Kit]**

Elettrobar 80933 926272 K74933

451096**Flat cable L=2010 mm 10 poli**

Elettrobar 211017

451088**Flat cable L=2300 mm 10 poles**

Elettrobar 211009

Probes

316825



Temperature probe NTC, L=390 mm,
bulb \varnothing 5x30 mm
working temperature range $-40+110^{\circ}\text{C}$; with
connector

Elettrobar 231014 231016

454462



Probe holder L=195 mm

Elettrobar 69871

456574



Bulb housing
 \varnothing int 5/est. 9 mm; Ltot.=40 mm; M14x1

Elettrobar 999160

Gaskets for dishwashers

453796



Door gasket L=445 mm

Elettrobar 437109

453755



Door gasket L=395 mm

Elettrobar 437057 REB437057

453787



Door gasket L=1370 mm
rv50

Elettrobar 437097

453756



Door gasket L=430 mm

Elettrobar 437058 REB437058

Gaskets for dishwashers

453774



Door gasket L=570 mm

Elettrobar 437081 REB437081

453792



Door gasket 560x400 mm

Elettrobar 437103

Flat gaskets

323540



Flat gasket Ø 14,5x22x1,7 mm - Fiber

Elettrobar 437002 437030 REB437030

453729



Flat gasket Ø 13x21x3 mm EPDM

Elettrobar 437019 REB437019

453731



Flat gasket Ø 26,4x35,6x1,8 mm - Fiber

Elettrobar 437025 REB437025

453776



Flat gasket Ø 19,5x32,5x1,6 mm

Elettrobar 437083

453790



Flat gasket Ø 10x20x0,5 mm - Teflon

Elettrobar 437100

453802



Flat gasket Ø 24,5x34x2,7 mm EPDM

Elettrobar 437118

Flat gaskets

453759



Flat gasket Ø 39,5x52x2,8 mm

Elettrobar 437063 CGG42

453772



Flat gasket Ø 47,5x60x1,9 mm - EPDM

Elettrobar 437079 REB437079

453726



Shaft flange gasket Ø 50,5x100x2 mm

Elettrobar 437015 REB437015

340177



Flat gasket Ø 64x81x3 mm

Elettrobar 437034 REB437034

453781



Flat gasket Ø 9,5x22x1,2 mm TEFLON

Elettrobar 437090

453794



Flat gasket Ø 86x107,5x2,5 mm

Elettrobar 437107

453795



Flat gasket Ø 49x64x2 mm

Elettrobar 437108

453799



Flat gasket Ø 46x65x2 mm

Elettrobar 437113

453771



Flat gasket Ø 16,5x33x1,6 mm - EPDM

Elettrobar 437078 REB437078

453773



Lip gasket Ø 27,7x39,7x1,6 mm

Elettrobar 437080

453793



Flat gasket Ø 33x45x2 mm - EPDM

Elettrobar 437104

O-rings



O-ring 2,62x

438735	9,19 mm NBR	456011
357932	9,92 mm	REB456015
340097	10,77 mm EPDM	456006
396761	12,37 mm EPDM	456020
412831	15,88 mm EPDM	CGR121
438736	15,54 mm NBR	456070
340151	20,50 mm	456010
325098	21,89 mm EPDM	456041
435133	25,07 mm NBR	CGR3100
453925	23,81 mm EPDM	456071
318132	29,82 mm VITON	456081
450090	29,82 mm EPDM	456073
360045	75,87 mm NBR	456088
366632	82,22 mm EPDM	456084



O-ring 5,34x

438465	37,47 mm EPDM	456075
435303	46,99 mm NBR	REB456002
435067	56,52 mm NBR	CGG55
453911	120,02 mm NBR	456040
453928	136,5 mm EPDM	456076

Dishwashing Baskets

340086



Basket 382x382xh105 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983055

454644



Steel basket Ø 350 mm H = 110 mm - for glasses

Elettrobar 706095 DCR15

340085



Basket 382x382xh200 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983001

582465



Tools container 150x150x253 mm

Elettrobar 712017

454646



Steel basket Ø350 mm H=110 mm
basic equipment

Elettrobar 43301 706127

586080



Basket 500x500xh100 mm - for cups and glasses

Elettrobar 780132

Dishwashing Baskets

586953



Basket 350x350xh120 mm - plastic, for glasses

Elettrobar 780138

441931



Container cutlery 110x110xh130 mm

Elettrobar 780068

586952



Basket 390x390xh150 mm - plastic, for glasses

Elettrobar 780133

586466



Basket 500x500xh105 mm - plastic 18 dishes or 12 soup plates Grey

Elettrobar 780072_

586946



Basket for glasses Ø 350 mm H= 160 mm

Elettrobar 706147

586119



Basket 500x500xh100 mm - plastic 18 dishes or 12 soup plates Green

Elettrobar 780072

586951



Basket for glasses Ø 390 mm H= 175 mm

Elettrobar 706148

586121



Basket 500x500 mm - plastic,

Elettrobar 780106

586373



Container cutlery 110x110xh130 mm

Elettrobar 780139

351274



Basket 500x500xh105 mm - UK16

Elettrobar 780131

586120



Basket 500x500xh100 mm - for cutlery

Elettrobar 780080

Feet

453954



Foot M8x23 mm
foot Ø 31x10,5 mm

Elettrobar 461019 REB461019

363965



**Foot with hexagonal base for 24 mm
wrench**
H=11 mm; thread Ø 17x23 mm; Htot=34 mm

Elettrobar 461010 REB461010

HOOD TYPE

**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Contactors and Relays

315872

**Contactor 3RT2016-2AP01**

4kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1
aux NO; dim. 72x45x57,5 mm

Elettrobar 229037 73350 80350

375736

**Contactor 3RT2024-1AL20**

5,5kW 3P; 230V 50-60Hz 400V cont. 3 NO
dim. 45x91x88 mm

Elettrobar 73351

376074

**Contactor LC1K09004U7**

4kW 3P; 230/240V 50/60Hz 440V 4 cont. NO +
1 AUX NC; dim. 57x45x58 mm

Elettrobar 229032 229042 H.775599-001 REB229032

336518

**Relay 1 contact 230V 50/60Hz 30A 250V**

faston 6,3x0,8 mm

Elettrobar 229025 229029 DER111

352543

**Relay 2 contacts 230V 50/60Hz 16A 250V**

faston 6.3x0.8 mm

Elettrobar 926206 929115 DER1106 DER1108

584093

**Relay 2 contacts 230V 50/60Hz 16A 250V**

faston 6.3x0.8 mm

Elettrobar 229039

Fuses, Capacitors, RFI Filters



Capacitor for power factor correction

311818	4µF 450V	206013
418004	5 µF 400V	REB206010
610850	6,3 µF 450V	REB206009
342369	8 µF 450V	REB206001
332311	10µF 400/450V	REB206002
344822	12,5µF 450V	DEC212L
318417	14µF 400/450V	73055
344792	16µF 450V	REB206004
334853	20µF 450V	REB206005



Fuse Ø 5x20 mm - fast

342145	0,315A 250V	926283
315350	0,50A 250V	228009
316857	0,80A 250V	DEF71
312732	2A 250V	228011
435368	4A 250V	228004



Fuse Ø 5x20 mm - slow

435517	0,16A 250V	228012
451463	4A 250V	228014

457358



Fuse holder 5x20 mm

Elettrobar 74935 H.228047

Switches, Push Buttons, Selectors

362975



Push button 16A 250V - ROLD double contact

Elettrobar 208010 REB208010

319550



Double contact push button 16A 250V - ROLD double contact

Elettrobar 226095

316694



Push button 16A 250V - ROLD double contact

Elettrobar 80804

319551



Grey push button support - ROLD

Elettrobar 226113

Switches, Push Buttons, Selectors

451385



Dark grey push button support - ROLD

Elettrobar 226114

523032



Switch holder - ROLD

Elettrobar 226102

319555



Blue elliptical button - ROLD

Elettrobar 227067

451454



White embossed button Ø 21 mm - ROLD

Elettrobar 227079

451395



Push button support Ø 25 mm - Øint.
21,5 mm

Elettrobar 226128

Lamps and Lamp Holders

316070



Pilot lamp Ø 6 mm 230V green - cable L= 200 mm
lens Ø 7 mm

Elettrobar 216028

583842



Pilot lamp Ø 6 mm 5V yellow - cable L= 200 mm
lens Ø 7 mm

Elettrobar 216029

316067



Pilot lamp Ø 6 mm 230V yellow - cable L= 200 mm
lens Ø 7 mm

Elettrobar 216003 216025

317060



Pilot lamp Ø 6 mm 230V with orange lamp lens
L=59 mm

Elettrobar DEL13

347116



Pilot lamp Ø 6 mm 230V with green lamp lens
L=59 mm

Elettrobar 216022 DEL15 REB216022

316981



Green pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216019 REB216019

316575



Orange pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216012 216018_ B.30168500_ DEL10_

355988



Red pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

Elettrobar DEL24

340417



Fluorescent pilot lamp Ø 9 mm 24V
L=55 mm - faston 6,3x0,8 mm

Elettrobar 927334

340396



Fluorescent pilot lamp Ø 9 mm 240V
L=55 mm, faston 6,3x0,8 mm

Elettrobar 216006 926113 DEL25 DEL31

426335



Self locking lens Ø 13 mm - green L=22 mm

Elettrobar 926114 DEP142

Microswitches

455665

**Magnetic E511**

contact NO; 200/250V 1A 58W; cable L=290 mm

Elettrobar 211002 80871 REB211002

200103

**Magnet 40x13xh8 mm**

Elettrobar 927088 CWM7

Terminal Boards

439982

**Terminal board 6-poles sq.mm 6 with bridges installed**

capacity 450V 40A; Tmin-max -5/+150°C; faston 6,3x0,8 mm

Elettrobar 220011 3720150 921057 REB220011

Pumps

382205

**Drain pump 30W 220/240V 50Hz 0,3A**

inlet Ø 30 mm; outlet Ø 24 mm; RAST 5; with support

Elettrobar 130174 130177 80117 999363

Pumps

455338



**Wash pump 1 phase 1100W 230V 50Hz
3,4A**
inlet Ø 60 mm, outlet Ø 49,5 mm; cavi L=390 mm

Elettrobar 80113 80114 80134 C.80114

344822



**Capacitor for power factor correction
12,5µF 450V 50/60Hz**

334853



**Capacitor for power factor correction 20µF
450V 50/60Hz**

455952



Shell for wash pump

360044



O-ring for pompe 3,53x158,34 mm

455490



Pump support for 316692 e 316693

610895



**Shaft sealing Ø 24x11x15 mm / counter-seal
Ø26x14x8 mm**

454580



**Wash pump 3 phase 1500W 230/400V
50Hz SX**
inlet Ø 63 mm; double outlet Ø 40 mm; 2800rpm

Elettrobar 70100

454678



Cooling fan Ø 123 mm

342464



Gasket for pump FIR H=4x4 mm

454679



Pump cooling fan cover Ø 138 mm

381466



**Wash pump 1 phase 310/460W 230V
50/60Hz**
inlet Ø 42 mm; outlet Ø 24 mm; outlet Ø 38 mm
with support - cable L=150/80 mm; C=6,3µF

Elettrobar 69122HZ 74122HZ

Pumps

316498



Wash pump 1 phase LA50 470W 230V 50Hz
inlet Ø 42 mm, outlet Ø 24/37 mm;
C=10µF/425V

Elettrobar 69120

332311



Capacitor for power factor correction 10µF 400/450V 50/60Hz

454137



Pump cover Ø 35x42/115xh53 mm

453639



Threaded ring Ø 70x120 mm

450540



Impeller Ø 88 mm

453014



Cooling fan Ø 112 mm

337237



Sheet metal screws TBC 3,5x13 mm INOX

412354



Shaft sealing Ø 24x12x16 mm / counter-seal Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

324764



Wash pump 1 phase 470W 230V 50Hz
inlet Ø 42 mm; outlet Ø 24 mm; outlet Ø 38 mm
with support - cable L=150/80 mm;
C=10µF/425V

Elettrobar 69122 74122

332311



Capacitor for power factor correction 10µF 400/450V 50/60Hz

454137



Pump cover Ø 35x42/115xh53 mm

453639



Threaded ring Ø 70x120 mm

450540



Impeller Ø 88 mm

453014



Cooling fan Ø 112 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

Pumps

454695



Wash pump 1 phase 700W 230V 50Hz 2.7A
inlet Ø 42 mm, outlet Ø 23 mm, outlet Ø 37 mm
with support; C=14µF

Elettrobar 73048

318417



Capacitor for power factor correction 14µF
400/450V 50/60Hz

453639



Threaded ring Ø 70x120 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

316692



Wash pump 1 phase 800W 230V 50Hz SX
inlet Ø 60 mm, outlet Ø 50 mm; cables L=360
mm; C=16µF/425V

Elettrobar 130147 80112 926078 C80112

344792




Capacitor for power factor correction 16µF
450V 50/60Hz

450122



Shell for wash pump

403403



Impeller Ø 103 mm

583226



O-ring 2,62x126,67 mm EPDM

455490



Pump support for 316692 e 316693

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

Pumps

613978



Rinse pump 1 phase 75W 230V 50Hz
inlet Ø 30 mm; outlet Ø 26 mm; 2700 rpm;
C=5µF/425V

Elettrobar 929167 DPE112

418004



Capacitor for power factor correction 5 µF
400V 50/60Hz

315752



Shell for wash pump

610852



O-ring Ø 4,00x80,00 mm EPDM

455515



Rinse pump 1 phase 200W 230V 50Hz
0,9A DX
inlet Ø 28 mm; outlet Ø 26 mm; C=4µF/425V

Elettrobar 80627

315752



Shell for wash pump
inlet Ø 30 mm; outlet Ø 26 mm

Elettrobar 80812

450122



Shell for wash pump
entrata Ø 60,32 mm; uscita Ø 50,45 mm,
screw M4

Elettrobar 116013

455952



Shell for wash pump
inlet Ø 63 mm, outlet Ø 48 mm; blind rubber
holder Ø 12 mm; threaded bar 4x16 mm

Elettrobar 926086 RAC435

450271



Shell for wash pump
Ø 125,5 mm; upper outlet Ø 37 mm, lower
outlet Ø 24 mm

Elettrobar 116032

454137



Pump cover Ø 35x42/115xh53 mm
LGB LA50

Elettrobar 480148

453639



Threaded ring Ø 70x120 mm
LGB LA50

Elettrobar 429074

455373



Impeller Ø 102 mm

Elettrobar 80197

450543



Impeller Ø 67 mm 60Hz
Htot. 39 mm

Elettrobar 124060

Pumps

450540



Impeller Ø 88 mm

Elettrobar 124057

610852



O-ring Ø 4,00x80,00 mm EPDM
for wash pump shell

Elettrobar 80816

403403



Impeller Ø 103 mm
for pump 316692 - 316688 - 317746

Elettrobar 124031 RAG291

455375



Gasket

Elettrobar 80199

453014



Cooling fan Ø 112 mm

Elettrobar 335015

454679



Pump cooling fan cover Ø 138 mm

Elettrobar 70940

583226



O-ring 2,62x126,67 mm EPDM
for wash pump shell

Elettrobar 456031 REB456031

455490



Pump support for 316692 e 316693
dim. 125x120 mm

Elettrobar 80545

360044



O-ring for pompe 3,53x158,34 mm
for wash pump shell

Elettrobar 926084 RAG61

342464



Gasket for pump FIR H=4x4 mm
EPDM

Elettrobar 456023 70943

Pressure Switches

451307

Digital pressure switch 0÷30mbar
Ø 5,5 mm

Elettrobar 224030

451308

Digital pressure switch 0÷50mbar
Ø 5,5 mm

Elettrobar 224031

**Pressure switch 1 level**

305962	35/17 mbar	REB224004
451302	35/22 mbar	224024
337190	40/18 mbar	69850
451305	50/30 mbar	224028
337146	55/20 mbar	929039
451289	90/56 mbar	224005
451306	90/60 mbar	224029
451297	90/70 mbar	224016
583341	110/60 mbar	224002
428812	110/70 mbar	224010
451303	120/95 mbar	224026
451304	155/130 mbar	224027
312108	180/70 mbar	DEP45
318119	105/125 mbar	224025
321635	140/110 mbar	224008
451301	165/140 mbar	224023

Heating Elements

316839

Boiler heating element 5500W 220/380 - 6543W 240/415V [KIT]
L=365 mm; triangular flange 83,5x78,5 mm;
Øint. 47 mm; with bulb housing L=175 mm;
connection M4

Elettrobar 230083 230083C REB230083 REB230083C

390156

Boiler heating element 7000W 230V
L=360 mm; triangular flange 83,5x78,5 mm;
Øint. 50 mm; with bulb housing L=175 mm;
connection M4

Elettrobar 74086

Heating Elements

451512


Boiler heating element 7600W 230V

L=330 mm; triangular flange 83,5x78,5 mm
 Øint. 49 mm; with bulb housing L=175 mm;
 connections M4

Elettrobar 230117

318690


Tank heating element 3000W 230V

dim. 325x55 mm; mounting distance 65 mm;
 connection M10 - NEOTECH 28-06

Elettrobar 080360 70562 80360 80677

323472


Boiler heating element 8000W 230V [KIT]

L=365 mm; triangular flange 83,5x78,5 mm;
 Øint. 50 mm; with bulb housing L=175 mm;
 connection M4

Elettrobar 230020 230020C 230095 REB230020
REB230095

415037


Tank heating element gasket in EPDM

Elettrobar 437086 REB437086

319418


Boiler heating element 9500W 230V

L=335 mm; triangular flange 83,5x78,8 mm -
 connection M4 with bulb housing Øint 7,5 mm

Elettrobar 80398 80398C C.80398

318611


Contacts protection cover

Elettrobar 467002 69870 REB467002

455441


Boiler heating element 10500W 230V

L=355 mm; triangular flange 83,5x78,5 mm;
 Øint. 47 mm; with bulb housing L=175 mm;
 connection M4

Elettrobar 80397

382202


Resistance mounting bracket

dim. 24x12x14 mm; screw M4x10 mm

Elettrobar 999351

390167


Tank heating element 2500W 230V

dim. 170x120x30 mm; flange 50x26 mm;
 faston 6,3x0,8 mm

Elettrobar 73168

454705


Tank heating element 2500W 230V

dim. 170x120x30 mm; flange 50x26 mm;
 faston 6,3x0,8 mm

Elettrobar 73069

Thermostats

451528



Contact thermostat 60°C +/- 3°C
16A 250V; faston 6,3 mm

Elettrobar 236035 REB236035

456086



Safety thermostat 1P 90=110 °C
coated capillary L=1000 mm ; bulb Ø 6.5x86 mm; with nut CH14 and knob M9

Elettrobar 927057

451532



Contact thermostat 80°C

Elettrobar 236048 REB236048

318114



Contact thermostat 90°C

Elettrobar 236052

318112



Contact thermostat 95°C
with manual reset; 16A 250V

Elettrobar 236047 926189 DRT140 REB236047

317288



Operating thermostat 1P 60°C fixed [Kit]
coated capillary L=600 mm; bulb Ø 9,5x37 mm;
16A 250V

Elettrobar 926196 926259 DRT141

317003



Safety thermostat 1P 83°C
coated capillary L=610 mm; bulb Ø 6x95 mm

Elettrobar 236022 236027 236043 REB236043

Drain components

454770



Drain manifold \varnothing 158 mm
rubber holder \varnothing 30 mm - \varnothing 41 mm

Elettrobar 74073

453613



Drain plate \varnothing 3/4" H=25 mm

Elettrobar 429036 REB429036

450795



Drain manifold
 \varnothing 117x157xh130 mm; rubber holder \varnothing 30/42 mm

Elettrobar 136028

453408



Nut M32x2,5
CH41; H=8 mm

Elettrobar 417125

453637



Filter \varnothing 93x180xh37 mm

453928



O-ring 5,34x136,5 mm EPDM

318126



Overflow pipe \varnothing 35x200 mm LA50

Elettrobar 142058

450791



Drain manifold \varnothing 102x140 mm
hose: 1 x \varnothing 50 mm, 1 x \varnothing 60 mm

Elettrobar 136020 80458 REB136020

450399



Tank filter \varnothing 195 mm H=105 mm

318132



O-ring 2,62x29,82 mm VITON

453911



O-ring 5,34x120,02 mm NBR

454016



Air valve fitting

Elettrobar 468199

Drain components

455384



Overflow pipe Ø 36x285 mm
Øext 74,85 mm

Elettrobar 80249 C.80249

450374



Filter Ø 153x120 mm

456684



O-ring 3,53x32,93 mm VITON

455427



Overflow pipe Ø 36/40x300 mm

Elettrobar 80354

450374



Filter Ø 153x120 mm

456684



O-ring 3,53x32,93 mm VITON

454692



Overflow pipe Ø 36,5x310 mm

Elettrobar 73035 73036

455425



Overflow pipe cover Ø 50,60 mm (flow driven)

450399



Tank filter Ø 195 mm H=105 mm

438662



O-ring 3,53x28,17 mm VITON

455385



Overflow pipe Ø 40x390 mm
river 82/83

Elettrobar 80250 C.80250

450374



Filter Ø 153x120 mm

456684



O-ring 3,53x32,93 mm VITON

455425



Overflow pipe cover Ø 50,60 mm (flow driven)

Elettrobar 80352

Dispensers and Peristaltic pump

700420



Rinse aid hydraulic dispenser adj. capacity 1÷5 cc.
mod. DIB-5P; connection washer pump Ø 10 mm - IN and OUT 180° for hose Ø 4x6 mm

Elettrobar 929198 DWD4

584225



Rinse aid peristaltic pump adj. capacity [Kit]
mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 209025 926278 999323

319634



Rinse aid peristaltic pump fixed capacity
mod MP5-DW, fixed flow rate 0,5 lt/h; 230V 50Hz; silicone hose with non-return valve; cable L=275 mm

Elettrobar 209024 209030 209033 209036
209042 209042C

451068



Rinse aid peristaltic pump adj. capacity (internal use)

586886



Rinse aid peristaltic pump adj. by keyboard [Kit]
mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 41952 DWD3

410373



Suction filter in inox for hose Ø 4x6 mm

344798



Hose for rinse aid pump Ø 5x10 mm - L=200 mm

451068



Rinse aid peristaltic pump adj. capacity (internal use)

451068



Rinse aid peristaltic pump adj. capacity (internal use)
mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 209023 209031 209037 75993

337062



Detergent peristaltic pump electronic adj. time-pause
mod. G202; max capacity 2,0 lt/h; 230V 50Hz; rubber holder Ø 5x8 mm

Elettrobar 209014 REB209014

319636



Hose for rinse aid pump Ø 3x8 mm

700413



Hose for detergent pump thermoplastic

Dispensers and Peristaltic pump

610862



Detergent peristaltic pump fixed capacity (internal use)
 mod. NPG-3; fixed flow rate 3 L/h; 0,1 bar;
 230V 50Hz cable L=200 mm; hose in Santoprene; installation kit included

Elettrobar 209013 REB209013

410373



Suction filter in inox for hose Ø 4x6 mm

610864



Pipe fitting 90° M10x22 mm inox

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm

584103



Detergent peristaltic pump adjust. capacity (internal use)
 mod. NBR-3; flow rate adj. 0,3÷3 lt/h 0,1 bar;
 230V 50Hz; hose in Santoprene; installation kit included

Elettrobar 209021 209029 209038

450899



Hose for detergent pump Santoprene Ø 6x9 mm

451070



Detergent peristaltic pump fixed capacity
 mod. NPG 3; fixed flow 3 L/h; 0,1 bar; 230V
 8W 50/60Hz; hose in Santoprene; cable
 L=90mm

Elettrobar 209028 209039 209039C

410373



Suction filter in inox for hose Ø 4x6 mm

311413



Pipe fitting 90° M12x1,5 inox

450899



Hose for detergent pump Santoprene Ø 6x9 mm

700431



Detergent peristaltic pump adj. capacity (internal use)
 mod. PBR-3; flow rate adj. 0,3÷3 lt/h 0,1 bar;
 230V 50Hz; cable L=1200 mm; installation kit included

Elettrobar 209016 DWD4P

410373



Suction filter in inox for hose Ø 4x6 mm

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm

Dispensers and Peristaltic pump

585529



Detergent peristaltic pump fixed capacity
 mod MP5-DW, fixed flow rate 3 lt/h; 230V
 50Hz; 1bar; hose in Santoprene; cable L=275
 mm

Elettrobar 209043

410373



Suction filter in inox for hose Ø 4x6 mm

450892



Hose for detergent pump Santoprene Ø 4x8,6 mm

339721



PVC gree hose Ø 4x7 mm (sold by meter)

Elettrobar 143013 143194 176479 178099
 REB143194

457354



PVC transparent hose Ø 6x9 mm (sold by meter)

Elettrobar H.165168

410373



Suction filter in inox for hose Ø 4x6 mm
 Ø 20x18 mm

Elettrobar 121075 121143 121993

311413



Pipe fitting 90° M12x1,5 inox
 rubber holder Ø 4x6 mm

Elettrobar 468151 999104 999348

410181



Hose for rinse aid pump sekobrill Ø 3x8 mm
 L=175 mm - rubber holder Ø 4x6 mm

Elettrobar 143251

450899



Hose for detergent pump Santoprene Ø 6x9 mm
 L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143267

450892



Hose for detergent pump Santoprene Ø 4x8,6 mm
 L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143258

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm
 L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143219 REB143219

319636



Hose for rinse aid pump Ø 3x8 mm
 sekobrill L=195 mm; rubber holder Ø 4x6 mm;
 with non-return valve Ø 6 mm

Elettrobar 143266

Dispensers and Peristaltic pump

344798



Hose for rinse aid pump Ø 5x10 mm - L=200 mm
silicone Ø 5x10 mm; rubber holder Ø 4x6 mm; with non-return valve Ø 6 mm

Elettrobar 143261

Solenoid Valves and Reducers

435437



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 240006

451570



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter and inlet reducer 4 lt/min; Tmax 90°C

Elettrobar 240021

451573



Solenoid valve 90° - 3 ways - 230V 50/60Hz - Ø 9,5 mm
with fastons; inlet Ø 10 mm; Tmax 90°C (RPE)

Elettrobar 240025

315708



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter and inlet reducer 5,5 lt/min; Tmax 90°C

Elettrobar 240012 REB240012

411813



Solenoid valve 180° - 1 way - 24Vac 50Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 927242 DEV34S DEV34S16

316170



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter and inlet reducer 6,5 lt/min; Tmax 90°C

Elettrobar 240016 240018 DEV3S16

349298



Solenoid valve 180° - 2 ways - 24Vac 50Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 927001 DEV32416

200121



Solenoid valve 180° - 3 ways - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar DEV3T RTFOC00520

Solenoid Valves and Reducers

339703

Solenoid valve 180° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; outlet
 reducer 0,5 lt/min; Tmax 90°C

Elettrobar 240002

583805

Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240006_

583804

Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240005_ 240011_ DEV35_ REB240011_

583809

Solenoid valve 180° - 2 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240003_ 240004_ 929172_ DEV3D_

583813

Solenoid valve 180° - 3 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar DEV3T_ RTFOC00520_

416623

Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 927380 DEV1

Filters

450399



Tank filter Ø 195 mm H=105 mm

Elettrobar 121120

450797



Drain manifold

318126



Overflow pipe Ø 35x200 mm LA50

453637



Filter Ø 93x180xh37 mm

453928



O-ring 5,34x136,5 mm EPDM

453614



Filter support Ø 142xh135 mm

Elettrobar 429038 80470 REB429038

450374



Filter Ø 153x120 mm

Elettrobar 121052 121081 DAF136U REB121081

454043



Suction unit Ø 104 mm

453726



Shaft flange gasket Ø 50,5x100x2 mm

455348



Tank filter Ø 150xh122 mm

Elettrobar 70159 70559 80159 C.80159

455165



Overflow pipe Ø 40x365 mm

Filters

450407



Filter Ø 195xh100 mm

Elettrobar 121135

450797



Drain manifold

453637



Filter Ø 93x180xh37 mm

453928



O-ring 5,34x136,5 mm EPDM

453637



Filter Ø 93x180xh37 mm

Elettrobar 429072

450416



Tank filter
dim. 224x485x20 mm

Elettrobar 121146

450401



Tank filter 485x223 mm

Elettrobar 121123 121148

455380



Tank filter 270x540 mm

Elettrobar 69235 80235

455348



Tank filter Ø 150xh122 mm

Wash units

456505



Wash/rinse arm L=450 mm

Elettrobar 990130

454761



Wash/rinse arm shaft H=53,5 mm

452921



Wash/rinse arm shaft

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

455361



Retaining ring for wash arm Ø 40x44x3 mm

456504



Wash/rinse arm L=490 mm

Elettrobar 990128

454761



Wash/rinse arm shaft H=53,5 mm

454762



Wash/rinse arm shaft

452921



Wash/rinse arm shaft

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

455361



Retaining ring for wash arm Ø 40x44x3 mm

Wash units

456497



Lower wash/rinse arm L=455 mm
9 wash nozzle - 5 rinse nozzle

Elettrobar 990118

393606



Wash/rinse arm L=195 mm

393818



Wash/rinse arm 195 mm

453896



Knurled nut M5x0,75 Ø 20 mm H=4 mm

438736



O-ring 2,62x15,54 mm NBR

453925



O-ring 2,62x23,81 mm EPDM

379116



Wash/rinse arm L=495 mm

Elettrobar 990151

452921



Wash/rinse arm shaft

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

453644



Ring nut M52x2

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

393606



Wash/rinse arm L=195 mm
4 wash nozzle - 2 rinse nozzle

Elettrobar 106171

393818



Wash/rinse arm 195 mm
5 wash nozzle - 3 rinse nozzle

Elettrobar 106172

Wash units

454362



Wash/rinse arm L=460 mm
9 wash nozzle - 5 rinse nozzle

Elettrobar 69312

454364



Wash/rinse arm

454363



Wash/rinse arm

455527



Wash/rinse arm shaft

452907



Wash/rinse arm shaft

450687



Rinse/wash arm support

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

454363



Wash/rinse arm
4 wash nozzle - 2 rinse nozzle

Elettrobar 69314

454364



Wash/rinse arm
5 wash nozzle - 3 rinse nozzle

Elettrobar 69316

455409



Wash arm L=510 mm

Elettrobar 80311 C.80311

455390



Upper wash/rinse arm shaft

455439



Upper/lower rinse arm shaft L=46,5 mm

455529



Upper/lower rinse arm shaft L=35,5 mm

455968



Wash arm ring nut H=8 mm

455408



Wash arm support

455361



Retaining ring for wash arm Ø 40x44x3 mm

Wash units

455432



Rinse arm L=510 mm
5 rinse nozzle

Elettrobar 80370 C.80370

454414



Rinse arm L=515 mm
Ø 12 mm - 5 rinse nozzle

Elettrobar 69721 80377 C.80377

455435



Rinse arm hose - 3 hole

455434



Rinse arm hose - 2 hole

450682



Rinse arm support L=64,5 mm

455972



Plug for rinse arm

317702



Rinse nozzle Ø 2,5 mm

453896



Knurled nut M5x0,75 Ø 20 mm H=4 mm

455529



Upper/lower rinse arm shaft L=35,5 mm

454389



Rinse arm support L=65 mm

455972



Plug for rinse arm

456093



Rinse nozzle Ø 8 mm Htot.=10 mm

Wash units

454396



Rinse arm L= 515 mm

Elettrobar 69677

455529



Upper/lower rinse arm shaft L=35,5 mm

454389



Rinse arm support L=65 mm

455972




Plug for rinse arm

450808



Rinse nozzle

455549



Knurled nut M12x1 Ø 25 mm H=4 mm - INOX

382212



Rinse arm L=540 mm

Elettrobar 993072

455435



Rinse arm hose - 3 hole
Ø 12x240 mm

Elettrobar 80376 C.80376

455434



Rinse arm hose - 2 hole
Ø 12x240 mm

Elettrobar 80375 C.80375

455390



Upper wash/rinse arm shaft
Ø 16xh52,5 mm

Elettrobar 80282 C.80282

455391



Lower wash/rinse arm shaft
Ø 11xh52,5 mm; M12

Elettrobar 80283

454761



Wash/rinse arm shaft H=53,5 mm
M5x0,75; M12x1,75

Elettrobar 74003

455527



Wash/rinse arm shaft
Ø 14xh66,5 mm

Elettrobar 80640

454762



Wash/rinse arm shaft
Ø 15xh59 mm

Elettrobar 74005

Wash units

452907



Wash/rinse arm shaft
Ø 18/14xh80 mm

Elettrobar 325087

452921



Wash/rinse arm shaft
Ø 18/15xh63,5 mm

Elettrobar 325109

455439



Upper/lower rinse arm shaft L=46,5 mm

Elettrobar 80380 C.80380

455529



Upper/lower rinse arm shaft L=35,5 mm

Elettrobar 80644

454618



Lower wash manifold

Elettrobar 70472 70475

450682



Rinse arm support L=64,5 mm

Elettrobar 129059

454389



Rinse arm support L=65 mm

Elettrobar 69632

450687



Rinse/wash arm support

Elettrobar 129068

455354



Wash arm support Ø 44 mm
rubber holder Ø 12 mm - Ø 23 mm Ø 12 mm

Elettrobar 80174

455355



Upper wash arm support L=310 mm

Elettrobar 69017 80177 C.80177

450011



Wash arm support H=170 mm

Elettrobar 115143

454702



Wash arm support 2"
H=220 mm; Ø 43 mm; Ø 29x35 mm; Ø 12 mm

Elettrobar 73013 73061

Wash units

454310



Wash arm support H=170 mm

Elettrobar 69016

450808



Rinse nozzle

Elettrobar 140036

455357



Lower rinse/wash arm support
thread M10 - rubber holder Ø 11,35 mm

Elettrobar 80179

456093



Rinse nozzle Ø 8 mm Htot.=10 mm

Elettrobar 927068 CSP290

453100



Wash arm support
rubber holder Ø 31 mm - Ø 11,5 mm

Elettrobar 35604

450801



Rinse nozzle

Elettrobar 140019 REB140019

455381



Connection pipe for jets
dim. 400x800 mm

Elettrobar 80237 C.80237

454831



Rinse nozzle - INOX
M5, Htot. 12 mm

Elettrobar 75133

455972



Plug for rinse arm
Ø 9,6x16 mm; Ltot. 19 mm

Elettrobar 926132 DWT312

455968



Wash arm ring nut H=8 mm

Elettrobar 80314 926128 C.80314 CDP258

317702



Rinse nozzle Ø 2,5 mm

Elettrobar 140025 140026 140028 80373

453405



Ring nut 3/4" H=10 mm
CH30 mm

Elettrobar 417120

Wash units

453638



Ring nut M56x2 mm
H=12 mm

Elettrobar 429073

452765



Gasket Ø 40x44x3 mm

Elettrobar 303032 303037 303040

454617



Ring nut

Elettrobar 70473

455360



Flat gasket Ø 46,5x61,5x2 mm

Elettrobar 80182

452799



Ring nut Øext. 35 mm - H=11

Elettrobar 308031

453791



Flat gasket Ø 56,5x75x2 mm

Elettrobar 437102

455389



Ring nut Ø 66 mm

Elettrobar 80281 80285

454619



Flat gasket Ø92,32-Ø70mm H 1,57mm

Elettrobar 70476

453618



Fixing nut

Elettrobar 429050 REB429050

455356



Washarm gasket 109/94x68 mm

Elettrobar 80178 C.80178

455411



Throttle disc Ø 34,5x1 mm

Elettrobar 80316 C.80316

453760



Gasket 76x76x2 mm
Øint. 49 mm

Elettrobar 437064 REB437064

Wash units

455361



Retaining ring for wash arm \varnothing 40x44x3 mm

Elettrobar 80184

453249



Safety catch
dim. 20x36,5x12 mm

Elettrobar 412030

453801



Washer \varnothing 9,4x19,4x1,1 mm - PTFE

Elettrobar 437117 80623

455408



Wash arm support

Elettrobar 80310

455969



Wash arm bushing \varnothing 22 mm - H=37 mm
 \varnothing int. 16,3 mm

Elettrobar 926129 DAS258

455233



Bushing \varnothing 15x39x21 mm
thread M24

Elettrobar 79044

453809



Gasket \varnothing ext. 13x19,5 mm

Elettrobar 441009 REB441009

Air-gaps

450920



Air break

Elettrobar 144033

318207



Air break

dim. 95xh150mm - rubber holder Ø 6 - Ø 8 mm

Elettrobar 144027 144032

450913



Air break

Elettrobar 144021

321153



Air break

dim. 46x35xH72 mm - thread 3/4" - rubber holder Ø 5,5mm

Elettrobar 107012 70600

453405



Ring nut 3/4" H=10 mm

453788



Flat gasket Ø 25/23x33x2,6 mm

200003



Hose EPDM Ø 4x7 mm (sold by meter)

324023



Air break Ø 30,5x34x79 mm [Kit]
rubber holder Ø 5,6 mm

Elettrobar 984005 REB984005

339721



PVC gree hose Ø 4x7 mm (sold by meter)

317923



Air break Ø 30,5x34x79

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

397996



Air brake 2 outlets Ø 6 mm

Elettrobar 107014

200003



Hose EPDM Ø 4x7 mm (sold by meter)

Air-gaps

396749



Air brake 1 outlet Ø 6 mm

Elettrobar 107013

200003



Hose EPDM Ø 4x7 mm (sold by meter)

450090



O-ring 2,62x29,82 mm EPDM

453788



Flat gasket Ø 25/23x33x2,6 mm

Elettrobar 437098

453984

Air break connection 90° M13x2
rubber holder Ø 5,6 mm

Elettrobar 468029 REB468029

Water conditioning

339685

Funnel for salt tank
Ø 34x96 mm

Elettrobar 799002

325024

Refil filter cartridge Profine blue (small)
capacity 15000 lt

Elettrobar 448121

Hoses

324775



Formed hose Ø 24x32 mm - Ø 34x42 mm

Elettrobar 127085

455365



Formed hose 90° - 210x215 mm
Øint. 46/ext. 60 mm

Elettrobar 80187 C.80187

454324



Formed hose Ø 27x34 mm
Ø 18x26,50 mm

Elettrobar 69068

455364



Formed hose 90°
dim. 335x90 mm; Øint. 60 mm

Elettrobar 80186 C.80186

450599



Formed hose Ø 29x36 mm EPDM
dim. 160x155 mm

Elettrobar 127087

455366



Formed hose 90° - 140x230 mm
Øint. 46/ext. 60 mm

Elettrobar 80188 C.80188

450607



Sleeve Ø 25x31x35 mm

Elettrobar 127095

324780



Formed hose Ø 40/48x80 mm

Elettrobar 127082

455367



Sleeve Ø 44x55x66 mm

Elettrobar 127036 80189 REB127036

450605



Formed hose Ø 21x27 mm / Ø 29x34 mm
dim. 280x315 mm

Elettrobar 127093

454590



Drain sleeve
Ø 23x30/32x48 mm

Elettrobar 70167

200003



Hose EPDM Ø 4x7 mm (sold by meter)
working temp. -35°C+110°C; Pmax 10 bar;
WRAS certified

Elettrobar 143131

Hoses

200005



Hose EPDM Ø 5x12 mm (sold by meter)
Working temp. -35°C+110°C; non-toxic

Elettrobar 143005 SPG10

346280



Hose EPDM Ø 10x17 mm - blue -(sold by meter)
Pmax 10 bar; working temp. -35°C+110°C; FDA approved

Elettrobar 143004 143182 143222 REB143004

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar - working temp -35°C+120°C

Elettrobar 143010 SPG17 SPG61

700447



Hose EPDM Ø 20x26 mm (sold by meter)
working temp. -35°C+120°C; Pmax 6 bar

Elettrobar 929171 SPG2230

391579



Blue PVC hose Ø 4x6 mm (sold by meter)

Elettrobar H.775601

387776



PVC transparent hose Ø 10x14 mm (sold by meter)

Elettrobar H.775611-001

339959



Rubber feeder hose 3/4" L=1500 mm
straight connection + 90° plastic connection; nylon ring nut Ø 3/4"F; pipe Ø 13x19 mm; Pmax 10 bar; Tmax 90°C; WRAS/VDE approved

Elettrobar 143170 REB143120 REB143170

438436



Rubber feeder hose 3/4" L=2100 mm
straight connection 90° plastic connection; plastic ring nut Ø 3/4"F; pipe Ø 13x19 mm; Pmax 10 bar; Tmax 90°C; WRAS/VDE approved

Elettrobar 143270 929169 RAT32

524404



Feeder hose with armour 3/4" L=2000 mm DN13
straight connection + 90° connection; ring nut in nickel-plated brass Ø 3/4"F; Pmax 25 bar; Tmax 100°C; WRAS approved

Elettrobar 143273

453338



Rinsing feeder hose
in Ø21-Ø12mm - out Ø32-Ø24mm

Elettrobar 41525

457340



Drain pipe Ø 25 mm 180°+ Ø 25 mm 180° L=1500 mm
pipe Øext 32 mm

Elettrobar DZS151

327920



Drain pipe PPE Ø 20 mm 180°+ Ø 22 mm 90° L=2600 mm
muff 180° Ø 20/24 mm, muff 90° Ø 22/28 mm

Elettrobar 143137 REB143137

Hoses

450579



**Drain pipe Ø 30 mm F 180°+ Ø 51 mm 90°
L=600 mm**

180° sleeve Ø int/ext 30/40 mm, 90° sleeve
Øint/ext 51/61 mm, tube Øext 35 mm

Elettrobar 127056

REB127056

455564



Drain pipe PP Ø 24 mm L=1000 mm

sleeve 90° Øint/ext 22/28 mm - sleeve 180°
Øint/ext 21/26mm

Elettrobar 80702

454583



Drain pipe Ø 28 mm 90° L=600 mm

90° Øint/ext. 28/34 mm, Øext. tube 29 mm

Elettrobar 70116

454579



**Drain pipe PPE Ø 29mm F 180°+ Ø 28mm
90° L=600 mm**

180° sleeve Ø int/ext 29/34 mm, 90°sleeve
Øint/ext 28/34 mm, tube Øext 29 mm

Elettrobar 70097

450889



**Drain pipe Ø 29 mm 90° + Ø 28 mm 180°
L=1700 mm**

sleeve 180° Ø int/ext 28/34 mm, sleeve 90°
Øint/ext 29/34 mm, Øext. tube 29 mm

Elettrobar 143252

403430



**Drain pipe Øint. 35 mm + Ø 50 mm F 90°
L=1870 mm**

Elettrobar 143136

REB143136

Ball valves, Pipe fittings

387905



Fitting kit

Elettrobar XQ00006SHB

450915



Non-return valve L=78 mm
rubber holder Ø 21 mm

Elettrobar 144024

454006



Rubber holder 90° for hose Ø 10 mm

Elettrobar 468165 REB468165

450924



Non-return valve with o-ring
L=78 mm; rubber holder Ø 21 mm - Ø 10,5 mm

Elettrobar 144991B

454685



Y-connection Ø 4-4-4 mm

Elettrobar 70996

454020



Non-return valve fitting Ø 10,5 mm

Elettrobar 468205

450850



Y-connection Ø 12-12-12 mm

Elettrobar 143173 143268 REB143173

453640



Non-return valve ring nut
Ø 9x14 mm

Elettrobar 429075

454022



Non-return valve fitting Ø 11,5 mm

Elettrobar 468209

454033



Ball Ø 8 mm

Elettrobar 476008

321603



Non-return valve 1/2"
rubber holder Øext 12 mm

Elettrobar 144010 144010NT REB144010 REB144010N

454243



Membrane for non-return valve
dim. Ø 23x1,5 mm - SILICONE

Elettrobar 499092

Boilers

376362



Boiler Ø 140x400 mm

Elettrobar 104061

451512



Boiler heating element 7600W 230V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

376358



Boiler Ø 145x400 mm

Elettrobar 104030 104050 104060 REB104030

316645



Boiler heating element 3000W 230V

318116



Boiler heating element 4900W 230/400V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

324024



Boiler 1 Heating element

dim. Ø 180x410 mm - EWK 72 - GL 71/72/74 - RV80 - RV81 - RV78

Elettrobar 80389

315710



Boiler heating element 2600W 230V

451539



Contact thermostat 70°C

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

438465



O-ring 5,34x37,47 mm EPDM

Boilers

455483



Boiler Ø 185x490 mm

Elettrobar 80530

455484



Boiler insulation

Elettrobar 80538

316839



Boiler heating element 5500W 220/380 -
6543W 240/415V [KIT]

323472



Boiler heating element 8000W 230V [KIT]

319418



Boiler heating element 9500W 230V

455931



Closed triangular flange

318112



Contact thermostat 95°C

455484



Boiler insulation

316825



Temperature probe NTC, L=390 mm, bulb Ø
5x30 mm

435303



O-ring 5,34x46,99 mm NBR

Structural components

453190**Adhesive pad**
100x100 mm H=25 mm

Elettrobar 41042 C.41042

45525**Upper rear panel**
dim. 607x112 mm

Elettrobar 80638

454102**Left blue cover plug**

Elettrobar 480105 REB480105

455368**Handle support**
dim. 46x37,5x20 mm

Elettrobar 80190 C.80190

455304**Bumper Ø 6x20x20 mm**

Elettrobar 80105 C.80105

Bearings**452830**

Ball bearing Ø 8x22x7 mm

Elettrobar 314011

Slide Ways - Shelf Supports**455269**

Runner L=585 mm

Elettrobar 80068 80069 C.80068

457398Hood guide
dim. 684x28x28 mm

Elettrobar K70365

454769

Hood guide L=638

Elettrobar 74068

Small Mechanical Parts**453403**

Nut M3 - H=3,5 mm PLASTIC

Elettrobar 417119

453897

Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

Elettrobar 454006

Small Mechanical Parts

453896



Knurled nut M5x0,75 Ø 20 mm H=4 mm

Elettrobar 454005

337237

Sheet metal screws TBC 3,5x13 mm
INOX

Elettrobar 486242

455560

Knurled nut M10x1 Ø 25 mm H=4 mm
Ø 25x4 mm

Elettrobar 80697

455549

Knurled nut M12x1 Ø 25 mm H=4 mm -
INOX

Elettrobar 80679



Hose clamp INOX

438357 Ø 8÷12/9 mm 423010

438480 Ø 12÷22/9 mm CFS14

324768 Ø 20÷32/9 mm CFS18

441699 Ø 25÷40/9 mm CFS25

438464 Ø 32÷50/9 mm CFS1

518655 Ø 40÷60/9 mm 423006

438463 Ø 50÷70/12 mm CFS2

441709 Ø 60÷80/12 mm CFS3

455333



Pin M8x24 mm Ltot.=55 mm

Elettrobar 80131 C.80131

455717



Screw TE M4x6 mm - plastic

Elettrobar 80998

Springs

453043



Gas spring 50N Ø 15/200-379 mm
holes Ø 6,4 mm

Elettrobar 35070

453784



V-ring

455960



Tension spring Ø 30x450x Ltot.=505 mm

Elettrobar 926108 CMT520

455900



Tie rod for spring

455335



Hood lifting pin Ø 42xh34 mm

Elettrobar 80132 80132B C.80132B

455331



Base for roller Ø 64xh13 mm

Elettrobar 80130 80130B 80130V

455520



Hood lifting support
Ø 64,5x56,5 mm

Elettrobar 80632B

455900



Tie rod for spring
M8x160 mm - Ltot=290 mm

Elettrobar 926009 DAG332

Shaft sealing

583386

**Shaft sealing Ø 24x10x14 mm /
counter-seal Ø 26x13x5,5 mm**
for pump with shaft Ø 11 mm

Elettrobar 80815

610895

**Shaft sealing Ø 24x11x15 mm /
counter-seal Ø26x14x8 mm**

Elettrobar 926274

412573

**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

Elettrobar 141002 80121 RAT19

450815

Shaft sealing Ø 24x12x15 mm

Elettrobar 141013

412354

**Shaft sealing Ø 24x12x16 mm /
counter-seal Ø 26x12x8 mm**
shaft sealing in TEFLON, pump shaft Ø 13 mm

Elettrobar 141007 141008 141009 80843
RAT211 REB141007

Membranes


384106



Adhesive membrane 257x36 mm

Elettrobar 70705 70728


455475



**Adhesive membrane 422x36 mm
River 81**

Elettrobar 80521 C.80521

323182



Adhesive membrane L=420 mm

Elettrobar 80520

Printed Circuit Boards

451190



Pcb
dim. 61x41 mm; GET50.1

Elettrobar 215036

317723



Motherboard
LP201

Elettrobar 215022

318118



Motherboard
NT400-NT800

Elettrobar 215027

315530



Motherboard
K500/500P - ST330/330H

Elettrobar 215029 215038

Printed Circuit Boards

316865



Motherboard (without processor)
GL71/72/71 - GS55/77 - GOLD43 - LP201 - SV71/72

Elettrobar 215023

584052



Pcb
dim. 105x183 mm

Elettrobar 215041-1 215042-1

456610



Motherboard
NT901 - dim.150x80 mm

Elettrobar 999298

317721



Interface board
RV44 - RV80

Elettrobar 227059 227084

451183



Motherboard
dim. 137x85 mm

Elettrobar 215034-1

319647



Interface board
NT800 - NT901

Elettrobar 227074

451187



Motherboard
OPT10112C- dim. 135x85 mm

Elettrobar 215034-5

455692



Pcb
dim. 45x255 mm

Elettrobar 80943

451176



Pcb
dim. 178x126 mm

Elettrobar 2150324 215032-4

455693



Pcb
dim. 34x155 mm

Elettrobar 80944

390456



Pcb GET 50.2

Elettrobar 215042-7

454786



Keyboard pcb
dim. 224x34 mm

Elettrobar 74904

Printed Circuit Boards

389886



Pcb with LCD display
dim. 275x45 mm

Elettrobar 74905 74905V

381130



Coated flat cable L=3200 mm 10 poles

Elettrobar 74933

455718



Eprom

Elettrobar 81000

319171



Eprom

Elettrobar 81001

453447



Pcb spacer M3
dim. 6x6xLtot. 18 mm

Elettrobar 419036 461021

321263



Flat cable L=3000 mm [Kit]

Elettrobar 80933 926272 K74933

324222



Flat cable L=760 mm 10 poles

Elettrobar 80934 926281 DWS90

Probes

316825



Temperature probe NTC, L=390 mm,
bulb \varnothing 5x30 mm
working temperature range $-40+110^{\circ}\text{C}$; with
connector

Elettrobar 231014 231016

454462



Probe holder L=195 mm

Elettrobar 69871

Flat gaskets

453731



Flat gasket \varnothing 26,4x35,6x1,8 mm - Fiber

Elettrobar 437025 REB437025

453802



Flat gasket \varnothing 24,5x34x2,7 mm EPDM

Elettrobar 437118

453790



Flat gasket \varnothing 10x20x0,5 mm - Teflon

Elettrobar 437100

453771



Flat gasket \varnothing 16,5x33x1,6 mm - EPDM

Elettrobar 437078 REB437078

453776



Flat gasket \varnothing 19,5x32,5x1,6 mm

Elettrobar 437083

453793



Flat gasket \varnothing 33x45x2 mm - EPDM

Elettrobar 437104

Flat gaskets

453773



Lip gasket Ø 27,7x39,7x1,6 mm

Elettrobar 437080

O-rings



O-ring 2,62x

438735	9,19 mm NBR	456011
357932	9,92 mm	REB456015
340097	10,77 mm EPDM	456006
396761	12,37 mm EPDM	456020
412831	15,88 mm EPDM	CGR121
438736	15,54 mm NBR	456070
340151	20,50 mm	456010
325098	21,89 mm EPDM	456041
435133	25,07 mm NBR	CGR3100
453925	23,81 mm EPDM	456071
318132	29,82 mm VITON	456081
450090	29,82 mm EPDM	456073
360045	75,87 mm NBR	456088
366632	82,22 mm EPDM	456084



O-ring 3,53x

453922	113,89 mm EPDM	456067
373192	9,12 mm EPDM	REB456047
438223	26,57 mm NBR	CGR4106
438662	28,17 mm VITON	70135
456684	32,93 mm VITON	CGR4131NT
416280	34,52 mm NBR	CGR4118
415640	41,28 mm NBR	456052
337250	47,22 mm - NBR	925006
453920	49,21 mm EPDM	456061
315338	50,80 mm NBR	CGR155
456028	69,85 mm EPDM	926252
453929	112 mm EPDM	456078



O-ring 5,34x

438465	37,47 mm EPDM	456075
435303	46,99 mm NBR	REB456002
435067	56,52 mm NBR	CGG55
453911	120,02 mm NBR	456040
453928	136,5 mm EPDM	456076

Dishwashing Baskets

340086



Basket 382x382xh105 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983055

586953



Basket 350x350xh120 mm - plastic, for glasses

Elettrobar 780138

340085



Basket 382x382xh200 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983001

586952



Basket 390x390xh150 mm - plastic, for glasses

Elettrobar 780133

454646



Steel basket Ø350 mm H=110 mm
basic equipment

Elettrobar 43301 706127

586946



Basket for glasses Ø 350 mm H= 160 mm

Elettrobar 706147

454644



Steel basket Ø 350 mm H = 110 mm - for glasses

Elettrobar 706095 DCR15

586951



Basket for glasses Ø 390 mm H= 175 mm

Elettrobar 706148

582465



Tools container 150x150x253 mm

Elettrobar 712017

586373



Container cutlery 110x110xh130 mm

Elettrobar 780139

586080



Basket 500x500xh100 mm - for cups and glasses

Elettrobar 780132

586120



Basket 500x500xh100 mm - for cutlery

Elettrobar 780080

Dishwashing Baskets

441931



Container cutlery 110x110xh130 mm

Elettrobar 780068

586466



Basket 500x500xh105 mm - plastic 18 dishes or 12 soup plates
Grey

Elettrobar 780072_

586119



Basket 500x500xh100 mm - plastic 18 dishes or 12 soup plates
Green

Elettrobar 780072

586121



Basket 500x500 mm - plastic,

Elettrobar 780106

351274



Basket 500x500xh105 mm - UK16

Elettrobar 780131

Baskets Holder

454714



Basket holder

dim. 535x490 mm

Elettrobar 73255

455383



Basket holder

dim. 575x575x65 mm

Elettrobar 80240

K80240

WAREWASHER

**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Contactors and Relays

315872

**Contactor 3RT2016-2AP01**

4kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1 aux NO; dim. 72x45x57,5 mm

Elettrobar 229037 73350 80350

364351



Relay 3 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 229036 229040 RTFOC00144

375736

**Contactor 3RT2024-1AL20**

5,5kW 3P; 230V 50-60Hz 400V cont. 3 NO
dim. 45x91x88 mm

Elettrobar 73351

382288



Automatic motor protection
3RV2011-1GA10
2,2kW; 4,5-6,3A; 3P (AC3/400V)

Elettrobar DEI38N

376074

**Contactor LC1K09004U7**

4kW 3P; 230/240V 50/60Hz 440V 4 cont. NO +
1 AUX NC; dim. 57x45x58 mm

Elettrobar 229032 229042 H.775599-001 REB229032

336518



Relay 1 contact 230V 50/60Hz 30A 250V
faston 6,3x0,8 mm

Elettrobar 229025 229029 DER111

352543



Relay 2 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 926206 929115 DER1106 DER1108

584093



Relay 2 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 229039

Fuses, Capacitors, RFI Filters



Capacitor for power factor correction

311818	4 μ F 450V	206013
418004	5 μ F 400V	REB206010
610850	6,3 μ F 450V	REB206009
342369	8 μ F 450V	REB206001
332311	10 μ F 400/450V	REB206002
344822	12,5 μ F 450V	DEC212L
318417	14 μ F 400/450V	73055
344792	16 μ F 450V	REB206004
334853	20 μ F 450V	REB206005

381157



Capacitor for power factor correction 5 μ F

Elettrobar 206014



Fuse \varnothing 5x20 mm - slow

435517	0,16A 250V	228012
451463	4A 250V	228014

317727



Fuse holder

Elettrobar 210010

317730



Insulating plate

Elettrobar 210011

457358



Fuse holder 5x20 mm

Elettrobar 74935 H.228047

Lamps and Lamp Holders

317060



Pilot lamp Ø 6 mm 230V with orange lamp lens
L=59 mm

Elettrobar DEL13

340396



Fluorescent pilot lamp Ø 9 mm 240V
L=55 mm, faston 6,3x0,8 mm

Elettrobar 216006 926113 DEL25 DEL31

347116



Pilot lamp Ø 6 mm 230V with green lamp lens
L=59 mm

Elettrobar 216022 DEL15 REB216022

426335



Self locking lens Ø 13 mm - green L=22 mm

Elettrobar 926114 DEP142

316981



Green pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216019 REB216019

316575



Orange pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216012 216018_ B.30168500_ DEL10_

355988



Red pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

Elettrobar DEL24

340417



Fluorescent pilot lamp Ø 9 mm 24V
L=55 mm - faston 6,3x0,8 mm

Elettrobar 927334

Microswitches

455665

**Magnetic E511**

contact NO; 200/250V 1A 58W; cable L=290 mm

Elettrobar 211002 80871 REB211002

200103

**Magnet 40x13xh8 mm**

Elettrobar 927088 CWM7

Terminal Boards

584833

**Terminal board 4-poles sq.mm. 6**

no bridges installed

Elettrobar 220010 459018 REB220010

439982

**Terminal board 6-poles sq.mm 6 with bridges installed**

capacity 450V 40A; Tmin-max -5/+150°C; faston 6,3x0,8 mm

Elettrobar 220011 3720150 921057 REB220011

Pumps

318615

**Drain pump 32W 220V 0,25A 60Hz**

without cover; RAST 5

Elettrobar 450002

315716

**Drain pump 40W 220-240V 50Hz 0,2A**

suction Ø 24 mm, outlet Ø 22 mm; faston 6,3 mm

Elettrobar 130105 130176

Pumps

450758



Drain pump 30W 220/240V 50Hz 0,3A
inlet Ø 30 mm; outlet Ø 22 mm; RAST 5

Elettrobar 130123 130179 999364 REB130123

382205



Drain pump 30W 220/240V 50Hz 0,3A
inlet Ø 30 mm; outlet Ø 24 mm; RAST 5; with support

Elettrobar 130174 130177 80117 999363

455338



Wash pump 1 phase 1100W 230V 50Hz 3,4A
inlet Ø 60 mm, outlet Ø 49,5 mm; cavi L=390 mm

Elettrobar 80113 80114 80134 C.80114

344822



Capacitor for power factor correction
12,5µF 450V 50/60Hz

334853



Capacitor for power factor correction 20µF
450V 50/60Hz

455952



Shell for wash pump

360044



O-ring for pompe 3,53x158,34 mm

455490



Pump support for 316692 e 316693

610895



Shaft sealing Ø 24x11x15 mm / counter-seal
Ø26x14x8 mm

Pumps

453459



Wash pump 3 phase 1700W 230/400V
50Hz
inlet Ø 63 mm; outlet Ø 47 mm; 2800rpm

Elettrobar 41990

362745



Shell for wash pump

453460



Impeller Ø 113 mm

342464



Gasket for pump FIR H=4x4 mm

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm

454580



Wash pump 3 phase 1500W 230/400V
50Hz SX
inlet Ø 63 mm; double outlet Ø 40 mm; 2800rpm

Elettrobar 70100

454678



Cooling fan Ø 123 mm

342464



Gasket for pump FIR H=4x4 mm

454679



Pump cooling fan cover Ø 138 mm

317543



Wash pump 3 phase 2982W 230/400V
50Hz 10A
inlet Ø 63 mm, outlet Ø 63 mm, 2800 rpm

Elettrobar 929175 DPE453S

456395



Shell for wash pump

456386



Impeller Ø 135 mm

456393



Cooling fan Ø 155 mm

456385



Pump gasket

456392



Pump cooling fan cover Ø 175 mm

456384



Shaft sealing Ø 39x16x16 mm

Pumps

456377



**Wash pump 3 phase 3000W 230/400V
50Hz 10/5,8A**
inlet Ø 61 mm, outlet Ø 62 mm, 2800 rpm

Elettrobar 929174 DPE453D

456395



Shell for wash pump

456386



Impeller Ø 135 mm

456393



Cooling fan Ø 155 mm

456385



Pump gasket

456392



Pump cooling fan cover Ø 175 mm

456384



Shaft sealing Ø 39x16x16 mm

450749



Wash pump 1 phase 190W 230V 50Hz SX
inlet Ø 28 mm; outlet 1 Ø 22 mm, outlet 2 Ø 27
mm; C=4µF/400V; cable L=160 mm

Elettrobar 130166

389847



**Wash pump 1 phase 180W 230/240V 50Hz
0.8A**
inlet Ø 28 mm; outlet Ø 21,50 mm - Ø 27 mm;
C=5µF

Elettrobar 130202

Pumps

450772



Wash pump 1 phase 470W 230V 50Hz
2,0A
inlet Ø 42 mm, outlet Ø 24/37 mm; 2800rpm;
C=10µF 400V

Elettrobar 130161 130982

332311



Capacitor for power factor correction 10µF
400/450V 50/60Hz

454137



Pump cover Ø 35x42/115xh53 mm

453639



Threaded ring Ø 70x120 mm

450543



Impeller Ø 67 mm 60Hz

450540



Impeller Ø 88 mm

453014



Cooling fan Ø 112 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

450768



Wash pump 1 phase 470W 230V 50Hz
inlet Ø 42 mm, upper outlet Ø 37 mm, lower
outlet Ø 24 mm; C=10µF

Elettrobar 130977

332311



Capacitor for power factor correction 10µF
400/450V 50/60Hz

450271



Shell for wash pump

450543



Impeller Ø 67 mm 60Hz

450540



Impeller Ø 88 mm

453014



Cooling fan Ø 112 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

Pumps

450767



Wash pump 1 phase 470W 230V 60Hz
inlet Ø 42 mm, upper outlet Ø 37 mm, lower
outlet Ø 24 mm; C=10µF

Elettrobar 130976

450271



Shell for wash pump

454695



**Wash pump 1 phase 700W 230V 50Hz
2.7A**
inlet Ø 42 mm, outlet Ø 23 mm, outlet Ø 37 mm
with support; C=14µF

Elettrobar 73048

318417



Capacitor for power factor correction 14µF
400/450V 50/60Hz

453639



Threaded ring Ø 70x120 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

453929



O-ring 3,53x112 mm EPDM

450733



**Wash pump 1 phase 850W 200-230V 60Hz
3,8A SX**
inlet Ø 50,5 mm; outlet Ø 49 mm; cable L=340
mm; C=16µF/400V

Elettrobar 130133

317746



Wash pump 1 phase 850W 200/230V 3,8A
inlet Ø 50 mm; outlet Ø 48 mm; C=16µF


Elettrobar 130126 REB130126

344792



Capacitor for power factor correction 16µF
450V 50/60Hz

403403



Impeller Ø 103 mm

583226



O-ring 2,62x126,67 mm EPDM

612850



Ball bearing Ø 12x32x10 mm

412354



Shaft sealing Ø 24x12x16 mm / counter-seal
Ø 26x12x8 mm

455515



**Rinse pump 1 phase 200W 230V 50Hz
0,9A DX**
inlet Ø 28 mm, outlet Ø 26 mm; C=4µF/425V

Elettrobar 80627

362745



Shell for wash pump
inlet Ø 63 mm, outlet Ø 47 mm; plug M16

Elettrobar 116002

Pumps

456395



Shell for wash pump

Elettrobar 929191 RAC434

456386



Impeller Ø 135 mm

Elettrobar 929181 RAG28

585659



Shell for wash pump
inlet Ø 63 mm; outlet Ø 43 mm

Elettrobar 66451

450543



Impeller Ø 67 mm 60Hz
Htot. 39 mm

Elettrobar 124060

450271



Shell for wash pump
Ø 125,5 mm; upper outlet Ø 37 mm, lower
outlet Ø 24 mm

Elettrobar 116032

450546



Impeller Ø 70 mm
Htot. 38 mm

Elettrobar 124063

454137



Pump cover Ø 35x42/115xh53 mm
LGB LA50

Elettrobar 480148

450540



Impeller Ø 88 mm

Elettrobar 124057

453639



Threaded ring Ø 70x120 mm
LGB LA50

Elettrobar 429074

403403



Impeller Ø 103 mm
for pump 316692 - 316688 - 317746

Elettrobar 124031 RAG291

455373



Impeller Ø 102 mm

Elettrobar 80197

453460



Impeller Ø 113 mm
for pump 453459

Elettrobar 41991

Pumps

453014



Cooling fan Ø 112 mm

Elettrobar 335015

455375



Gasket

Elettrobar 80199

360029

Cooling fan Ø 123 mm
for shaft Ø 15 mm

Elettrobar 335003

456392



Pump cooling fan cover Ø 175 mm

Elettrobar 929188 RAC522

456393

Cooling fan Ø 155 mm
for shaft Ø 18 mm

Elettrobar 929189 RAV33

454679



Pump cooling fan cover Ø 138 mm

Elettrobar 70940

583226

O-ring 2,62x126,67 mm EPDM
for wash pump shell

Elettrobar 456031 REB456031

318123

Water container
SOFT/START LA50

Elettrobar 144028 999316

342464

Gasket for pump FIR H=4x4 mm
EPDM

Elettrobar 456023 70943

455490

Pump support for 316692 e 316693
dim. 125x120 mm

Elettrobar 80545

456385

Pump gasket
dim. 4,5mm x Ø 182mm

Elettrobar 929180 RAG54

Pressure Switches

451307



Digital pressure switch 0÷30mbar
Ø 5,5 mm

Elettrobar 224030

316890



Digital pressure switch 0÷30mbar [Kit]

Elettrobar 224018 999328

451308



Digital pressure switch 0÷50mbar
Ø 5,5 mm

Elettrobar 224031

Heating Elements

315710



Boiler heating element 2600W 230V
L=265 mm; triangular flange 69x69xmm; with O-ring and bulb housing L=175 mm

Elettrobar 230113

318116



Boiler heating element 4900W 230/400V
L=330 mm; triangular flange 83,5x78,5 mm; Øint. 47 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230111

317921



Boiler heating element 4500W 220/38V 5355W 240/415V
L=335 mm; triangular flange 83,7x78,8 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230013 230034 230081 REB230034

316839



Boiler heating element 5500W 220/380 - 6543W 240/415V [KIT]
L=365 mm; triangular flange 83,5x78,5 mm; Øint. 47 mm; with bulb housing L=175 mm; connection M4

Elettrobar 230083 230083C REB230083 REB230083C

Heating Elements

390156



Boiler heating element 7000W 230V
L=360 mm; triangular flange 83,5x78,5 mm;
Øint. 50 mm; with bulb housing L=175 mm;
connection M4

Elettrobar 74086

390064



Tank heating element 2100W 230V
dim. 155x120x30 mm; flange 50x26 mm;
faston 6,3x0,8 mm

Elettrobar 74169

451512



Boiler heating element 7600W 230V
L=330 mm; triangular flange 83,5x78,5 mm
Øint. 49 mm; with bulb housing L=175 mm;
connections M4

Elettrobar 230117

454705



Tank heating element 2500W 230V
dim. 170x120x30 mm; flange 50x26 mm;
faston 6,3x0,8 mm

Elettrobar 73069

323472



Boiler heating element 8000W 230V [KIT]
L=365 mm; triangular flange 83,5x78,5 mm;
Øint. 50 mm; with bulb housing L=175 mm;
connection M4

Elettrobar 230020 230020C 230095 REB230020
REB230095

318690



Tank heating element 3000W 230V
dim. 325x55 mm; mounting distance 65 mm;
connection M10 - NEOTECH 28-06

Elettrobar 080360 70562 80360 80677


319418



Boiler heating element 9500W 230V
L=335 mm; triangular flange 83,5x78,8 mm -
connection M4 with bulb housing Øint 7,5 mm

Elettrobar 80398 80398C C.80398

317002



**Tank heating element 2750/3250W
220/240V**
dim. 380x105 mm; connection M10; mounting
distance 75 mm

Elettrobar 230086 REB230060 REB230086

451501



Tank heating element 600W 230V
L=160 mm; flange 50x26 mm; faston 6,3x0,8
mm

Elettrobar 230098 REB230098

415037



Tank heating element gasket in EPDM

Elettrobar 437086 REB437086

390192



Tank heating element 1400W 230V
dim. 155x190x30 mm; flange 50x26 mm;
faston 6,3x0,8 mm

Elettrobar 230125

318611



Contacts protection cover

Elettrobar 467002 69870 REB467002

Heating Elements

382202

**Resistance mounting bracket**

dim. 24x12x14 mm; screw M4x10 mm

Elettrobar 999351

Thermostats

451532

**Contact thermostat 80°C**

Elettrobar 236048 REB236048

456086

**Safety thermostat 1P 90÷110 °C**

coated capillary L=1000 mm ; bulb Ø 6.5x86 mm; with nut CH14 and knob M9

Elettrobar 927057

318114

**Contact thermostat 90°C**

Elettrobar 236052

318112

**Contact thermostat 95°C**
with manual reset; 16A 250V

Elettrobar 236047 926189 DRT140 REB236047

435232

**Contact thermostat 110°C**
with manual reset; 16A 250V

Elettrobar 236039 236057 REB236039

Drain components

450796

Drain manifold
rubber holder \varnothing 7,5 mm - \varnothing 25 mm - \varnothing 30 mm

Elettrobar 136029

389902


Drain fitting H=115 mm
rubber holder \varnothing 11,60 mm

Elettrobar 67179

450797

Drain manifold
dim. 158x160x110 mm

Elettrobar 136030

454016**Air valve fitting**

Elettrobar 468199

450795

Drain manifold
 \varnothing 117x157xh130 mm; rubber holder \varnothing 30/42 mm

Elettrobar 136028

454002

Drain fitting \varnothing 24 mm - L=53,5 mm
flange 64x34,5 mm

Elettrobar 468152 REB468152

453637**Filter \varnothing 93x180xh37 mm****453928****O-ring 5,34x136,5 mm EPDM****454998****Flat gasket \varnothing 47x68x2,3 mm**

Elettrobar 75873

450791

Drain manifold \varnothing 102x140 mm
hose: 1 x \varnothing 50 mm, 1 x \varnothing 60 mm

Elettrobar 136020 80458 REB136020

453911**O-ring 5,34x120,02 mm NBR**

Drain components

454996



Drain plate
Ø 31,5x66,5x44,2 mm; M47

Elettrobar 75871

454998



Flat gasket Ø 47x68x2,3 mm

454997



Nut for drain plate

453579



Overflow pipe

454997



Nut for drain plate
CH 52; M45

Elettrobar 75872

453408



Nut M32x2,5
CH41; H=8 mm

Elettrobar 417125

450793



Drain plate 90° 1" 1/4
outlet Ø 30 mm

Elettrobar 136023 REB136023

450834



Overflow pipe Ø 35x147 mm

450834



Overflow pipe Ø 35x147 mm

Elettrobar 142052 REB142052

450793



Drain plate 90° 1" 1/4

318126



Overflow pipe Ø 35x200 mm LA50

Elettrobar 142058

450399



Tank filter Ø 195 mm H=105 mm

318132



O-ring 2,62x29,82 mm VITON

Drain components

455384



Overflow pipe Ø 36x285 mm
Øext 74,85 mm

Elettrobar 80249 C.80249

450374



Filter Ø 153x120 mm

456684



O-ring 3,53x32,93 mm VITON

453579



Overflow pipe

Elettrobar 42582

455385



Overflow pipe Ø 40x390 mm
river 82/83

Elettrobar 80250 C.80250

450374



Filter Ø 153x120 mm

456684



O-ring 3,53x32,93 mm VITON

Dispensers and Peristaltic pump

319634



Rinse aid peristaltic pump fixed capacity
mod MP5-DW, fixed flow rate 0,5 lt/h; 230V 50Hz; silicone hose with non-return valve; cable L=275 mm

Elettrobar 209024 209030 209033 209036
209042 209042C

410373



Suction filter in inox for hose Ø 4x6 mm

344798



Hose for rinse aid pump Ø 5x10 mm - L=200 mm

584225



Rinse aid peristaltic pump adj. capacity [Kit]
mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 209025 926278 999323

451068



Rinse aid peristaltic pump adj. capacity (internal use)

586886



Rinse aid peristaltic pump adj. by keyboard [Kit]
mod. NBR-0,4; flow rate adj 0,4 lt/h 3bar; 230V 50Hz; rubber holder Ø 5 / Ø 6,5 mm

Elettrobar 41952 DWD3

451068



Rinse aid peristaltic pump adj. capacity (internal use)

337062



Detergent peristaltic pump electronic adj. time-pause
mod. G202; max capacity 2,0 lt/h; 230V 50Hz; rubber holder Ø 5x8 mm

Elettrobar 209014 REB209014

700413



Hose for detergent pump thermoplastic

610862



Detergent peristaltic pump fixed capacity (internal use)
mod. NPG-3; fixed flow rate 3 L/h; 0,1 bar; 230V 50Hz cable L=200 mm; hose in Santoprene; installation kit included

Elettrobar 209013 REB209013

410373



Suction filter in inox for hose Ø 4x6 mm

610864



Pipe fitting 90° M10x22 mm inox

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm

584103



Detergent peristaltic pump adjust. capacity (internal use)
mod. NBR-3; flow rate adj. 0,3+3 lt/h 0,1 bar; 230V 50Hz; hose in Santoprene; installation kit included

Elettrobar 209021 209029 209038

450899



Hose for detergent pump Santoprene Ø 6x9 mm

Dispensers and Peristaltic pump

451070



Detergent peristaltic pump fixed capacity
mod. NPG 3; fixed flow 3 L/h; 0,1 bar; 230V 8W 50/60Hz; hose in Santoprene; cable L=90mm

Elettrobar 209028 209039 209039C

410373



Suction filter in inox for hose Ø 4x6 mm

311413



Pipe fitting 90° M12x1,5 inox

450899



Hose for detergent pump Santoprene Ø 6x9 mm

585529



Detergent peristaltic pump fixed capacity
mod MP5-DW, fixed flow rate 3 lt/h; 230V 50Hz; 1bar; hose in Santoprene; cable L=275 mm

Elettrobar 209043

410373



Suction filter in inox for hose Ø 4x6 mm

450892



Hose for detergent pump Santoprene Ø 4x8,6 mm

585535



Detergent peristaltic pump fixed capacity
mod MP5-DW, fixed flow rate 3 lt/h; 230V 50Hz; 1bar; hose in Santoprene; cable L=275 mm

Elettrobar 209022 209043C

410373



Suction filter in inox for hose Ø 4x6 mm

450892



Hose for detergent pump Santoprene Ø 4x8,6 mm

339721



PVC gree hose Ø 4x7 mm (sold by meter)

Elettrobar 143013 143194 176479 178099
REB143194

457354



PVC transparent hose Ø 6x9 mm (sold by meter)

Elettrobar H.165168

410373



Suction filter in inox for hose Ø 4x6 mm Ø 20x18 mm

Elettrobar 121075 121143 121993

Dispensers and Peristaltic pump

311413



Pipe fitting 90° M12x1,5 inox
rubber holder Ø 4x6 mm

Elettrobar 468151 999104 999348

319636



Hose for rinse aid pump Ø 3x8 mm
sekobrill L=195 mm; rubber holder Ø 4x6 mm;
with non-return valve Ø 6 mm

Elettrobar 143266

454017



Pipe fitting M10 - Ltot=53 mm
rubber holder Ø 5 mm; CH14

Elettrobar 468200

344798



Hose for rinse aid pump Ø 5x10 mm - L=200 mm
silicone Ø 5x10 mm; rubber holder Ø 4x6 mm;
with non-return valve Ø 6 mm

Elettrobar 143261

410181



Hose for rinse aid pump sekobrill Ø 3x8 mm
L=175 mm - rubber holder Ø 4x6 mm

Elettrobar 143251

450899



Hose for detergent pump Santoprene Ø 6x9 mm
L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143267

450892



Hose for detergent pump Santoprene Ø 4x8,6 mm
L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143258

410180



Hose for detergent pump Santoprene Ø 6,25x10,55 mm
L=180 mm - rubber holder Ø 4x6 mm

Elettrobar 143219 REB143219

Solenoid Valves and Reducers

435437



**Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 240006

435409



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 240005 240011 DEV35 REB240011

451572



**Solenoid valve 90° - 1 way - 230V 50/60Hz
- Ø 11 mm**
with fastons; inlet Ø 11 mm; Tmax 90°C

Elettrobar 240024

451570



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 4 lt/min; Tmax 90°C

Elettrobar 240021

451573



**Solenoid valve 90° - 3 ways - 230V
50/60Hz - Ø 9,5 mm**
with fastons; inlet Ø 10 mm; Tmax 90°C (RPE)

Elettrobar 240025

315708



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 5,5 lt/min; Tmax 90°C

Elettrobar 240012 REB240012

411813



**Solenoid valve 180° - 1 way - 24Vac 50Hz -
Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax.
90°C

Elettrobar 927242 DEV34S DEV34S16

316170



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and inlet
reducer 6,5 lt/min; Tmax 90°C

Elettrobar 240016 240018 DEV3S16

456607



**Flow diverter solenoid valve 220/240V
50/60Hz**
with fastons; inlet/outlet Ø 10,5 mm; outlet 0,5
lt/min; Tmax. 90°C

Elettrobar 999288

451565



**Solenoid valve 180° - 2 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; outlet 1
with reducer 0,5 lt/min; Tmax 90°C

Elettrobar 240010 REB240010

349298



**Solenoid valve 180° - 2 ways - 24Vac 50Hz
- Ø 14 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 927001 DEV32416

200121



**Solenoid valve 180° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar DEV3T RTFOC00520

Solenoid Valves and Reducers

339703



Solenoid valve 180° - 3 ways - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; outlet
 reducer 0,5 lt/min; Tmax 90°C

Elettrobar 240002

583805



Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240006_

583804



Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240005_ 240011_ DEV35_ REB240011_

583809



Solenoid valve 180° - 2 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 240003_ 240004_ 929172_ DEV3D_

583813



Solenoid valve 180° - 3 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar DEV3T_ RTFOC00520_

416623



Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm
 with fastons; inlet Ø 3/4" with filter; Tmax
 90°C

Elettrobar 927380 DEV1

Filters

403060



Filter nut Ø 20,7x13 mm

Elettrobar 408006 REB408006

450374



Filter Ø 153x120 mm

Elettrobar 121052 121081 DAF136U REB121081

450399



Tank filter Ø 195 mm H=105 mm

Elettrobar 121120

454043



Suction unit Ø 104 mm

453726



Shaft flange gasket Ø 50,5x100x2 mm

450797



Drain manifold

318126



Overflow pipe Ø 35x200 mm LA50

453637



Filter Ø 93x180xh37 mm

453928



O-ring 5,34x136,5 mm EPDM

450396



Wash pump filter Ø 155xh120 mm

Elettrobar 121115

455348



Tank filter Ø 150xh122 mm

Elettrobar 70159 70559 80159 C.80159

455165



Overflow pipe Ø 40x365 mm

453614



Filter support Ø 142xh135 mm

Elettrobar 429038 80470 REB429038

Filters

450407



Filter Ø 195xh100 mm

Elettrobar 121135

450797



Drain manifold

453637



Filter Ø 93x180xh37 mm

453928



O-ring 5,34x136,5 mm EPDM

453637



Filter Ø 93x180xh37 mm

Elettrobar 429072

450409



Tank filter 363x185 mm

Elettrobar 121137

450416



Tank filter
dim. 224x485x20 mm

Elettrobar 121146

450401



Tank filter 485x223 mm

Elettrobar 121123 121148

455193



Pre-washing tank filter
dim. 300x273x35 mm

Elettrobar 77842

455348



Tank filter Ø 150xh122 mm

450413



Filter Ø 146,5x90 mm

Elettrobar 121142

450796



Drain manifold

453642



Ring nut Ø 136 mm

453794



Flat gasket Ø 86x107,5x2,5 mm

Filters

455380



Tank filter 270x540 mm

Elettrobar 69235 80235

455348



Tank filter Ø 150xh122 mm

Wash units

456502



Wash/rinse arm L=400 mm

Elettrobar 990126

434446



Wash arm support

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

450973



Water restrictor disc

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

452756



Retaining ring Ø 34,5x40,5x2,4 mm

456504



Wash/rinse arm L=490 mm

Elettrobar 990128

454761



Wash/rinse arm shaft H=53,5 mm

454762



Wash/rinse arm shaft

452921



Wash/rinse arm shaft

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

455361



Retaining ring for wash arm Ø 40x44x3 mm

Wash units

456492



Wash/rinse arm L=410 mm
8 wash nozzle and 5 rinse nozzle

Elettrobar 990110

386926



Wash/rinse arm L=185 mm

386680



Wash/rinse arm 185 mm

452901



Wash/rinse arm shaft

450686



Rinse/wash arm support Ø 40,6 mm

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

456495



Wash/rinse arm L=495 mm

Elettrobar 990113

390213



Wash/rinse arm L=210 mm (G)

390312



Wash/rinse arm L=210 mm (H)

450687



Rinse/wash arm support

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

Wash units

456497



Lower wash/rinse arm L=455 mm
9 wash nozzle - 5 rinse nozzle

Elettrobar 990118

393606



Wash/rinse arm L=195 mm

393818



Wash/rinse arm 195 mm

453896



Knurled nut M5x0,75 Ø 20 mm H=4 mm

438736



O-ring 2,62x15,54 mm NBR

453925



O-ring 2,62x23,81 mm EPDM

386680



Wash/rinse arm 185 mm
4 wash nozzle - 2 rinse nozzle

Elettrobar 106148

386926



Wash/rinse arm L=185 mm
4 wash nozzle - 3 rinse nozzle

Elettrobar 106149

393606



Wash/rinse arm L=195 mm
4 wash nozzle - 2 rinse nozzle

Elettrobar 106171

393818



Wash/rinse arm 195 mm
5 wash nozzle - 3 rinse nozzle

Elettrobar 106172

390213



Wash/rinse arm L=210 mm (G)
5 wash nozzle - 2 rinse nozzle

Elettrobar 106152

390312



Wash/rinse arm L=210 mm (H)
5 wash nozzle - 3 rinse nozzle

Elettrobar 106153

586905



Wash/rinse arm L=500 mm

Elettrobar 990158

Wash units

455409



Wash arm L=510 mm

Elettrobar 80311 C.80311

455390



Upper wash/rinse arm shaft

455439



Upper/lower rinse arm shaft L=46,5 mm

455529



Upper/lower rinse arm shaft L=35,5 mm

455968



Wash arm ring nut H=8 mm

455408



Wash arm support

455361



Retaining ring for wash arm Ø 40x44x3 mm

456400



Wash arm 355x355 mm

Elettrobar 42050 929196

453479



Rinse/wash arm support

382166



Nut M12

453198



Support flange for wash/rinse arme

455968



Wash arm ring nut H=8 mm

455969



Wash arm bushing Ø 22 mm - H=37 mm

456028



O-ring 3,53x69,85 mm EPDM

Wash units

456399



Wash arm 450x450 mm

Elettrobar 929195

453479



Rinse/wash arm support

382166



Nut M12

453198



Support flange for wash/rinse arme

455968



Wash arm ring nut H=8 mm

455969



Wash arm bushing Ø 22 mm - H=37 mm

456028



O-ring 3,53x69,85 mm EPDM

454396



Rinse arm L= 515 mm

Elettrobar 69677

455529



Upper/lower rinse arm shaft L=35,5 mm

454389



Rinse arm support L=65 mm

455972



Plug for rinse arm

450808



Rinse nozzle

455549



Knurled nut M12x1 Ø 25 mm H=4 mm - INOX

700437



Rinse arm L=640 mm
Ø 12 mm

Elettrobar 42677

450808



Rinse nozzle

Wash units

453360



Rinse arm L=585

Elettrobar 41673 41677 41691 41693

454761

Wash/rinse arm shaft H=53,5 mm
M5x0,75; M12x1,75

Elettrobar 74003

419146



Hub for jets

Elettrobar 115075 REB115075

455527

Wash/rinse arm shaft
Ø 14xh66,5 mm

Elettrobar 80640

454043

Suction unit Ø 104 mm
H=165 mm; tubo Ø 49 mm

Elettrobar 478045 478046 478059

388804

Wash/rinse arm shaft
Ø 14,5xh68 mm

Elettrobar 325113 325126

450374



Filter Ø 153x120 mm

455390

Upper wash/rinse arm shaft
Ø 16xh52,5 mm

Elettrobar 80282 C.80282

454762

Wash/rinse arm shaft
Ø 15xh59 mm

Elettrobar 74005

455391

Lower wash/rinse arm shaft
Ø 11xh52,5 mm; M12

Elettrobar 80283

452907

Wash/rinse arm shaft
Ø 18/14xh80 mm

Elettrobar 325087

452921

Wash/rinse arm shaft
Ø 18/15xh63,5 mm

Elettrobar 325109

Wash units

455559



Rinse arm shaft L=44,5 mm

Elettrobar 80696

450066



Wash arm support L=127 mm
rubber holder Ø 12 mm - Ø 34 mm

Elettrobar 115149

455529



Upper/lower rinse arm shaft L=35,5 mm

Elettrobar 80644

454389



Rinse arm support L=65 mm

Elettrobar 69632

315727



Wash arm support

Elettrobar 111030 REB111019

450687



Rinse/wash arm support

Elettrobar 129068

454618



Lower wash manifold

Elettrobar 70472 70475

455354



Wash arm support Ø 44 mm
rubber holder Ø 12 mm - Ø 23 mm Ø 12 mm

Elettrobar 80174

453477



Upper wash manifold
rubber holder Ø 45 mm - Ø 11 mm

Elettrobar 4205901 C.4205901

455355



Upper wash arm support L=310 mm

Elettrobar 69017 80177 C.80177

388853



Rinse/wash arm support L=155 mm
rubber holder Ø 12 mm - Ø 23 mm

Elettrobar 115153

453479



Rinse/wash arm support

Elettrobar 4206301 C.4206301

Wash units

450016



Wash arm support H=147 mm
rubber holder Ø 12 mm

Elettrobar 115144

456619



Rinse arm body Ø 12 mm L=65 mm

Elettrobar 80611 999314

450011



Wash arm support H=170 mm

Elettrobar 115143

453100



Wash arm support
rubber holder Ø 31 mm - Ø 11,5 mm

Elettrobar 35604

454702



Wash arm support 2"
H=220 mm; Ø 43 mm; Ø 29x35 mm; Ø 12 mm

Elettrobar 73013 73061

455381



Connection pipe for jets
dim. 400x800 mm

Elettrobar 80237 C.80237

455357



Lower rinse/wash arm support
thread M10 - rubber holder Ø 11,35 mm

Elettrobar 80179

444622



Connection pipe for jets

Elettrobar 115131

450686



Rinse/wash arm support Ø 40,6 mm

Elettrobar 129067

449825



Connection pipe for jets
L=705 mm

Elettrobar 115140

455972



Plug for rinse arm
Ø 9,6x16 mm; Ltot. 19 mm

Elettrobar 926132 DWT312

Wash units

455551



Plug M10 - INOX

Elettrobar 80687

453635



Ring nut 1" 1/2 - H=24 mm

Elettrobar 429069 REB429069

454065



Plug Ø 14x26,5x7,5 mm

Elettrobar 480057 REB480057

453642



Ring nut Ø 136 mm

Elettrobar 429077

450808



Rinse nozzle

Elettrobar 140036

455968



Wash arm ring nut H=8 mm

Elettrobar 80314 926128 C.80314 CDP258

454141



Plug Ø 26,60 mm

Elettrobar 480153

453405



Ring nut 3/4" H=10 mm
CH30 mm

Elettrobar 417120

455538



Rinse nozzle M6 Ø 3 mm - INOX

Elettrobar 80657

453638



Ring nut M56x2 mm
H=12 mm

Elettrobar 429073

382166



Nut M12
with teflon washer

Elettrobar K80679

454617



Ring nut

Elettrobar 70473

Wash units

455389



Ring nut Ø 66 mm

Elettrobar 80281 80285

455360



Flat gasket Ø 46,5x61,5x2 mm

Elettrobar 80182

453644



Ring nut M52x2
Øext. 68xh12 mm

Elettrobar 429079

453791



Flat gasket Ø 56,5x75x2 mm

Elettrobar 437102

450976



Throttle disc Ø 63xh20 mm

Elettrobar 199058

454619



Flat gasket Ø92,32-Ø70mm H 1,57mm

Elettrobar 70476

455411



Throttle disc Ø 34,5x1 mm

Elettrobar 80316 C.80316

453725



Gasket for water inlet pipe
Ø82mm - Ø50mm sp. 2mm

Elettrobar 437014 REB437014

455513



Washer Ø 11,6x22x1,1 mm- PTFE

Elettrobar 80622

455356



Washarm gasket 109/94x68 mm

Elettrobar 80178 C.80178

452765



Gasket Ø 40x44x3 mm

Elettrobar 303032 303037 303040

453760



Gasket 76x76x2 mm
Øint. 49 mm

Elettrobar 437064 REB437064

Wash units

452756



Retaining ring Ø 34,5x40,5x2,4 mm

Elettrobar 303018

REB303018

455969

Wash arm bushing Ø 22 mm - H=37 mm
Øint. 16,3 mm

Elettrobar 926129

DAS258

455361



Retaining ring for wash arm Ø 40x44x3 mm

Elettrobar 80184

453809



Gasket Øext. 13x19,5 mm

Elettrobar 441009

REB441009

453801



Washer Ø 9,4x19,4x1,1 mm - PTFE

Elettrobar 437117

80623

453198

Support flange for wash/rinse arme
Øint. 63/est. 70 mm; H=35 mm; with restrictor

Elettrobar 41064CP

C.41064CP

453197

Support flange for wash/rinse arme
Øint. 63/est. 70 mm; H=35 mm; without restrictor

Elettrobar 41064

C.41064

455408



Wash arm support

Elettrobar 80310

Air-gaps

450920



Air break

Elettrobar 144033

318207



Air break
dim. 95xh150mm - rubber holder Ø 6 - Ø 8 mm

Elettrobar 144027 144032

450913



Air break

Elettrobar 144021

321153



Air break
dim. 46x35xH72 mm - thread 3/4" - rubber holder Ø 5,5mm

Elettrobar 107012 70600

453405



Ring nut 3/4" H=10 mm

453788



Flat gasket Ø 25/23x33x2,6 mm

200003



Hose EPDM Ø 4x7 mm (sold by meter)

317923



Air break Ø 30,5x34x79

Elettrobar 107005

339721



PVC gree hose Ø 4x7 mm (sold by meter)

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

324023



Air break Ø 30,5x34x79 mm [Kit]
rubber holder Ø 5,6 mm

Elettrobar 984005 REB984005

339721



PVC gree hose Ø 4x7 mm (sold by meter)

317923



Air break Ø 30,5x34x79

453984



Air break connection 90° M13x2

453729



Flat gasket Ø 13x21x3 mm EPDM

Air-gaps

456453



Air brake Ø 30,5x34x70 mm [Kit]
rubber holder Ø 5,6 mm

Elettrobar 984007

453984



Air break connection 90° M13x2
rubber holder Ø 5,6 mm

Elettrobar 468029 REB468029

397996



Air brake 2 outlets Ø 6 mm

Elettrobar 107014

200003



Hose EPDM Ø 4x7 mm (sold by meter)

396749



Air brake 1 outlet Ø 6 mm

Elettrobar 107013

200003



Hose EPDM Ø 4x7 mm (sold by meter)

450090



O-ring 2,62x29,82 mm EPDM

453788



Flat gasket Ø 25/23x33x2,6 mm

Elettrobar 437098

Water conditioning

339836

**Salt container**

Elettrobar 406998 REB406998

340154

**Water softener 4 columns**

dim. 380x180mm - with central non-return valve

Elettrobar 117004 REB117004

339923

**Cap for salt container**

Ø 65xh19 mm

Elettrobar 480005 REB480005

450357

**Water softener type 425**

rubber holder Ø 10 mm; cables L=640 mm

Elettrobar 117005 117008

454143

**Cap for salt container**

Ø 69x13,5 mm

Elettrobar 480157

325024

**Refill filter cartridge Profine blue (small)**

capacity 15000 lt

Elettrobar 448121

339685

**Funnel for salt tank**

Ø 34x96 mm

Elettrobar 799002

363138

**Ring nut**

Elettrobar 429011 REB429011

450360

**Water softener 4 columns**

dim. 380x180mm - with lateral non-return valve

Elettrobar 117009

Hoses

324775



Formed hose Ø 24x32 mm - Ø 34x42 mm

Elettrobar 127085

450607



Sleeve Ø 25x31x35 mm

Elettrobar 127095

450860



Ventilation hose Ø 13x17,5 mm L=79 mm

Elettrobar 143189 REB143189

455367



Sleeve Ø 44x55x66 mm

Elettrobar 127036 80189 REB127036

454324



Formed hose Ø 27x34 mm
Ø 18x26,50 mm

Elettrobar 69068

450556



Sleeve Ø 60x46,5x56 mm

Elettrobar 127026 REB127026

450604



Formed hose Ø 19x26 mm / Ø 22x28 mm
dim. 250x65x70 mm

Elettrobar 127092

454590



Drain sleeve
Ø 23x30/32x48 mm

Elettrobar 70167

453714



Formed hose Ø 43x53 mm
dim. 1265x385 mm

Elettrobar 43555

450608



Sleeve Ø 21,5x27,5x47 mm

Elettrobar 127096

450599



Formed hose Ø 29x36 mm EPDM
dim. 160x155 mm

Elettrobar 127087

455364



Formed hose 90°
dim. 335x90 mm; Øint. 60 mm

Elettrobar 80186 C.80186

Hoses

455366



Formed hose 90° - 140x230 mm
Øint. 46/ext. 60 mm

Elettrobar 80188 C.80188

324780



Formed hose Ø 40/48x80 mm

Elettrobar 127082

450610



Formed hose 90°
dim. 185x55 mm; Ø 10x16,5 mm

Elettrobar 127098

450617



Formed hose Ø 27x35,5 mm EPDM
L=76 mm

Elettrobar 127105

450640



Formed hose 90° Ø 28x36,5 mm EPDM
dim. 80x80 mm

Elettrobar 127134

450633



Formed hose Ø 11x19 mm EPDM
dim. 320x185x100 mm

Elettrobar 127124

450597



Formed hose 90° Ø 34x42 mm EPDM
dim. 95x90 mm

Elettrobar 127084

450605



Formed hose Ø 21x27 mm / Ø 29x34 mm
dim. 280x315 mm

Elettrobar 127093

455933



Formed hose 90° Ø 60x73,5 mm RUBBER
dim. 110x100 mm

Elettrobar 926056 DZG461

200003



Hose EPDM Ø 4x7 mm (sold by meter)
working temp. -35°C+110°C; Pmax 10 bar;
WRAS certified

Elettrobar 143131

453346



Formed hose Ø 50x60 mm / Ø 63x73 mm
EPDM
dim. 235x180 mm

Elettrobar 41560

200005



Hose EPDM Ø 5x12 mm (sold by meter)
Working temp. -35°C+110°C; non-toxic

Elettrobar 143005 SPG10

Hoses

346280



Hose EPDM Ø 10x17 mm - blue -(sold by meter)

Pmax 10 bar; working temp. -35°C+110°C; FDA approved

Elettrobar 143004 143182 143222 REB143004

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)

for hot water - not toxic - Pmax 10 bar - working temp -35°C+120°C

Elettrobar 143010 SPG17 SPG61

700447




Hose EPDM Ø 20x26 mm (sold by meter)

working temp. -35°C+120°C; Pmax 6 bar

Elettrobar 929171 SPG2230

391579



Blue PVC hose Ø 4x6 mm (sold by meter)

Elettrobar H.775601

387776



PVC transparent hose Ø 10x14 mm (sold by meter)

Elettrobar H.775611-001

586239



Silicone hose Ø 3x8 mm (sold by meter)

Elettrobar 143253

339959



Rubber feeder hose 3/4" L=1500 mm

straight connection + 90° plastic connection; nylon ring nut Ø 3/4"F; pipe Ø 13x19 mm; Pmax 10 bar; Tmax 90°C; WRAS/VDE approved

Elettrobar 143170 REB143120 REB143170

438436



Rubber feeder hose 3/4" L=2100 mm

straight connection 90° plastic connection; plastic ring nut Ø 3/4"F; pipe Ø 13x19 mm; Pmax 10 bar; Tmax 90°C; WRAS/VDE approved

Elettrobar 143270 929169 RAT32

524404



Feeder hose with armour 3/4" L=2000 mm DN13

straight connection + 90° connection; ring nut in nickel-plated brass Ø 3/4"F; Pmax 25 bar; Tmax 100°C; WRAS approved

Elettrobar 143273

453338



Rinsing feeder hose

in Ø21-Ø12mm - out Ø32-Ø24mm

Elettrobar 41525

700443



Drain pipe PPE Ø 21,5mm 180°+ Ø

21,5mm 180° L=630 mm

muffs Øint/ext 21,5/26 mm, pipe Øext 24 mm, Clean 3

Elettrobar 127037 REB127037

457340



Drain pipe Ø 25 mm 180°+ Ø 25 mm 180°

L=1500 mm

pipe Øext 32 mm

Elettrobar DZS151

Hoses

700445



**Drain pipe PPE Ø 28 mm 180°+ Ø 24 mm
180° L=1500 mm**
muffs Øint/ext 28/33 mm and 24/29 mm, pipe
Øext 29,5 mm

Elettrobar 143178

DZS14

REB143178

450889



**Drain pipe Ø 29 mm 90° + Ø 28 mm 180°
L=1700 mm**
sleeve 180° Ø int/ext 28/34 mm, sleeve 90°
Øint/ext 29/34 mm, Øext. tube 29 mm

Elettrobar 143252

700444



**Drain pipe PPE Ø 22 mm 180°+ Ø 22 mm
M 180° L=280 mm**
muffs Ø int/ext 22/27,5 mm, pipe Øext 22,5 mm

Elettrobar 127044

REB127044

403430



**Drain pipe Øint. 35 mm + Ø 50 mm F 90°
L=1870 mm**

Elettrobar 143136

REB143136

327920



**Drain pipe PPE Ø 20 mm 180°+ Ø 22 mm
90° L=2600 mm**
muff 180° Ø 20/24 mm, muff 90° Ø 22/28 mm

Elettrobar 143137

REB143137

450579



**Drain pipe Ø 30 mm F 180°+ Ø 51 mm 90°
L=600 mm**
180° sleeve Ø int/ext 30/40 mm, 90° sleeve
Øint/ext 51/61 mm, tube Øext 35 mm

Elettrobar 127056

REB127056

455564



Drain pipe PP Ø 24 mm L=1000 mm
sleeve 90° Øint/ext 22/28 mm - sleeve 180°
Øint/ext 21/26mm

Elettrobar 80702

454579



**Drain pipe PPE Ø 29mm F 180°+ Ø 28mm
90° L=600 mm**
180° sleeve Ø int/ext 29/34 mm, 90°sleeve
Øint/ext 28/34 mm, tube Øext 29 mm

Elettrobar 70097

Ball valves, Pipe fittings

387905



Fitting kit

Elettrobar XQ00006SHB

454006



Rubber holder 90° for hose Ø 10 mm

Elettrobar 468165 REB468165

339995



Pipe fitting 1/4" - Ø 12 mm

Elettrobar 108006 REB108006

450850



Y-connection Ø 12-12-12 mm

Elettrobar 143173 143268 REB143173

454022



Non-return valve fitting Ø 11,5 mm

Elettrobar 468209

450919



Non-return valve Ø 11,5 mm

Elettrobar 144030

454022



Non-return valve fitting Ø 11,5 mm

321603



Non-return valve 1/2"
rubber holder Øext 12 mm

Elettrobar 144010 144010NT REB144010 REB144010N

386900



Non-return valve L=123 mm

Elettrobar H.324091

450915



Non-return valve L=78 mm
rubber holder Ø 21 mm

Elettrobar 144024

450905



Non-return valve L=142 mm
rubber holder Ø 18 mm/Ø21 mm

Elettrobar 144003 REB144003

Ball valves, Pipe fittings

450924

**Non-return valve with o-ring**

L=78 mm; rubber holder Ø 21 mm - Ø 10,5 mm

Elettrobar 144991B

450923

**Non-return valve with gasket**

L=78 mm; rubber holder Ø 21 mm - Ø 10,5 mm

Elettrobar 144991

450925

**Non-return valve**

L=78 mm; rubber holder Ø 21 mm

Elettrobar 144992


454020

**Non-return valve fitting Ø 10,5 mm**

454243

**Membrane for non-return valve**

454016

**Air valve fitting**

454033

**Ball Ø 8 mm**

454243

**Membrane for non-return valve**

453776

**Flat gasket Ø 19,5x32,5x1,6 mm**

454033

**Ball Ø 8 mm**

453776

**Flat gasket Ø 19,5x32,5x1,6 mm**

454015

**Non-return valve fitting**
rubber holder Ø 6 mm

Elettrobar 468198

454020

**Non-return valve fitting Ø 10,5 mm**

Elettrobar 468205

Ball valves, Pipe fittings

453640



Non-return valve ring nut
Ø 9x14 mm

Elettrobar 429075

454033



Ball Ø 8 mm

Elettrobar 476008

454243



Membrane for non-return valve
dim. Ø 23x1,5 mm - SILICONE

Elettrobar 499092

Boilers

376376

Boiler Ø 110x295 mm



Elettrobar 104063

376358

Boiler Ø 145x400 mm



Elettrobar 104030 104050 104060 REB104030

315710

Boiler heating element 2600W 230V



316645

Boiler heating element 3000W 230V



318112

Contact thermostat 95°C



318116

Boiler heating element 4900W 230/400V



316825

Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm



318112

Contact thermostat 95°C



438465

O-ring 5,34x37,47 mm EPDM



316825

Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm



376362

Boiler Ø 140x400 mm



Elettrobar 104061

451512

Boiler heating element 7600W 230V



318112

Contact thermostat 95°C



316825

Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm



Boilers**324024****Boiler 1 Heating element**dim. Ø 180x410 mm - EWK 72 - GL 71/72/74 -
RV80 - RV81 - RV78

Elettrobar 80389

315710**Boiler heating element 2600W 230V****451539****Contact thermostat 70°C****318112****Contact thermostat 95°C****316825****Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm****438465****O-ring 5,34x37,47 mm EPDM****Hinges****456599****Support with spring DX**

Elettrobar 999259

456600**Support with spring SX**

Elettrobar 999260

Hinges**452773**

Pin M5x8,5 mm Ltot.=30 mm

Elettrobar 304028

452869

Pin Ø 6/10x16 mm

Elettrobar 325034 REB325034

452870

Pin Ø 8/10x38 mm

Elettrobar 325036 REB325036

452806

Guide 14,5x17,5x30 mm

Elettrobar 310013

453203Right hinge
dim. 53x75x49 mm

Elettrobar 4108701 C.4108701

453204Left hinge
dim. 53x75x49 mm

Elettrobar 4108801 C.4108801

Lockings

452770



Door guide rod 50/500/453/463/503
M6 - L=274 mm

Elettrobar 304021 REB304021

452784



Door guide L=110 mm
dim. 110x24x18,5 mm

Elettrobar 307015

452776



Sliding plate
dim. 19x88x10 mm

Elettrobar 307003 REB307003

456543



Door lock
dim. 80x18x20 mm

Elettrobar 994011 994012 DWS30 REB994011

Structural components

451135



PVC transparent protection
220x197x0,2 mm

Elettrobar 214077

453190



Adhesive pad
100x100 mm H=25 mm

Elettrobar 41042 C.41042

Structural components

454123



Right blue cover plug

Elettrobar 480126

454122



Left blue cover plug

Elettrobar 480125

455368



Handle support
dim. 46x37,5x20 mm

Elettrobar 80190 C.80190

453563



Fixing plate
dim. 22,5x15x11 mm

Elettrobar 425007 REB425007

455304



Bumper Ø 6x20x20 mm

Elettrobar 80105 C.80105

Bearings

452830



Ball bearing Ø 8x22x7 mm

Elettrobar 314011

612850



Ball bearing Ø 12x32x10 mm
6201-2RS

Elettrobar 314001 REB314001

Slide Ways - Shelf Supports

455269



Runner L=585 mm

Elettrobar 80068 80069 C.80068

457398



Hood guide
dim. 684x28x28 mm

Elettrobar K70365

Small Mechanical Parts

453377



Antivibration L=29 mm
with hexagonal nut M6

Elettrobar 417041 REB417041

453403



Nut M3 - H=3,5 mm PLASTIC

Elettrobar 417119

Small Mechanical Parts

453387



Plastic nut 1" 1/4 - H=10 mm

Elettrobar 417081 CDP2

454207



Screw M6x30 mm INOX

Elettrobar 486078 CVI173

453897



Knurled nut M5x0,75 Ø 19,5 mm H=4 mm

Elettrobar 454006

337237



Sheet metal screws TBC 3,5x13 mm INOX

Elettrobar 486242

455549



Knurled nut M12x1 Ø 25 mm H=4 mm - INOX

Elettrobar 80679



Double wire clamp

453535	Ø 6,6÷7 mm	423023
453538	Ø 7,3÷7,8 mm	423028
310306	Ø 7,8÷8,3 mm	423011
359717	Ø 8,8÷9,3 mm	CFF10073
321177	Ø 9,3÷9,9 mm	423030



Hose clamp INOX

438357	Ø 8÷12/9 mm	423010
438480	Ø 12÷22/9 mm	CFS14
324768	Ø 20÷32/9 mm	CFS18
441699	Ø 25÷40/9 mm	CFS25
438464	Ø 32÷50/9 mm	CFS1
518655	Ø 40÷60/9 mm	423006
438463	Ø 50÷70/12 mm	CFS2
441709	Ø 60÷80/12 mm	CFS3

455717



Screw TE M4x6 mm - plastic

Elettrobar 80998

Springs

453043



Gas spring 50N Ø 15/200-379 mm
holes Ø 6,4 mm

Elettrobar 35070

453784



V-ring

453871



Tension spring Ø 10x130xLtot. 146,5 mm
wire Ø 1 mm

Elettrobar 449049

452783



Spring support

453784



V-ring

453882



Tension spring Ø 10,5x155xLtot. 200 mm
wire Ø 1,2 mm

Elettrobar 449059 449063

452783



Spring support

388337



Tension spring Ø 17,5x65 mm
wire Ø 1,2 mm

Elettrobar 449067

453883



Tension spring Ø 21x59,5xLtot. 84 mm
wire Ø 1,9 mm

Elettrobar 449064

455960



Tension spring Ø 30x450x Ltot.=505 mm

Elettrobar 926108 CMT520

455900



Tie rod for spring

453879



Spring 75x165 mm
wire Ø 4 mm

Elettrobar 449058

456599



Support with spring DX

456600



Support with spring SX

Springs

455520



Hood lifting support
Ø 64,5x56,5 mm

Elettrobar 80632B

452783



Spring support
dim. 18x19x17 mm

Elettrobar 307014

455900



Tie rod for spring
M8x160 mm - Ltot=290 mm

Elettrobar 926009 DAG332

Shaft sealing

456384



Shaft sealing Ø 39x16x16 mm
counter-seal Ø 42x21x8 mm

Elettrobar 929179 RAT20

450815



Shaft sealing Ø 24x12x15 mm

Elettrobar 141013

412573



Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

Elettrobar 141002 80121 RAT19

412354



Shaft sealing Ø 24x12x16 mm /
counter-seal Ø 26x12x8 mm
shaft sealing in TEFLON, pump shaft Ø 13 mm

Elettrobar 141007 141008 141009 80843
RAT211 REB141007

Membranes

384106



Adhesive membrane 257x36 mm

Elettrobar 70705 70728

Printed Circuit Boards

318118



Motherboard
NT400-NT800

Elettrobar 215027

451177



Motherboard
dim. 177x125 mm

Elettrobar 215032-5

316865



Motherboard (without processor)
GL71/72/71 - GS55/77 - GOLD43 - LP201 -
SV71/72

Elettrobar 215023

451176



Pcb
dim. 178x126 mm

Elettrobar 2150324 215032-4

316670



Motherboard - provide the serial number
PROTECH 811ID/811SID - TT922

Elettrobar 215032

451193



Pcb
dim. 52x90 mm

Elettrobar 215039

451173



Motherboard
dim. 176x125 mm

Elettrobar 2150321 215032-1

390456



Pcb GET 50.2

Elettrobar 215042-7

Printed Circuit Boards

390551



Pcb

Elettrobar 215042-9

455692



Pcb
dim. 45x255 mm

Elettrobar 80943

584052



Pcb
dim. 105x183 mm

Elettrobar 215041-1 215042-1

454786



Keyboard pcb
dim. 224x34 mm

Elettrobar 74904

319174



Interface pcb
SV72

Elettrobar 80889 80900 DES101

453447



Pcb spacer M3
dim. 6x6xLtot. 18 mm

Elettrobar 419036 461021

321262



Interface pcb
dim. 40x220 mm; RV262

Elettrobar 227083 80929

317724



Flat cable L=2300 mm 10 poles

Elettrobar 211013

317721



Interface board
RV44 - RV80

Elettrobar 227059 227084

321263



Flat cable L=3000 mm [Kit]

Elettrobar 80933 926272 K74933

319647



Interface board
NT800 - NT901

Elettrobar 227074

324222



Flat cable L=760 mm 10 poles

Elettrobar 80934 926281 DWS90

Printed Circuit Boards

451096



Flat cable L=2010 mm 10 poli

Elettrobar 211017

451088



Flat cable L=2300 mm 10 poles

Elettrobar 211009

381130



Coated flat cable L=3200 mm 10 poles

Elettrobar 74933

Probes

316825



Temperature probe NTC, L=390 mm,
bulb \varnothing 5x30 mm
working temperature range -40+110°C; with
connector

Elettrobar 231014 231016

456574



Bulb housing
 \varnothing int 5/est. 9 mm; Ltot.=40 mm; M14x1

Elettrobar 999160

454462



Probe holder L=195 mm

Elettrobar 69871

Gaskets for dishwashers

453797



Door gasket L=445 mm

Elettrobar 437110

453774



Door gasket L=570 mm

Elettrobar 437081 REB437081

453349



Door gasket L=660 mm

Elettrobar 41583

453599



Door gasket L=790 mm

Elettrobar 42783

453706



Door gasket L=1360 mm

Elettrobar 43383

453792



Door gasket 560x400 mm

Elettrobar 437103

Flat gaskets

453790



Flat gasket Ø 10x20x0,5 mm - Teflon

Elettrobar 437100

453795



Flat gasket Ø 49x64x2 mm

Elettrobar 437108

453729



Flat gasket Ø 13x21x3 mm EPDM

Elettrobar 437019 REB437019

453771



Flat gasket Ø 16,5x33x1,6 mm - EPDM

Elettrobar 437078 REB437078

453776



Flat gasket Ø 19,5x32,5x1,6 mm

Elettrobar 437083

453793



Flat gasket Ø 33x45x2 mm - EPDM

Elettrobar 437104

453802



Flat gasket Ø 24,5x34x2,7 mm EPDM

Elettrobar 437118

453772



Flat gasket Ø 47,5x60x1,9 mm - EPDM

Elettrobar 437079 REB437079

453759



Flat gasket Ø 39,5x52x2,8 mm

Elettrobar 437063 CGG42

340177



Flat gasket Ø 64x81x3 mm

Elettrobar 437034 REB437034

453726



Shaft flange gasket Ø 50,5x100x2 mm

Elettrobar 437015 REB437015

453794



Flat gasket Ø 86x107,5x2,5 mm

Elettrobar 437107

Flat gaskets

453799



Flat gasket Ø 46x65x2 mm

Elettrobar 437113

453773



Lip gasket Ø 27,7x39,7x1,6 mm

Elettrobar 437080

O-rings



O-ring 2,62x

438735	9,19 mm NBR	456011
357932	9,92 mm	REB456015
340097	10,77 mm EPDM	456006
396761	12,37 mm EPDM	456020
412831	15,88 mm EPDM	CGR121
438736	15,54 mm NBR	456070
340151	20,50 mm	456010
325098	21,89 mm EPDM	456041
435133	25,07 mm NBR	CGR3100
453925	23,81 mm EPDM	456071
318132	29,82 mm VITON	456081
450090	29,82 mm EPDM	456073
360045	75,87 mm NBR	456088
366632	82,22 mm EPDM	456084



O-ring 5,34x

438465	37,47 mm EPDM	456075
435303	46,99 mm NBR	REB456002
435067	56,52 mm NBR	CGG55
453911	120,02 mm NBR	456040
453928	136,5 mm EPDM	456076

Dishwashing Baskets

340086



Basket 382x382xh105 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983055

340085



Basket 382x382xh200 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983001

Dishwashing Baskets

454646



Steel basket Ø350 mm H=110 mm
basic equipment

Elettrobar 43301 706127

454644



Steel basket Ø 350 mm H = 110 mm - for
glasses

Elettrobar 706095 DCR15


453276



Steel basket 560x630 mm - for glasses
basic equipment

Elettrobar 41305

582465



Tools container 150x150x253 mm

Elettrobar 712017

586080



Basket 500x500xh100 mm - for cups and
glasses

Elettrobar 780132

586953



Basket 350x350xh120 mm - plastic, for
glasses

Elettrobar 780138

586952



Basket 390x390xh150 mm - plastic, for
glasses

Elettrobar 780133

586946



Basket for glasses Ø 350 mm H= 160 mm

Elettrobar 706147

586951



Basket for glasses Ø 390 mm H= 175 mm

Elettrobar 706148

586373



Container cutlery 110x110xh130 mm

Elettrobar 780139

586120



Basket 500x500xh100 mm - for cutlery

Elettrobar 780080

441931



Container cutlery 110x110xh130 mm

Elettrobar 780068

Dishwashing Baskets

586466



Basket 500x500xh105 mm - plastic 18 dishes or 12 soup plates
Grey

Elettrobar 780072_

586119



Basket 500x500xh100 mm - plastic 18 dishes or 12 soup plates
Green

Elettrobar 780072

586121



Basket 500x500 mm - plastic,

Elettrobar 780106

351274



Basket 500x500xh105 mm - UK16

Elettrobar 780131

Feet

453954



Foot M8x23 mm
foot \varnothing 31x10,5 mm

Elettrobar 461019

REB461019

363965



Foot with hexagonal base for 24 mm wrench
H=11 mm; thread \varnothing 17x23 mm; Htot=34 mm

Elettrobar 461010

REB461010

Baskets Holder

454714



Basket holder
dim. 535x490 mm

Elettrobar 73255

455383



Basket holder
dim. 575x575x65 mm

Elettrobar 80240 K80240

RACK TYPE

**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Contactors and Relays

315872



Contactor 3RT2016-2AP01
4kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1
aux NO; dim. 72x45x57,5 mm

Elettrobar 229037 73350 80350

456953



**Automatic motor protection
3RV1011-0JA10**
0,25kW; 0,7-1A; 3P (AC3/400V)

Elettrobar DEI35N

375736



Contactor 3RT2024-1AL20
5,5kW 3P; 230V 50-60Hz 400V cont. 3 NO
dim. 45x91x88 mm

Elettrobar 73351

456955



**Automatic motor protection
3RV2011-1AA10**
0,55kW; 1,1-1,6A; 3P (AC3/400V)

Elettrobar DEI36N

336518



Relay 1 contact 230V 50/60Hz 30A 250V
faston 6,3x0,8 mm

Elettrobar 229025 229029 DER111

382288



**Automatic motor protection
3RV2011-1GA10**
2,2kW; 4,5-6,3A; 3P (AC3/400V)

Elettrobar DEI38N

352543



Relay 2 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 926206 929115 DER1106 DER1108

364351



Relay 3 contacts 230V 50/60Hz 16A 250V
faston 6.3x0.8 mm

Elettrobar 229036 229040 RTFOC00144

456957



**Automatic motor protection
3RV1011-1CA10**
0,75 kW; 1,8-2,5A; 3P (AC3/400V)

Elettrobar DEI37N

Fuses, Capacitors, RFI Filters



Fuse Ø 5x20 mm - fast

342145	0,315A 250V	926283
315350	0,50A 250V	228009
316857	0,80A 250V	DEF71
312732	2A 250V	228011
435368	4A 250V	228004



Fuse Ø 5x20 mm - slow

435517	0,16A 250V	228012
451463	4A 250V	228014

457358



Fuse holder 5x20 mm

Elettrobar 74935 H.228047

Lamps and Lamp Holders

317060



Pilot lamp Ø 6 mm 230V with orange lamp lens
L=59 mm

Elettrobar DEL13

316575



Orange pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216012 216018_ B.30168500_ DEL10_

347116



Pilot lamp Ø 6 mm 230V with green lamp lens
L=59 mm

Elettrobar 216022 DEL15 REB216022

435510



Orange pilot lamp Ø 13 mm 240V - L=60 mm
lamp Ø 9 mm, with nut and silicon O-ring

Elettrobar 927237 DEL105A

316981



Green pilot lamp Ø 10 mm 240V - self-locking
lens Ø 13,5 mm, L=60 mm - faston 6,3x0,8 mm
Tmax 120°C

Elettrobar 216019 REB216019

355988



Red pilot lamp Ø 22 mm, lens Ø 29 mm
complete with lamp

Elettrobar DEL24

Lamps and Lamp Holders

340417



Fluorescent pilot lamp Ø 9 mm 24V
L=55 mm - faston 6,3x0,8 mm

Elettrobar 927334

340396



Fluorescent pilot lamp Ø 9 mm 240V
L=55 mm, faston 6,3x0,8 mm

Elettrobar 216006 926113 DEL25 DEL31

426335



Self locking lens Ø 13 mm - green L=22 mm

Elettrobar 926114 DEP142

Microswitches

456238



Snap action microswitch with lever 5x72 mm
250V 5A; with contacts cover

Elettrobar 927246 DEM11NT

200103



Magnet 40x13xh8 mm

Elettrobar 927088 CWM7

455665



Magnetic E511
contact NO; 200/250V 1A 58W; cable L=290 mm

Elettrobar 211002 80871 REB211002

450027



Magnet 63x10x18 mm

Elettrobar 926014 CWM8

Motors

456123



Motor 3 phase 0,3/0,15HP 400V 50/60Hz 1,5/1A
shaft Ø 14x30/38 mm; 900/700rpm@50Hz, 1100/850rpm@60Hz

Elettrobar 927105 DPM1205

456120



Gearmotor VF49A60

456113



Retaining ring Ø 30x40x7 mm

454275



Lower bushing Ø 25x51x51 mm

456112



O-ring 1,78x28,30 mm EPDM

456122



Motor 3 phase 180W 230/400V 50/60Hz 1,6/0,9A
shaft Ø 14x30 mm 700/850rpm

Elettrobar 927104 DPM120

456120



Gearmotor VF49A60

456120



Gearmotor VF49A60
Ø 14 - Ø 25 mm - reduction ratio 1/60

Elettrobar 927102 DPR15

456126



Motor 180W 4 poles 230/400v 50hz IP55

Elettrobar 65690 927107 DPM111

456236



Fan for motor 4P 0,18 kW

456113



Retaining ring Ø 30x40x7 mm

Elettrobar 927095 DWA202

456236



Fan for motor 4P 0,18 kW
Ø 220-45

Elettrobar 927243 DWV9NT

Pumps

382205



Drain pump 30W 220/240V 50Hz 0,3A
inlet Ø 30 mm; outlet Ø 24 mm; RAST 5; with support

Elettrobar 130174 130177 80117 999363

454580



Wash pump 3 phase 1500W 230/400V 50Hz SX
inlet Ø 63 mm; double outlet Ø 40 mm; 2800rpm

Elettrobar 70100

454849



Wash pump 3 phase 1100W 230/400V 60Hz
inlet Ø 63 mm, outlet Ø 47 mm; 3400rpm

Elettrobar 75175HZ

454678



Cooling fan Ø 123 mm

342464



Gasket for pump FIR H=4x4 mm

582646



Shell for wash pump

454679



Pump cooling fan cover Ø 138 mm

455670



Washpump flange

585658



Wash pump 3 phase 2500W 230/400V 50Hz
inlet Ø 63 mm; outlet Ø 43 mm; 2800rpm

Elettrobar 65600

457456



Impeller Ø 90 mm

585659



Shell for wash pump

360029



Cooling fan Ø 123 mm

342464



Gasket for pump FIR H=4x4 mm

412573



Shaft sealing Ø 24x11x15,5 mm / counter-seal Ø 26x13x8 mm

Pumps

613978



Rinse pump 1 phase 75W 230V 50Hz
inlet Ø 30 mm; outlet Ø 26 mm; 2700 rpm;
C=5µF/425V

Elettrobar 929167 DPE112

418004



Capacitor for power factor correction 5 µF 400V 50/60Hz

315752



Shell for wash pump

610852



O-ring Ø 4,00x80,00 mm EPDM

315752



Shell for wash pump
inlet Ø 30 mm; outlet Ø 26 mm

Elettrobar 80812

582646



Shell for wash pump
inlet Ø 63 mm - outlet Ø 47 mm; plug M12

Elettrobar 80882

362745



Shell for wash pump
inlet Ø 63 mm, outlet Ø 47 mm; plug M16

Elettrobar 116002

450122



Shell for wash pump
entrata Ø 60,32 mm; uscita Ø 50,45 mm,
screw M4

Elettrobar 116013

585659



Shell for wash pump
inlet Ø 63 mm; outlet Ø 43 mm

Elettrobar 66451

455670



Washpump flange

Elettrobar 80880

457400



Upper flange Ø 31x131x39,5 mm
thread M6x26,5 mm

Elettrobar K75141

382179



Impeller Ø 60 mm - 60Hz
shaft Ø 11x32 mm; blades H=19 mm

Elettrobar 80813HZ

457456



Impeller Ø 90 mm
H=36,9 mm

Elettrobar RAG297HZ

Pumps

412082



Impeller Ø 100 mm
H=32 mm

Elettrobar 77520

342464



Gasket for pump FIR H=4x4 mm
EPDM

Elettrobar 456023 70943

339735



Impeller Ø 110 mm

Elettrobar 124002

610852



O-ring Ø 4,00x80,00 mm EPDM
for wash pump shell

Elettrobar 80816

456226



Impeller Ø 116 mm
H=34 mm

Elettrobar 927227 RAG195

454679



Pump cooling fan cover Ø 138 mm

Elettrobar 70940

455671



Impeller Ø 96 mm

Elettrobar 80881

360029



Cooling fan Ø 123 mm
for shaft Ø 15 mm

Elettrobar 335003

583226



O-ring 2,62x126,67 mm EPDM
for wash pump shell

Elettrobar 456031 REB456031

Pressure Switches

451308



Digital pressure switch 0÷50mbar
Ø 5,5 mm

Elettrobar 224031

Heating Elements

316839



Boiler heating element 5500W 220/380 - 6543W 240/415V [KIT]
L=365 mm; triangular flange 83,5x78,5 mm;
Øint. 47 mm; with bulb housing L=175 mm;
connection M4

Elettrobar 230083 230083C REB230083 REB230083C

455931



Closed triangular flange
dim. 83,5x78,5 mm

Elettrobar 926053 DWT100

323472



Boiler heating element 8000W 230V [KIT]
L=365 mm; triangular flange 83,5x78,5 mm;
Øint. 50 mm; with bulb housing L=175 mm;
connection M4

Elettrobar 230020 230020C 230095 REB230020
REB230095

319418



Boiler heating element 9500W 230V
L=335 mm; triangular flange 83,5x78,8 mm -
connection M4 with bulb housing Øint 7,5 mm

Elettrobar 80398 80398C C.80398

318611



Contacts protection cover

Elettrobar 467002 69870 REB467002

Thermostats

455065



Contact thermostat 105°C
with manual reset; 16A 250V

Elettrobar 75985

317288



Operating thermostat 1P 60°C fixed [Kit]
coated capillary L=600 mm; bulb Ø 9,5x37 mm;
16A 250V

Elettrobar 926196 926259 DRT141

456086



Safety thermostat 1P 90÷110 °C
coated capillary L=1000 mm ; bulb Ø 6.5x86
mm; with nut CH14 and knob M9

Elettrobar 927057

Transformers

455200



Transformer 500VA
PRI. 230-380-400-415V, SEC. 24V; dim.
140x125x102 mm

Elettrobar 77905

Fans

457182



Aspirator 3 phase 1500W 220-460V
50/60Hz
fan Ø 300 mm;

Elettrobar DVA184

455084



Compact fan 80x80x38 mm - 14/12W
24Vac 50-60Hz
faston 2,8 mm

Elettrobar 77045

Drain components

450796



Drain manifold
rubber holder Ø 7,5 mm - Ø 25 mm - Ø 30 mm

Elettrobar 136029

454954



Drain fitting Ø 49,5 mm L=90 mm
rubber holder Ø 12 mm

Elettrobar 75325 75639

454998



Flat gasket Ø 47x68x2,3 mm

Elettrobar 75873

454996



Drain plate
Ø 31,5x66,5x44,2 mm; M47

Elettrobar 75871

454998



Flat gasket Ø 47x68x2,3 mm

454997



Nut for drain plate

453579



Overflow pipe

453507



Drain plate Ø 1"1/2 H=43 mm
overflow pipe hole Ø 40 mm, complete with washer and gasket; chromium-plated brass

Elettrobar 42185 C.42185

454870



Overflow pipe Ø 40x425 mm

453613



Drain plate Ø 3/4" H=25 mm

Elettrobar 429036 REB429036

454997



Nut for drain plate
CH 52; M45

Elettrobar 75872

453408



Nut M32x2,5
CH41; H=8 mm

Elettrobar 417125

455194



Overflow pipe Ø 39x392 mm

Elettrobar 77846

Drain components

454993



Overflow pipe Ø 39x450 mm

Elettrobar 75866

454996



Drain plate

456684



O-ring 3,53x32,93 mm VITON

455165



Overflow pipe Ø 40x365 mm

Elettrobar 77545

455348



Tank filter Ø 150xh122 mm

454870



Overflow pipe Ø 40x425 mm

Elettrobar 75262

455157



Overflow pipe Ø 40x463 mm

Elettrobar 77533

453507



Drain plate Ø 1 1/2 H=43 mm

Dispensers and Peristaltic pump**337062**

**Detergent peristaltic pump electronic
adj. time-pause**
mod. G202; max capacity 2,0 lt/h; 230V 50Hz;
rubber holder Ø 5x8 mm

Elettrobar 209014 REB209014

700413

Hose for detergent pump thermoplastic

610862

**Detergent peristaltic pump fixed
capacity (internal use)**
mod. NPG-3; fixed flow rate 3 L/h; 0,1 bar;
230V 50Hz cable L=200 mm; hose in
Santoprene; installation kit included

Elettrobar 209013 REB209013

410373

Suction filter in inox for hose Ø 4x6 mm

610864

Pipe fitting 90° M10x22 mm inox

410180

**Hose for detergent pump Santoprene Ø
6,25x10,55 mm**

410181

**Hose for rinse aid pump sekob Brill Ø 3x8
mm**
L=175 mm - rubber holder Ø 4x6 mm

Elettrobar 143251

Solenoid Valves and Reducers

435437



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 240006

339703



Solenoid valve 180° - 3 ways - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; outlet reducer 0,5 lt/min; Tmax 90°C

Elettrobar 240002

411813



Solenoid valve 180° - 1 way - 24Vac 50Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

Elettrobar 927242 DEV34S DEV34S16

583805



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 240006_

349298



Solenoid valve 180° - 2 ways - 24Vac 50Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 927001 DEV32416

583804



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 240005_ 240011_ DEV35_ REB240011_

316170



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter and inlet reducer 6,5 lt/min; Tmax 90°C

Elettrobar 240016 240018 DEV3S16

583809



Solenoid valve 180° - 2 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 240003_ 240004_ 929172_ DEV3D_

200124



Solenoid valve 180° - 2 ways - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar 240003 240004 929172 DEV3D

583813



Solenoid valve 180° - 3 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar DEV3T_ RTFOC00520_

200121



Solenoid valve 180° - 3 ways - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

Elettrobar DEV3T RTFOC00520

455201



Solenoid brass valve G1/2" - 16,7W 24V 50Hz
L=70 mm

Elettrobar 77909

Solenoid Valves and Reducers

416623



**Solenoid valve 180° - 1 way - 220/240V
50/60Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

Elettrobar 927380 DEV1

Filters

455348



Tank filter Ø 150xh122 mm

Elettrobar 70159 70559 80159 C.80159

471703



Filter with weight 360x120x165 mm

Elettrobar 75427 75429

455165



Overflow pipe Ø 40x365 mm

454937



Wash tank filter

454937



Wash tank filter
dim. 518x418x40 mm

Elettrobar 75412 75515

455166



Pre-wash pump suction filter
H=375 mm

Elettrobar 77546

471703



Filter with weight 360x120x165 mm

455193



Pre-washing tank filter
dim. 300x273x35 mm

Elettrobar 77842

455348



Tank filter Ø 150xh122 mm

Wash units

454947		Wash arm L=525 mm INOX	454827		Lower rinse arm Ø 14x565 mm
---------------	--	-------------------------------	---------------	--	------------------------------------

Elettrobar 75265 75616

Elettrobar 75125

454840		Drain fitting
---------------	--	----------------------

454925		Rinse arm shaft 3/8"
---------------	--	-----------------------------

454845		Upper wash arm support
---------------	--	-------------------------------

454831		Rinse nozzle - INOX
---------------	---	----------------------------

453750		Flat gasket 72x64,5 mm
---------------	---	-------------------------------

454829		Lower bracket for rinse arm
---------------	--	------------------------------------

454843		Inlet washing pipe
---------------	--	---------------------------

379610		Rinse arm (4 nozzles)
---------------	--	------------------------------

Elettrobar 75165

Elettrobar 65545

Wash units

585657



Final rinse arm L=565 mm

Elettrobar 65788

379610



Rinse arm (4 nozzles)

585552



Rinse arm connection

585554



Flat gasket Ø 21x33x1,5 mm - Fiber

435313



O-ring 1,78x12,42 mm NBR

379432



Rinse arm L=555 mm (4 nozzles)

Elettrobar 65845

585552



Rinse arm connection

585554



Flat gasket Ø 21x33x1,5 mm - Fiber

435313



O-ring 1,78x12,42 mm NBR

379418



Rinse arm L=563 mm (2 nozzles)

Elettrobar 65515

379592



Rinse arm L=563 mm (4 nozzles)

Elettrobar 65521

454822



Rinse arm L=555 mm

Elettrobar 75115

454925



Rinse arm shaft 3/8"

454831



Rinse nozzle - INOX

454830



Rinse arm fixing bracket

454925



Rinse arm shaft 3/8"
H=22 mm

Elettrobar 75401

Wash units

585552



Rinse arm connection

Elettrobar 65883

454830



Rinse arm fixing bracket
dim. 100x50x14,5 mm

Elettrobar 75131

454840



Drain fitting
rubber holder Ø 35 mm

Elettrobar 75155

453642



Ring nut Ø 136 mm

Elettrobar 429077

454845



Upper wash arm support
Ø 28x40 mm Htot.=99 mm

Elettrobar 75169 75645

454835



Conveyor lower bushing
external ø 45 mm - internal ø 25 mm

Elettrobar 75142

454846



Lower wash arm support
Ø 28x40 mm Htot.=99 mm

Elettrobar 75171 75648

457399



Bushing Ø 31x131x40 mm [Kit]

Elettrobar K75057

585661



Lower wash arm support

Elettrobar 65212

454812



Bushing Ø 6x8x6 mm

Elettrobar 75077

454831



Rinse nozzle - INOX
M5, Htot. 12 mm

Elettrobar 75133

454829



Lower bracket for rinse arm
dim. 86x50x30 mm

Elettrobar 75129

Curtains

319036



Triple curtain 545xh405/355 mm
without shaft

Elettrobar 75120

391459



Double curtain 580xh252/252 mm
without shaft

Elettrobar 65227

454825



Double curtain 620xh253/253 mm
without shaft

Elettrobar 75123

454824



Curtain shaft Ø 8x544 mm INOX

Elettrobar 75121

391332




Intermediate curtain support bracket
629xh78 mm


Elettrobar 65162

Air-gaps

- | | |
|--|---|
| <p>324023</p>  <p>Air break Ø 30,5x34x79 mm [Kit]
rubber holder Ø 5,6 mm</p> <p>Elettrobar 984005 REB984005</p> | <p>453984</p>  <p>Air break connection 90° M13x2
rubber holder Ø 5,6 mm</p> <p>Elettrobar 468029 REB468029</p> |
|--|---|


- 339721**
- 
- PVC gree hose Ø 4x7 mm (sold by meter)**


- 317923**
- 
- Air break Ø 30,5x34x79**

- 453984**
- 
- Air break connection 90° M13x2**

- 453729**
- 
- Flat gasket Ø 13x21x3 mm EPDM**

- 396749**
- 
- Air brake 1 outlet Ø 6 mm**
- Elettrobar** 107013

- 200003**
- 
- Hose EPDM Ø 4x7 mm (sold by meter)**

- 450090**
- 
- O-ring 2,62x29,82 mm EPDM**

Water conditioning

339685



Funnel for salt tank
Ø 34x96 mm

Elettrobar 799002

584181



Membranes (2 pcs)

Elettrobar XQ00003BTW

325024



Refil filter cartridge Profine blue (small)
capacity 15000 lt

Elettrobar 448121

Hoses

455365



Formed hose 90° - 210x215 mm
Øint. 46/ext. 60 mm

Elettrobar 80187 C.80187

455366



Formed hose 90° - 140x230 mm
Øint. 46/ext. 60 mm

Elettrobar 80188 C.80188

455364



Formed hose 90°
dim. 335x90 mm; Øint. 60 mm

Elettrobar 80186 C.80186

455933



Formed hose 90° Ø 60x73,5 mm RUBBER
dim. 110x100 mm

Elettrobar 926056 DZG461

Hoses

454853



Formed hose Ø 60x73,5 mm EPDM
dim. 230x110x130 mm

Elettrobar 75189

200003



Hose EPDM Ø 4x7 mm (sold by meter)
working temp. -35°C+110°C; Pmax 10 bar;
WRAS certified

Elettrobar 143131

200005



Hose EPDM Ø 5x12 mm (sold by meter)
Working temp. -35°C+110°C; non-toxic

Elettrobar 143005 SPG10

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp -35°C+120°C

Elettrobar 143010 SPG17 SPG61

454839



Sleeve
EPDM Ø 36,5x45x70 mm

Elettrobar 75154

453338



Rinsing feeder hose
in Ø21-Ø12mm - out Ø32-Ø24mm

Elettrobar 41525

Ball valves, Pipe fittings

456100



Nipple 1/2"-3/4" - L=28 mm - brass

Elettrobar 927077 DZR245

456055



Pipe fitting 90° 3/8"FF
dim. 33x33 mm

Elettrobar 65876 927013 SSR37

398048



Rubber holder 90° G1/4" - outlet Ø 11 mm
dim. 52x36,5 mm

Elettrobar 108006C 65018 K65271

700462



T-connection Ø 13-13-13 mm

Elettrobar H.882974-001

456370



Rubber holder 90° 3/8"M for hose Ø 13 mm
1/8"F

Elettrobar 929163 DZR2622

454685



Y-connection Ø 4-4-4 mm

Elettrobar 70996

455199



Rubber holder 90° 3/8"F for hose Ø 13 mm
1/8"F

Elettrobar 77904

450850



Y-connection Ø 12-12-12 mm

Elettrobar 143173 143268 REB143173

459439



Rubber holder G3/8" - outlet Ø 11,5 mm
Lot.=36 mm

Elettrobar 927015

456228



Fitting 1/2" - L=32 - brass

Elettrobar 927232 DZR2192

339995



Pipe fitting 1/4" - Ø 12 mm

Elettrobar 108006 REB108006

456230



Fitting 1/2"÷3/8"
H=17 mm; CH21

Elettrobar 927234 DZR550

Ball valves, Pipe fittings

456163



Pressure reducing valve with diaphragm
1/2"
L=76 mm; PN40

Elettrobar 927150 UAA6

321603



Non-return valve 1/2"
rubber holder Øext 12 mm

Elettrobar 144010 144010NT REB144010 REB144010N`

Boilers

376165



Boiler Ø 210x500 mm

Elettrobar 65700

323472



Boiler heating element 8000W 230V [KIT]

319418



Boiler heating element 9500W 230V

318112



Contact thermostat 95°C

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

435303



O-ring 5,34x46,99 mm NBR

470953



Boiler Ø 215x505 mm
17lt; AISI 304

Elettrobar 75275 75625 K75625

316839



Boiler heating element 5500W 220/380 -
6543W 240/415V [KIT]

323472



Boiler heating element 8000W 230V [KIT]

319418



Boiler heating element 9500W 230V

455931



Closed triangular flange

454868



Boiler insulation 658x497x5 mm

316825



Temperature probe NTC, L=390 mm, bulb Ø 5x30 mm

454868



Boiler insulation 658x497x5 mm

Elettrobar 65245 75245

Transmission components

457401



Motor shaft \varnothing 25/30xLtot. 287 mm [Kit]

Elettrobar 75235 K75235

Structural components

453190



Adhesive pad
100x100 mm H=25 mm

Elettrobar 41042 C.41042

585660



Stainer frame [kit]
dim. 666x96x14,5 mm; with gasket

Elettrobar K65502

454961



Front panel 980x635 mm

Elettrobar 75654

454874



Support
dim. 81,5x60x85 mm; thread M5

Elettrobar 75283

391337



Tank joining bracket L=545 mm

Elettrobar 65055

319033



Control panel 338x70 mm

Elettrobar 41380

457402



Motor shaft splash guard \varnothing 136x71 mm
[Kit]

Elettrobar 75231 K75649

Finger Links

454804



Roller Ø 33/45xh34,5 mm

Elettrobar 75058

454811



Plug for coveyor halt Ø 17.5x25 mm

Elettrobar 75076

388052



Rinse activation lever

Elettrobar 65695

454810



Runner 90°
dim. 44x44x15 mm

Elettrobar 75075

454808



Finger Link
dim. 49,5x5x18 mm

Elettrobar 75071

Slide Ways - Shelf Supports

455074



Basket guide L=1455
dim. 1528x47x67 mm

Elettrobar 77024

Manometers, Safety Valves

455070



Manometer Ø 63 mm 0÷2,5 bar
connection G1/4"

Elettrobar 75998 927149 DWM990

Small Mechanical Parts

362938



Hexagonal nut M4 self-locking - INOX

Elettrobar 417091

456645



Nut 3/4"
H=6,2 mm

Elettrobar CDO134CR

453403



Nut M3 - H=3,5 mm PLASTIC

Elettrobar 417119

454216



Screw M4x10 mm INOX

Elettrobar 486169 REB486169

453387



Plastic nut 1" 1/4 - H=10 mm

Elettrobar 417081 CDP2

454207



Screw M6x30 mm INOX

Elettrobar 486078 CVI173

Springs

456694



Compression spring Ø 20x90 mm
wire Ø 2 mm

Elettrobar CMT13

474812



Roller spring L=51 mm Ø 61 mm [Kit]

Elettrobar 65654 75271

454862



Spring support

454861



Spring support

454862



Spring support
dim. 50x90 mm

Elettrobar 75226

454861



Spring support
dim. 95x65x60 mm

Elettrobar 75225

Shaft sealing

583386



**Shaft sealing Ø 24x10x14 mm /
counter-seal Ø 26x13x5,5 mm**
for pump with shaft Ø 11 mm

Elettrobar 80815

412573



**Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm**
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

Elettrobar 141002 80121 RAT19

412354



**Shaft sealing Ø 24x12x16 mm /
counter-seal Ø 26x12x8 mm**
shaft sealing in TEFLON, pump shaft Ø 13 mm

Elettrobar 141007 141008 141009 80843
RAT211 REB141007

Membranes

455042



Adhesive membrane 80x225 mm

Elettrobar 75951

319031



Adhesive membrane 337x70 mm
River 150

Elettrobar 80762

Printed Circuit Boards

317723



Motherboard
LP201

Elettrobar 215022

455131



Keyboard pcb
dim. 200x100 mm

Elettrobar 77401

316865



Motherboard (without processor)
GL71/72/71 - GS55/77 - GOLD43 - LP201 - SV71/72

Elettrobar 215023

455129



Interface pcb
dim. 30x40 mm

Elettrobar 77300

451173



Motherboard
dim. 176x125 mm

Elettrobar 2150321 215032-1

319174



Interface pcb
SV72

Elettrobar 80889 80900 DES101

390384



Pcb

Elettrobar 215042-2

319032



Interface pcb
RV150

Elettrobar 41600

390401



Pcb

Elettrobar 215042-10

321262



Interface pcb
dim. 40x220 mm; RV262

Elettrobar 227083 80929

455130



Control pcb
dim. 290x135 mm

Elettrobar 77400

455727



Eprom

Elettrobar 81008

Printed Circuit Boards

455720



Eprom 81003-1

Elettrobar 81003 81003-1

453447

Pcb spacer M3
dim. 6x6xLtot. 18 mm

Elettrobar 419036 461021

321263



Flat cable L=3000 mm [Kit]

Elettrobar 80933 926272 K74933

324222



Flat cable L=760 mm 10 poles

Elettrobar 80934 926281 DWS90

381130



Coated flat cable L=3200 mm 10 poles

Elettrobar 74933

Probes

316825



Temperature probe NTC, L=390 mm,
bulb Ø 5x30 mm
working temperature range -40+110°C; with
connector

Elettrobar 231014 231016

454462



Probe holder L=195 mm

Elettrobar 69871

Flat gaskets

425505



Flat gasket Ø 16x24x2 mm - Fiber

Elettrobar CGF17

453729



Flat gasket Ø 13x21x3 mm EPDM

Elettrobar 437019 REB437019

585554



Flat gasket Ø 21x33x1,5 mm - Fiber

Elettrobar 65749

453759



Flat gasket Ø 39,5x52x2,8 mm

Elettrobar 437063 CGG42

453731



Flat gasket Ø 26,4x35,6x1,8 mm - Fiber

Elettrobar 437025 REB437025

454844



Wash pump filter gasket Ø 46x123x3 mm

Elettrobar 75168

Flat gaskets

453750



Flat gasket 72x64,5 mm

Elettrobar 437050 REB437050

453793



Flat gasket Ø 33x45x2 mm - EPDM

Elettrobar 437104

453794



Flat gasket Ø 86x107,5x2,5 mm

Elettrobar 437107

O-rings



O-ring 2,62x

438735	9,19 mm NBR	456011
357932	9,92 mm	REB456015
340097	10,77 mm EPDM	456006
396761	12,37 mm EPDM	456020
412831	15,88 mm EPDM	CGR121
438736	15,54 mm NBR	456070
340151	20,50 mm	456010
325098	21,89 mm EPDM	456041
435133	25,07 mm NBR	CGR3100
453925	23,81 mm EPDM	456071
318132	29,82 mm VITON	456081
450090	29,82 mm EPDM	456073
360045	75,87 mm NBR	456088
366632	82,22 mm EPDM	456084

Dishwashing Baskets

340086



Basket 382x382xh105 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983055

586953



Basket 350x350xh120 mm - plastic, for glasses

Elettrobar 780138

340085



Basket 382x382xh200 mm - INOX for glasses
plastic coated steel wire

Elettrobar 983001

586952



Basket 390x390xh150 mm - plastic, for glasses

Elettrobar 780133

454646



Steel basket Ø350 mm H=110 mm
basic equipment

Elettrobar 43301 706127

586946



Basket for glasses Ø 350 mm H= 160 mm

Elettrobar 706147

454644



Steel basket Ø 350 mm H = 110 mm - for glasses

Elettrobar 706095 DCR15

586951



Basket for glasses Ø 390 mm H= 175 mm

Elettrobar 706148

582465



Tools container 150x150x253 mm

Elettrobar 712017

586373



Container cutlery 110x110xh130 mm

Elettrobar 780139

586080



Basket 500x500xh100 mm - for cups and glasses

Elettrobar 780132

586120



Basket 500x500xh100 mm - for cutlery

Elettrobar 780080

Dishwashing Baskets

441931



Container cutlery 110x110x130 mm

Elettrobar 780068

586466



Basket 500x500x105 mm - plastic 18 dishes or 12 soup plates
Grey

Elettrobar 780072_

586119



Basket 500x500x100 mm - plastic 18 dishes or 12 soup plates
Green

Elettrobar 780072

586121



Basket 500x500 mm - plastic,

Elettrobar 780106

351274



Basket 500x500x105 mm - UK16

Elettrobar 780131

Baskets Holder

454994



Basket holder

dim. 465x955 mm

Elettrobar 75869
