

MEIKO
Spare Parts Catalogue



Undercounter



Hood Type



Utensil Washer



***Conveyor
Dishwasher***

Undercounter



**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Switches, Push Buttons, Selectors

380114



**Black selector Ø 22 mm 1-0-1 positions
- stable**
contactless; dim. 30x30 mm

0121029

9604398

379926



Circuit breaker 1P 230/400V 50Hz 10A
dim. 62x17,5x90 mm

9540605

380142



Auxiliary contact 1 NO
6A 230V 50Hz

0121032

9604392

9732449

487937



Auxiliary contact 1 NC
10A/240V

9531467

ME9531467

380141



Contact 1 NC
10A/400V

9604393

379747



Contact 1 NO
10A/400V

0121052

9555314

500323



Auxiliary contact 1 NC 6A 230V 50Hz

9732450

ME9732450

Lamps and Lamp Holders

340400



**Orange pilot lamp Ø 13 mm 24V - L=60
mm**
fluorescent lamp Ø 9 mm, with nut and
silicon O-ring

9668046

ME9668046

584450



**Red pilot lamp 230V Ø 13 mm
self-locking**
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm;
Tmax 120°C

0150001

Lamps and Lamp Holders

584452



Orange pilot lamp Ø 13 mm 230V - self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm;
Tmax 120°C

0150000

9690488

ME9690488

380042



Lamp socket with white led
24Vac/dc

9633584

Contactors and Relays

612338



Contactor BF0910A
4,2kW 3P; 230V 50/60Hz 400V 3 cont. NO +
1 aux NO

0135204

9520025

350909



Contactor BF901A
4,2kW 3P; 230V 50/60Hz 400V 3 cont. NO +
1 aux NC

0135200

379894



Mini contactor 3TG1010
3NO+1NO; dim. 60x36x62 mm

9543079

309089



Contactor 3RT1016-1BB42
4kW 400V 3P; 3kW 230V 50Hz 24Vdc; 3
cont. NO + 1 aux NC

9547516

9709912

9763026

309004



Contactor 3RT2016-2AB01
4kW 400V 3P; 24Vdc; 1 NO; dim. 74x45x70
mm

9615786

9690949

380173



Contactor 3RT2023-1AC20
4kW 400V 3P; 24V 50/60 Hz; 1 NO+1NC;
dim. 97x45x85 mm

9545904

9615788

9690951

9747914

586124



Contactor 3RT2026-1AL20
11kW 230V 50/60 Hz 25A 3 NO

9521016

9521019

9758457

ME9758457

379886



Relay 24Vdc
socket PLC-BSC-24Vdc/21; dim. 80x6,2x85
mm

9533893

Microswitches

342250



**Snap action microswitch 16(6)A 250V
T85**
faston 6,3x0,8 mm

0122103

0122105

9544800

380068



**Snap action microswitch 0,1(0,05)A
125/250V**
faston 6,3x0,8 mm

9520085

9622932

500216



Magnetic microswitch Ø 6x29 mm
cable L=470 mm

9731933

ME9731933

379896



Magnetic microswitch 100V 0,25A
Ø 6x30 mm; cable L=5000 mm; 1NO

9542983

379431



Magnetic switch 10W 240V 5A
dim. 28,5x19x3,5/6,3 mm; cable L=100 mm

0122053

379429



Magnetic switch
dim. 29x18x6.4/3.5 mm; cable L=5000 mm

0122052

0122057

ME0122052

ME0122057

380293



Magnetic microswitch
dim. 18x29x6,5 mm; cable L=5000 mm

9500385

379430



Magnetic microswitch
dim. 20x80,5x15 mm; 250V 3,0A 100VA;
cable L=5000 mm

0122024

0122056

379435



Magnetic microswitch
dim. 29x19x6.4/3.5 mm; cable L=300 mm

0122070

380279



Magnetic microswitch
dim. 29x19x6.3/3.3 mm; cable L=290 mm

8302780

9519952

Microswitches

376204

Floating level switch Ø 18x52 mm [Kit]
 cable L=1000 mm; thread M16

0130028

9005977

9526211

ME9526211

492693

Floating level switch Ø 18x64 mm
 cable L=860 mm; screw M16x2

9669683

9741117

ME9669683

ME9741117

585812

Lever L=25 mm

0122106

379829

Sensor cover 30x30x8 mm

9544752

Pressure Switches

316549

Pressure switch 1 level 0÷30 mbar
 0,5÷3,5 VDC
 Pmax 200 mbar

9537961

319955

Pressure switch 1 level
 250V; connection 15x20 mm

9207519

9519033

9622898

9683764

9683764+0401014

379977

Pressure switch 1 level 40/15 mbar
 contacts capacity 16A 250V; Tmax 85°C

9622397

9741392

379204

Pressure switch 1 level 40/15 mbar
 contacts capacity 16A 250V; Tmax 85°C

0130019

0130026

309088

Pressure switch JG Ø 10 mm 0,5÷1,5 bar
 10A 250V

9709535

Fuses, Capacitors, RFI Filters

418004



Capacitor for power factor correction 5
 μF 400V 50/60Hz
 \varnothing 30x51 mm; with screw M8

9520030

339523



Capacitor for power factor correction
 $12,5\mu\text{F}$ 450V 50/60Hz
 \varnothing 40x70 mm; with screw M8

0501090

379879



Anti-noise filter 250V 50/60Hz 10A
 dim. 169x70x44 mm

9534799

435368



Fuse \varnothing 5x20 mm 4A 250V fast

0145013

320017



Fuse \varnothing 5x20 mm 2A 250V slow (10 pcs)

0145047

380204



Fuse \varnothing 5x20 mm 16A 250V slow

9611761

Pumps

309125



Drain pump 65W 200-240V 50/60Hz 0,75A
 impeller \varnothing 41x17 mm - connection Rast 5

9673879

9728888

379915



Drain pump 70W 200-240V 50Hz
 inlet \varnothing 24 mm; outlet \varnothing 24 mm; faston
 6.3x0,8 mm

9544233

380083



Drain pump 70W 200/240V 50Hz
 suction \varnothing 24 mm, outlet \varnothing 24 mm; faston
 6.3x0,8 mm; fan \varnothing 45 mm

9624073

378689



Drain pump 70W 220-240V 50Hz
 inlet \varnothing 24 mm; outlet \varnothing 24 mm; faston
 6.3x0,8 mm; fan \varnothing 62 mm

0535502

0535509

Pumps

582463

Drain pump 90W 230V 50/60Hz
suction \varnothing 24 mm, outlet \varnothing 24 mm - faston 6,3 mm

9500295

ME9500295

380082

Wash pump 1 phase 550W 180-253V 50Hz
inlet \varnothing 45 mm; outlet \varnothing 40 mm;
C=12,5 μ F/450V; cable L=410 mm

0501085

0501130

9623861

309111

Wash pump 3 phase 740/500W 200-240V 55Hz max
flange \varnothing 135 mm; rotor \varnothing 93 mm; cable L=320 mm; m-iclean

9695074

9717441

308913

Rinse pump 1 phase 160W 200-240V 50/60Hz
rotor \varnothing 72 mm; M-iClean

9673655

380492

Wash pump 170W 220-240V 50Hz
inlet. \varnothing ext 26.5 mm, inlet \varnothing 22 mm and outlet \varnothing 24 mm, cable L=250 mm

9517934

9638047

ME9638047

322170

Wash pump 1 phase 180W 200-240V 0,8A 50Hz
C=5 μ F/400V, cable L=250 mm

9607881

9638050

324702

Rinse pump 1 phase 190W 200-240V 50Hz
inlet \varnothing 28 mm; outlet \varnothing 24 mm; cable L= 245 mm

9544228

9638029

ME9638029

324908

Wash pump 1 phase 300W 200/230V 60Hz
UP60-262 suction \varnothing ext 28 mm, outlet \varnothing ext 24 mm, with cable L=240mm

9544224

9638042

ME9638042

380558

Rinse pump housing
inlet \varnothing 24 mm; outlet \varnothing 24 mm; dim. 100x90x65 mm

9523849

324704

Water pump cover
dim. 135x90x55 mm; inlet \varnothing 28 mm; outlet \varnothing 24 mm

9643335

ME9643335

Pumps

380297



Shell for pump
inlet Ø 45 mm, outlet Ø 40 mm

0501091

0501105

9500311

322713



Impeller Ø 74 mm

9523267

9643336

ME9523267

ME9643336

378874



Pump wheel Ø 96 mm
D-hole Ø 9x8,2 mm; Htot=23 mm

0501092

0501137

308601



Pump wheel Ø 93 mm - 50Hz
D-hole Ø 9x8,2 mm, Htot=28,5 mm; direction
of rotation: right (6 blades)

9621827

342290



Gasket for pump FIR H=3,5x4,5 mm

9500310

380578



O-ring Ø 3,00x78 mm EPDM

9523260

ME9523260

378851



Gasket Pump housing

0501094

308297



sealing ring Ø 25/11x6,5 mm

9500307

309003



Silicone sleeve for washing pump
Ø 43,6x60x20 mm

9690923

322168



Cover

9532612

Heating Elements

380641**Boiler heating element 3000W 230V**

L=220 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm

0101150

9504228

9708862

380513**Boiler heating element 4500W 230V**

L=255 mm; triangular flange 83,5x78,7 mm; bulb housing L=150 mm

9519587

309057**Boiler heating element 6000W 230V**

L=330 mm; triangular flange 83,5x78,6 mm; Øint. 50 mm; bulb housing L=155 mm; cable L=250 mm

9703591

380505**Boiler heating element 3000/3265W 230/240V**

L=185 mm; flange 83,5x78,7 mm; Øint. 48 mm; bulb house L=150 mm

9519586

309055**Boiler heating element 3000W 230V**

L=160 mm; triangular flange 83,5x78,7 mm; Øint. 48 mm; bulb house L=150 mm; kabel L=250 mm; m-iclean

9703586

309056**Boiler heating element 4500W 230V**

L=260 mm; triangular flange 83,5x78,7 mm; Øint. 48 mm; bulb house L=150 mm; cavi L=250 mm; m-iclean

9703589

380503**Boiler heating element 6000/6533W 230/240V**

L=330 mm; triangular flange 83,5x78,5 mm; Øint. 47 mm; with bulb house L=120 mm

9519588

380502**Boiler heating element 7500W 230V**

L=410 mm, triangular flange 73x73 mm with bulb house Øint 6 mm

0280250

9519590

ME0280250

309058**Boiler heating element 7500W 230V**

L=410 mm; triangular flange 83,5x78,7 mm; Øint. 48 mm; with bulb house L=150 mm; cavi L=250 mm m-iclean

9703592

379755**Heating element 1300W 230V**

dim. 180x125 mm; thread M14

9546104

Heating Elements

379738

Heating element 2200W 200-240V
dim. 180x130 mm; thread M14

9546105

309067

Tank heating element 2000W 230V
dim. 200x135 mm; faston F6,3 mm; faston F
Ø 2 mm; cables L=160 mm

9705294

308960

Tank heating element 2500W 230V
dim. 195x133 mm; faston F6,3 mm; faston F
Ø 2 mm; cables L=160 mm

9681556

379346

Tank heating element 2000W 230V
dim. 280x39,5 mm; flange Ø 35 mm; faston
6,3x0.8 mm, connection M5, with flange
connection and seal

0101152

9708856

ME9708856

379352

Heating element gasket Ø 35 mm

0101175

379550

**Heating element gasket Ø 14x25x1,5
mm (5 pcs)**

0408008

379709

Heating element connection protection
Øint. 18/ext. 22xh50mm; M13 thread

9548754

379916

**Heating element connection protection
(5 pcs.)**
Øint. 10/est. 14xh27 mm

9543319

379339

Boiler heating element fixing bracket
dim. 26.4x11x4,5/10,5 mm; hole Ø 5.5 mm

0101183

378757

**Heating element with flange Ø
48x71x1,2 mm**
cover Ø 65x71x56 mm

0620312

Heating Elements

494547



Flange Ø 48x71x1,2 mm
thread M5x20 mm

9635345

ME9635345

Cables

582350



Cable RJ-45 L=1000 mm

9635756

308636



Adapter Cable L=200 mm

9631937

379835



Connector 4P M12

9537327

583817



Button housing 195x85x60 mm

9604423

Thermostats

379343



Contact thermostat 59°C
1NC; faston 6,3x0,8 mm

0108047

379368



Bath safety thermostat 110°C
1NC; faston 6,3x0,8 mm

0108043

9747923

ME9747923

379319



Contact thermostat 175°C 10A 250Vac
1NC; faston 6,3x0,8 mm

0108053

379359



Operating thermostat 1P 0÷95°C
coated capillary L=470 mm; Bulb Ø 6x145 mm

0108037

Thermostats

379356



Safety thermostat gasket
Ø 18x40xh19 mm

0108040

Wash units

378947



Wash/rinse arm 500x420 mm

8001814

380532



Wash arm L=500 mm
shaft Ø 22/16 mm; till 12/2010

9517391

309041



Wash arm L=500 mm INOX
m-iclean um/um+/ul

9700724

358248



Wash arm with shaft L = 500 mm
shaft Øest. 22 mm; as of 01/2011

9659321

9752203

ME9659321

378745



Wash arm - lower left
Ø30x174 mm

0620387

378744



Wash arm - lower right
Ø30x174 mm

0620388

378746



Wash arm L=222
straight interior carving

0620386

378747



Braccio di lavaggio L=222 mm
oblique interior carving

0620385

Wash units

379746



Rins arm L=490 mm
till 12/2010

9517399

9544634

9547257

ME9544634

324582



Final rinse arm with shaft L = 500 mm
shaft M12; as of 01/2011

9679331

ME9679331

308842



Final rinse arm L=500 mm

9663288

378742



Rinse arm L=155 mm

0620390

378743



Rinse arm L=210 mm

0620389

378720



Rinse/washarm support

0620380

380707



Wash arm axe
Ø 16 mm Ltot=81,5 mm

9514453

488289



Wash arm axe
Ø 19 mm H=61 mm

9696208

ME9696208

380087



Wash arm support
Elbow fitting Ø 35 mm / Ø 14 mm

9623994

378701



Wash arm axe support
Elbow fitting Ø 13 mm

0620235

Wash units

497268



Wash arm support [Replacement kit]

9698098

9727829

ME9727829

379159



Washing nozzle insert gk 60

Øint. 16mm Øext. 30/40 mm H=28 mm

8000106

378725



Plug Ø 23,40 mm

0620384

459625



Wash nozzle support

9600982

ME9600982

308563



Steam nozzle

hole Ø 5,50 mm; M12

9614646

379706



Nozzle Ø 4,5x2 mm

Øint. 6,5 mm

9550394

379910



Wash nozzle Ø 33 mm

9601668

379790



Wash nozzle Ø 80 mm

9601177

378659



Rinsing nozzle

0620157

9753799

378864



Wash nozzle Ø 5 mm

dim. Ø 30xh20 mm

0620435

9753792

ME0620435

ME9753792

Wash units

380495



Screw for rinsing arm M12x1
 Ø 16/24xLtot.36,5 mm

9517409

308995



Wash units Ring Ø 36x51x4/11 mm

9688306

309020



Nut H=22 mm

9696212

308790



Spacer M12x1
 dim. 30x27x4 mm

9657135

378715



Watersaving aerator for nozzle Ø 12 mm

0620121

380545



Wash arm fixing Nut 3/4"
 H=13 mm; WS30

9517398

380600



Rinse arm bushing Ø 16x20/24x6,5 mm

9522439

308948



Washing arm bushing Ø 42x47,5/51x9 mm

9520931

9679658

380133



Washing swirl

9601803

379089



Watersaving aerator for nozzle Ø 14,5 mm

0620436

Wash units

380506



Bushing for washing arm \varnothing 22 mm -
H=34,5 mm
 \varnothing int. 16,2 mm

9517397

9671628

ME9671628

308881



Rinse arm shaft H=39 mm

9669732

380524

Gasket \varnothing 41x57 mm

9515334

489787



Clip 32x38,50 mm

9696640

ME9696640

379641



Knurled screws M10x10 mm \varnothing 22 mm
INOX

0310010

8001631

ME0310010

ME8001631

Air-gaps

378763



Air brake
Elbow fitting \varnothing 6,4 mm

0620244

309059



Air brake 62,5x79,5x30 mm
Elbow fitting \varnothing 6,4 mm

9703865

380542



Air brake 52x56 mm
fitting \varnothing ext. 6,5 mm

9515955

380597



Air break

9523195

Air-gaps

379025



Water baffle

8000609

379782



Pipe support

dim. 36x64,5x21 mm

9601265

309147



Silicone valve Ø 14x4,5 mm

9688721

379065



Gasket Ø 13x17/20x14 mm

0650001

Dispensers and Peristaltic pump

308888



Rinse aid hydraulic dispenser N6

Pmin 0,5 bar, IN 90° Ø 6x8 mm / OUT 90° Ø 6x8 mm

0260070

9671455

379913



Rinse aid peristaltic pump fixed capacity

mod. PP; fixed flow rate 1,25 L/h; 0,5 bar; 24V 3,5W; hose in sekobrill with rubber holder Øext. 6,5 mm; Cable L=205mm

9544293

9625978

380482



Rinse aid peristaltic pump fixed capacity (internal use)

mod. PG0,4; fixed capacity 0,4 L/h; 0,5 bar; 230V 8W; tubo in sekobrill con portagomma Øest. 6,3 mm

9518514

309091



Rinse aid peristaltic pump fixed capacity (internal use)

mod. PP; fixed capacity 0,5 L/h; 1,25 bar; 24V 50/60Hz; cable L=390 mm; tube in SBR

9710011

9746646

379914



Detergent peristaltic pump fixed capacity

mod. PP; fixed flow rate 7 L/h; 0,1 bar; 24V 3,5W; hose in Santoprene ; Cable L=205mm

9544292

380193



Detergent pump 24V 0,5Bar ADT

rubber holder Øext 6.5 mm

9609173

9665425

Dispensers and Peristaltic pump

309090



Detergent peristaltic pump fixed capacity (Internal use)
 mod. NPG-3; fixed capacity 7 L/h; 0,1 bar;
 24V 50Hz; cable L=390 mm; hose in Santoprene

9710009

9746647

379597



PVC transparent hose Ø 5x8 mm (sold by meter)

0260006

379849



Transparent blue hose for rinse aid dispenser Ø 6x9x1050 mm

9538712

582141



Beige silicon hose Ø 6x12 mm (sold by meter)

9647876

ME9647876

380218



Detergent pump Coil 24Vdc

9611095

315858



Pipe fitting 90° for hose Ø 4x6 mm

0260050

309122



Dosing pipe seal Ø 5,70 mm H=6,80 mm m-iclean

9726782

308829



Elbow fitting 90° for hose Ø 6 mm -white
 dim. 22,5x32,5 mm

9661146

308853



Elbow fitting 90° for hose Ø 6 mm -blue

9665221

497299



Elbow fitting 90° Øint. 9,4 mm - outlet Ø 6 mm [Kit] -white
 O-ring 2,50x5,50 mm NBR

9709343

9731006

ME9731006

Dispensers and Peristaltic pump

497298



Elbow fitting 90° Øint. 9,4 mm - outlet Ø 6 mm [Kit] -blue
O-ring 2,50x5,50 mm NBR

9707210

9731007

ME9731007

316014



Hose for detergent pump Santoprene
Ø 6,2x10,2 mm
L=180 mm - rubber holder Ø 6x8 mm

9505651

9511675

309115



Detergent peristaltic hose 6,25x10,65 mm
L=190 mm - Elbow fitting Ø 6 mm

9720478

9747203

379919



Hose for rinse aid pump sekob Brill Ø 3,0x7,4 mm
L=180 mm - rubber holder Øext 6,5 mm

9505652

9544088

309116



Hose for rinse aid pump Ø 3x7,4 mm
L=190 mm - Elbow fitting Ø 6 mm; O-ring 2,62x5,23 mm

9720479

9745651

9747204

700410



Inlet silicone valve for hydraulic pump
mod. S1000/2000/3000

0260016

378920



Rinse aid container
dim. 80x90x145 mm; rubber holder Ø 6.4 mm

8003830

379750



Rinse aid container
dim. 165x140x30 mm; Elbow fitting Ø 6,5 mm

9547822

379751



Detergent container
dim. 170x305x30 mm; Elbow fitting Ø 6,5 mm

9547821

379713



Float product absence Ø 17,5x54 mm

9549304

Dispensers and Peristaltic pump

379861



Peristaltic pump Roller

9533450

379514



Flat gasket Ø 13x24x3 mm

0408225

380703



Plug Ø 44x15 mm

9514096

Solenoid Valves and Reducers

349150



Solenoid valve 90° - 1 way - 24Vac
50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

9623762

349160



Solenoid valve 90° - 1 way - 220/240V
50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter and inlet
reducer 20 lt/min; Tmax 90°C

9000006

411813



Solenoid valve 180° - 1 way - 24Vac 50Hz
- Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax.
90°C

9623108

9686159

ME9686159

200270



Solenoid valve 180° - 1 way -220/240V
50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax
90°C

9505869

310862



Inlet pressure reducer 16 lt/min
[black-Elbi]

9506227

309084



Solenoid valve 180° - 1 way - 24Vdc 50Hz
- Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; and
reducer 10 lt/min; outlet 2,5 lt/min; Tmax 90°C
- (RPE)

9709392

9746907

9751017

Solenoid Valves and Reducers

380055

Solenoid valve 90° - 1 way - 24Vac/dc 50Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter and reducer

9625747

9686158

380060

Solenoid valve 90° - 2 ways - 24Vac/dc 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter and pink reducer; Tmax. 90

9623793

9740784

379911

Solenoid valve 180° - 1 way - 24Vac/dc 50Hz - Ø 6,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9544641

9727359

ME9727359

380024

Solenoid valve 180° - 1 way - 24Vac/dc 50Hz - Ø 6,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9627207

9727394

309124

Solenoid valve 180° - 1 way - 24Vac 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter and pink reducer; Tmax 90°C

9683829

9727401

379307

Coil for solenoid valve 24V 50/60 Hz
faston 6,3 mm

0113128

379305

Filter for solenoid valve Ø 19x10 mm

0113098

379331

Solenoid valve filter
Ø 11,50x24 mm

0113218

379714

Seals, filters and flow reducers [Kit]

9552422

379308

Solenoid valve 90° - 2 input 3/4" - 1 outlet Ø 14 mm
without coils

0113127

Solenoid Valves and Reducers

379309



Solenoid valve 90° - 2 way
inlet Ø 3/4" with filter

0113125

Ball valves, Pipe fittings

320672



Rubber holder 90° 1/8" - outlet Ø 6 mm

0260049

379077



Rubber holder 90° 3/4" F - outlet Ø 21 mm

0620463

378771



Rubber holder 90° - outlet Ø 14 mm

0620342

700462



T-connection Ø 13-13-13 mm

0621035

410244



Y-connection Ø 10-10-10 mm - brass

0621040

438482



Y-connection Ø 12-12-12 mm

0621036

ME0621036

378765



Backflow preventer
rubber holder Ø 13 mm

0620334

378969



Backflow preventer, complete
rubber holder Ø 13 mm

8002731

Hoses

380702



Formed hose 90° Ø 24 mm

9514680

380078

Formed hose 90°
Øint. 6/40/44 mm; dim. 160x80 mm

9625072

612360

Hose EPDM Ø 10x17 mm (sold by meter)
Pmax 10 bar; working temp. -35°C+110°C;
non-toxic

9608607

200002

Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp -35°C+120°C

0640012

9608600

9637774

700541

Hose EPDM Ø 35x43 mm (sold by meter)
working temp. -35°C+110°C; Pmax 6 bar

0640048


379596



PVC transparent hose Ø 6x9x1050 mm

0260007

378971



PVC transparent hose Ø 35x45x90 mm

8002454

582140



Blue silicone hose Ø 6x12 mm (sold by meter)

9681110

ME9681110

380146

Aquastop loading device WRC 5l/min -
G3/4" 24Vdc
0,2-10 bar/3-145 psi; hose L=2200 mm;
mounting flange 75x130 mm

9546090

9604286

9604364

9693190

ME9693190

379921

Aquastop loading device 5,3l/min -
G3/4" 24Vdc
Pmax 10bar; hose L=1300 mm

9543975

Hoses

380067



Float switch for aquastop
dim: 90x90x60 mm

9518634

9519580

9622935

380327



Drain hose Ø 22x29 mm L=3000 mm

9007232

581951



Drain pipe Ø 22x29 mm L=1650 mm

9641540

ME9641540

325264



Drain hose PPE Ø 21 mm 180°+ Ø 20
mm 180° L=2500 mm
sleeves Øint/ext 21/28 mm e 20/24 mm, Øext
24,5 mm

0640037

9609672

Water conditioning

308936



Blue filter key Ø 116 mm

9677393

308976



Filter cartridge for reverse osmosis 5
micron
Ø 27,5x64/68x180 mm

9651178

9684118

9695683

322169



Storage tank without pump
dim. 280x220x90 mm

9603362

379739



Solenoid valve 90° - 1 way - 24Vdc - Ø 14
mm
with fastons; inlet Ø 24 mm; DN10

9545436

Drain components

380525



Gasket for vent valve Ø 14x1,5 mm

9515234

380614



Drain pump vent valve Ø 19x23x74,5
mm

9515229

Drain components

378741



Overflow pipe Ø 30x140 mm

0620347

9753785

ME0620347

ME9753785

379080



Extension over flow pipe Øint. 41/ext. 43/45 mm H=132 mm

0620456

Filters

498073



Filter Ø 16x8 mm

9617736

ME9617736

309037



Filter 103x105 mm

9699843

378769



Filter Ø 195x70 mm

0620346

380026



Filter Ø 80xh56 mm

9630597

380199



Cap Ø 74 mm

9607788

308772



Cap Ø 34,5/49,5x25,5 mm

9654326

308771



Float protection cap Ø 37x74x34,5 mm

9654323

Handles

309107



Handle m-iclean Ø 90 mm

9696747
9766272

9716419

9727827

9746484

304412



Handle gasket for m-iclean
Ø 4x9x1,5 mm

0408004

309151



Handle gasket
11x52x2,2 mm

9709325

Hinges

308333



Right hinge

9516557.03

9516557-03

308334



Left hinge

951655704

9516557-04

Small Mechanical Parts

379365



Bushing Ø 11x17,5/25x12 mm

0101401

584320



Hexagonal nut M5 self-locking - INOX

0337001

524924



Hexagonal nut M4 - H=3,2 mm INOX (10 pcs)
CH7

0335005

511949



Hexagonal nut 3/8" H=6 mm
WS25

0360211

9515957

Small Mechanical Parts

519321



Hexagonal Flanged nut M5 INOX

0335300

380105



Spacer M12x1
dim. 30x27x6 mm

9517408

9604483

310306



Double wire clamp Ø 7,8÷8,3 mm

9500044

359717



Double wire clamp Ø 8,8÷9,3 mm

9500045

438480



Hose clamp Ø 12÷22/9 mm - INOX

0233043

9607418

324768



Hose clamp Ø 23÷35/9 mm - INOX

0233034

0233045

438464



Hose clamp Ø 32÷50/9 mm - INOX

0233046

518655



Hose clamp Ø 40÷60/9 mm - INOX

0233041

433052



Hose clamp Ø 16÷27/12 mm - INOX

0233037

380507



V-clamp Ø 170÷178/22 mm

9519356

9640601

Small Mechanical Parts

380085

Hose clamp \varnothing 50÷53,5/12 mm

9624003

380031

Hose clamp \varnothing 9÷11/8,5 mm

9627394

311116



Hose adapter M16xM10

0260052

378790

Rope \varnothing 4 mm L=310 mm
polyamide

0435151

ME0435151

378788

Hook for rope
 \varnothing fil 2 mm

0435150

ME0435150

379508

copper Gasket
 \varnothing 4,4x7,7x0,8 mm (5 pcs)

0409000

379673

Hexagonal head screw M4x25 mm [5
Pz]

0303015

379688

Hexagonal head screw
M6x45 mm INOX (5 pz)

0302065

490406



Screw with slit head M6x30 mm

0307096

ME0307096

379686



Screw TS M5x20 mm (5 pcs)

0306121

Small Mechanical Parts

347876



Screw Ø 4x25 mm

9712337

ME9712337

309114

Screw for m-iclean handle
Ø 4,08x20 mm

9719602

379648

Self-tapping screw
Ø 4,2x13 mm

0330020

379652

Self-tapping screw
Ø 4,2x22,5 mm FV 40.2 - DV 80.2

0330039

Shaft sealing

412572

Shaft sealing Ø 24x10x14 mm /
counter-seal Ø 26x13x8 mm
for pump with shaft Ø 11 mm

0501162

9519539

412573

Shaft sealing Ø 24x11x15,5 mm /
counter-seal Ø 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

0501095

0501161

324697

Sealing ring
Ø7x20x9 mm; Ø7x18x5 mm

9523844

9662632

ME9523844

ME9662632

Boilers

379441



Pin Ø 6x30/34 mm

0360012

Safety groups

379614



Pressure reducer MM 1/2" 1÷8 bar
L=138 mm; DN 15

0232012

308751



Pressure reduction 3/4" MM
L=103 mm; 1÷4bar; DN 20, PN15

9651193

Springs

499646



Spring Ø 14 mm L=25 mm
wire Ø 1,6 mm

9500400

ME9500400

309019



Tension spring Ø 14,5 mm Ltot=106 mm
wire Ø 1,2 mm

9695608

380604



Tension spring Ø 21,5x73xLtot. 110 mm
wire Ø 1,7 mm

9521470

9521764

ME9521764

Printed Circuit Boards

380021



Pcb MIKE2-E/A1
dim. 75x150 mm

9533501
97150339617235
97355269645493
97355289678638
9764917

380020



Pcb MIKE2-E/A1
dim. 75x150 mm

9537737

9617237

9726345

9752774

380013



Pcb
dim. 75x150 mm

9618195

9645495

ME9645495

308708



Power supply pcb
dim. 80x80 mm

9533502

9626264

9643652

Printed Circuit Boards

379927



Pcb Mike E2-CPU1

9533503

9541525

9608942

379214

Scheda diodi sap 3
dim. 120x60 mm

0124186

379999

Pcb Mike
dim. 140x55 mm; cable L=135 mm

9617233


379946

Pcb Mike 2-LED1
dim. 140x55 mm; cable L=135 mm

9536332

9542049

380149

Eprom M1-STD V4.4b
MIKE2

9604262

379988

Eprom M1-STD V2.2b
MIKE1

9621015

379242

Flat connection cable
L=800 mm; spuel 3 ; 10-pole connector

0180502

380113



Cable tie holder

9607101

Probes

309073

Temperature probe PT1000
bulb Ø 6,8x32,5 mm; cable L=420 mm

9707143

309074

Temperature probe PT1000
bulb Ø 6,8x32,5 mm; cable L=600 mm

9707144

Probes

321878



Temperature probe PT1000
bulb Ø 7x32 mm, PVC cable L=400 mm

9640338

9642325

MA9640338

ME9605615

309025



Temperature probe PT1000 [KIT]
bulb Ø 6,80x33 mm; cable L=500 mm

9656868

9697140

380119



Temperature probe PTC
bulb Ø 3x13 mm - cable L=400 mm

9605615

319962



Temperature probe PTC
bulb Ø 6,7x32 mm; cable L=500 mm

9548993

9614610

9614768

9640339

9642324

308690



Temperature sensor holder
dim. 24x24,5 mm

9639363

308689



Temperature probe cable clamp

9639301

Membranes

380145



Adhesive membrane keypads FV 60.2
560x52 mm

9603602

379943



Adhesive membrane FV 40.2 Mike
560x53 mm

9207357

9542137

379833



Adhesive membrane
FV130.2/FV250.2/DV270.2
335x60 mm

9537365

498759



Adhesive membrane U500S
dim. 540x50 mm

9731550

ME9731550

Membranes

379997



Adhesive membrane EcoStar 530 F
540x50 mm

9619253

308701



Adhesive membrane EcoStar 530F Mike
540x50 mm

9641668

Gaskets for dishwashers

497279



Door gasket replacement kit
m-iclean

9702513

9748369

ME9748369

496128



3-sided profile seal
570x345 mm

9728127

ME9728127

308927



Door gasket L=565 mm
FV40.2

9518730

9675934

O-rings

379546



O-ring 1,50x19,00 mm NBR

0401063

379454



O-ring 1,50x50,00mm EPDM

0401030

317704



O-ring 2,00x6,00 mm NBR

9541531

200257



O-ring 2,00x16,00 mm NBR

0260051

O-rings

379452



O-ring 2,00x18,00 mm EPDM

0401014

379459



O-ring 2,00x21,00 EPDM

0401016

309154



Gasket Ø 5,5x10x2,5 mm EPDM

9711708

9711709

9736323

379934



O-ring 3,00x46,00 mm EPDM

9541533

380557



O-ring 3,00x48,00 mm NBR

9523850

380034



O-ring 3,00x143,00 mm

9627180

379547



O-ring 3,53x206,5 EPDM

0401061

309012



O-ring 4,00x20,00 mm EPDM

9693851

9749929

380521



O-ring 4x145 mm EPDM

9515339

309121



O-ring 5,00x65,00 mm EPDM

9656004

9725439

O-rings

435303



O-ring 5,34x46,99 mm NBR

0101176

9726489

ME9726489

Flat gaskets

379561



Flat gasket Ø 10x17x1,5 mm - Fiber

0408002

492620



Flat gasket Ø 13x24,5x3 mm

9616021

ME9616021

380121



Gasket Ø 17x30x2 mm

9607201

379258



Flat gasket Ø 17x24x2 mm EPDM

0217433

380540



Flat gasket Ø 17,5x26x2 mm - EPDM

9515964

379151



Flat gasket Ø 31,2x38,5/44x5,3 mm - EPDM

0650076

9750899

379501



Flat gasket Ø17x24x2 mm (5 pz)

0408238

Dishwashing Baskets

308754



Corner support for rilsan wire baskets
dim. 170x170 mm

9651361

585886



Grid 500x500 mm NHG500

ZH100056

586373



Container cutlery 110x110xh130 mm

CBS

585885



Basket 500x500x100 mm - for 25 glasses

A3R500

586080



Basket 500x500xh100 mm - for cups and glasses

VKV/2

586120



Basket 500x500xh100mm - for cutlery

NK75

586119



Basket 500x500xh100 mm - plastic 18 dishes or 12 soup plates

586121



Basket 500x500 mm - plastic Tray rack T06-09 grey

351274



Basket 500x500xh105 mm - UK16

UK16

Hood Type

**ELECTRICAL
PARTS**


**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES



Switches, Push Buttons, Selectors

379926



Circuit breaker 1P 230/400V 50Hz 10A
dim. 62x17,5x90 mm

9540605

380142



Auxiliary contact 1 NO
6A 230V 50Hz

0121032

9604392

9732449

487937



Auxiliary contact 1 NC
10A/240V

9531467

ME9531467

380141



Contact 1 NC
10A/400V

9604393

379747



Contact 1 NO
10A/400V

0121052

9555314

500323



Auxiliary contact 1 NC 6A 230V 50Hz

9732450

ME9732450

Lamps and Lamp Holders

340400



Orange pilot lamp Ø 13 mm 24V - L=60 mm
fluorescent lamp Ø 9 mm, with nut and silicon O-ring

9668046

ME9668046

584450



Red pilot lamp 230V Ø 13 mm self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm; Tmax 120°C

0150001

584452



Orange pilot lamp Ø 13 mm 230V - self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm; Tmax 120°C

0150000

9690488

ME9690488

380042



Lamp socket with white led
24Vac/dc

9633584

Contactors and Relays

612338



Contactor BF0910A

4,2kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1 aux NO

0135204

9520025

350909



Contactor BF901A

4,2kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1 aux NC

0135200

379894



Mini contactor 3TG1010

3NO+1NO; dim. 60x36x62 mm

9543079

309089



Contactor 3RT1016-1BB42

4kW 400V 3P; 3kW 230V 50Hz 24Vdc; 3 cont. NO + 1 aux NC

9547516

9709912

9763026

380605



Contactor 3RT2016-1BB41-1AA0

4kW 400V 3P; 24Vdc; 1 NO; dim. 74x45x57,5 mm

0135232

9521021

9733391

309004



Contactor 3RT2016-2AB01

4kW 400V 3P; 24Vdc; 1 NO; dim. 74x45x70 mm

9615786

9690949

379897



Contactor 3RT2023-1BB40

4kW 3P 400V; 2,2kW 230V 50/60Hz; 3 cont. NC + 1 aux NO

9542897

9732331

9758795

380173



Contactor 3RT2023-1AC20

4kW 400V 3P; 24V 50/60 Hz; 1 NO+1NC; dim. 97x45x85 mm

9545904

9615788

9690951

9747914

586124



Contactor 3RT2026-1AL20

11kW 230V 50/60 Hz 25A 3 NO

9521016

9521019

9758457

ME9758457

379886



Relay 24Vdc

socket PLC-BSC-24Vdc/21; dim. 80x6,2x85 mm

9533893

Contactors and Relays

495711



Motor protecting switch 0,35-0,5A
dim. 84x45x98 mm

9531837 ME9531837

495660



Motor protecting switch 1,1-1,6A
dim. 85x45x98 mm

9546245 ME9546245

379720



Auxiliary contact block 3RH1921
1NO+1NC; dim. 71x10x80 mm

9550241

Microswitches

342250



Snap action microswitch 16(6)A 250V T85
faston 6,3x0,8 mm

0122103 0122105 9544800

380068



Snap action microswitch 0,1(0,05)A 125/250V
faston 6,3x0,8 mm

9520085 9622932

379896



Magnetic microswitch 100V 0,25A
Ø 6x30 mm; cable L=5000 mm; 1NO

9542983

379431



Magnetic switch 10W 240V 5A
dim. 28,5x19x3,5/6,3 mm; cable L=100 mm

0122053

379429



Magnetic switch
dim. 29x18x6.4/3.5 mm; cable L=5000 mm

0122052 0122057 ME0122052 ME0122057

380293



Magnetic microswitch
dim. 18x29x6,5 mm; cable L=5000 mm

9500385

Microswitches

379430



Magnetic microswitch
dim. 20x80,5x15 mm; 250V 3,0A 100VA;
cable L=5000 mm

0122024

0122056

379435



Magnetic microswitch
dim. 29x19x6.4/3.5 mm; cable L=300 mm

0122070

380279



Magnetic microswitch
dim. 29x19x6.3/3.3 mm; cable L=290 mm

8302780

9519952

376204



Floating level switch Ø 18x52 mm [Kit]
cable L=1000 mm; thread M16

0130028

9005977

9526211

ME9526211

492693



Floating level switch Ø 18x64 mm
cable L=860 mm; screw M16x2

9669683

9741117

ME9669683

ME9741117

585812



Lever L=25 mm

0122106

Pressure Switches

316549



Pressure switch 1 level 0÷30 mbar
0,5÷3,5 VDC
Pmax 200 mbar

9537961

319955



Pressure switch 1 level
250V; connection 15x20 mm

9207519

9519033

9622898

9683764

9683764+0401014

379977



Pressure switch 1 level 40/15 mbar
contacts capacity 16A 250V; Tmax 85°C

9622397

9741392

379204



Pressure switch 1 level 40/15 mbar
contacts capacity 16A 250V; Tmax 85°C

0130019

0130026

Pressure Switches

379976



Pressure switch 1 level 90/25 mbar
contacts capacity 16A 250V; Tmax 85°C

9622398

9741393

Fans

487996



Axial fan with motor
cable L=320 mm

9691407

ME9691407

531364



Compact fan 120x120x38 mm - 20W
230V 50/60Hz
no cable; faston connection 2,8x0,5 mm;
2550 rpm; ball bearing

0190032

Fuses, Capacitors, RFI Filters

418004



Capacitor for power factor correction 5
μF 400V 50/60Hz
Ø 30x51 mm; with screw M8

9520030

334853



Capacitor for power factor correction
20μF 450V 50/60Hz
Ø 40x71 mm; with screw M8

9606122

308757



Capacitor for power factor correction
1μF 420/470V
Ø 25x48 mm; with screw M8

9538345

9652126

339523



Capacitor for power factor correction
12,5μF 450V 50/60Hz
Ø 40x70 mm; with screw M8

0501090

340272



Capacitor for power factor correction
16μF 450V 50/60Hz
Ø 40x95 mm; screw M8; faston 6,3x0,8 mm

0501136

379879



Anti-noise filter 250V 50/60Hz 10A
dim. 169x70x44 mm

9534799

Fuses, Capacitors, RFI Filters

435368



Fuse Ø 5x20 mm 4A 250V fast

0145013

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

0145047

320007



Fuse Ø 5x20 mm 6,3A 250V slow (10 pcs)

0145001

380204



Fuse Ø 5x20 mm 16A 250V slow

9611761

Motors

309104



Motor 24Vdc 5,5A
700rpm; cable L=470 mm

9648140

9715577

379766



Gearmotor monophas 15W 220-230V
50/60Hz
0,16/0,17A; cable L=300 mm

9600957

9651040

ME9651040

379955



Motor shaft gasket set

9541786

308638



Clamping ring Ø 20x40x13 mm

9632880

Pumps

379915



Drain pump 70W 200-240V 50Hz
inlet Ø 24 mm; outlet Ø 24 mm; faston
6.3x0,8 mm

9544233

380037



Drain pump 90W 400V 50Hz
inlet Ø 24 mm; outlet Ø 24 mm; faston
6.3x0,8 mm

9626210

Pumps

380083



Drain pump 70W 200/240V 50Hz
suction Ø 24 mm, outlet Ø 24 mm; faston
6.3x0,8 mm; fan Ø 45 mm

9624073

582463



Drain pump 90W 230V 50/60Hz
suction Ø 24 mm, outlet Ø 24 mm - faston 6,3
mm

9500295

ME9500295

379839



**Drain pump 1 phase 220W 200-240V
50Hz 1,5A**
inlet Ø 30 mm, outlet Ø 24 mm - faston
6,3x0,8 mm; cable L=250 mm; C=5µF/400V

9535710

9638041

ME9638041

582946



**Wash pump 3phase 1100W 230/400V
50Hz 4,5/2,7A**
inlet Ø 62,5 mm, outlet Ø 52,5 mm; 2850rpm

0501134

380072



**Wash pump 1 phase 550W 180+253V
3,2A**
inlet Ø 45 mm, outlet Ø 40 mm; 2800rpm;
cable L=410 mm

9547992

9623417

379986



**Wash pump 1 phase 750W 180-253V
50Hz**
flange Ø170 mm; rotor Ø 93 mm; cable
L=410 mm

9540609

9621709

ME9540609

308621



**Wash pump 1 phase 750W 400V 50Hz
2,5A**
rotor Ø 93 mm; cable L=400 mm

9626211

379987



**Wash pump 1 phase 750W 180-253V
50Hz**
inlet Ø 45 mm; outlet Ø 40 mm; 2750rpm;
cable L=380 mm

0501135

9604594

9621706

ME0501135

ME9604594

ME9621706

322170



**Wash pump 1 phase 180W 200-240V
0,8A 50Hz**
C=5µF/400V, cable L=250 mm

9607881

9638050

324702



**Rinse pump 1 phase 190W 200-240V
50Hz**
inlet Ø 28 mm; outlet Ø 24 mm; cable L= 245
mm

9544228

9638029

ME9638029

Pumps

342610



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

0501097

380558



Rinse pump housing
inlet Ø24 mm; outlet Ø24 mm; dim.
100x90x65 mm

9523849

379853



Washing pump housing till Dec_2010
Øint. 147/ext. 170 mm;

9538642

9538643

9677489

9736616

324704



Water pump cover
dim. 135x90x55 mm; inlet Ø 28 mm; outlet Ø
24 mm

9643335

ME9643335

380297



Shell for pump
inlet Ø 45 mm, outlet Ø 40 mm

0501091

0501105

9500311

379816



Drain valve Ø 31x72,5 mm

9600744

322713



Impeller Ø 74 mm

9523267

9643336

ME9523267

ME9643336

378874



Pump wheel Ø 96 mm
D-hole Ø 9x8,2 mm; Htot=23 mm

0501092

0501137

379980



Pump wheel Ø 93 mm
D-hole Ø 9x8,2 mm, Htot=27,5 mm; direction
of rotation: left (6 blades)

9540713

9621796

ME9540713

ME9621796

308601



Pump wheel Ø 93 mm - 50Hz
D-hole Ø 9x8,2 mm, Htot=28,5 mm; direction
of rotation: right (6 blades)

9621827

Pumps

379982



Impeller Ø 103 mm
D-hole Ø 9x8,2 mm; Htot. 27,8 mm

0501138 9537022 9621793

342290



Gasket for pump FIR H=3,5x4,5 mm

9500310

378879



Gasket Pump housing
for pump 379987

0501157

342464



Gasket for pump FIR H=4x4 mm
EPDM

0501101

380578



O-ring Ø 3,00x78 mm EPDM

9523260 ME9523260

378851



Gasket Pump housing

0501094

308297



sealing ring Ø 25/11x6,5 mm

9500307

379616



Sleeve 50x42,5 mm EPDM [Kit]
Hose clamp DN 50x48 mm

0296002 9649894

309003



Silicone sleeve for washing pump
Ø 43,6x60x20 mm

9690923

322168



Cover

9532612

Pumps

379703



Deflector
DV 80.2

9549510

379780



Flap
dim. 47x32 mm

9601543

308390



Pump base Ø 36,4x147x14 mm

9538647

Heating Elements

380641



Boiler heating element 3000W 230V
L=220 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm

0101150

9504228

9708862

380639



Boiler heating element 6000W 230V
L=410 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm

0101143

9504236

9708870

380636



Boiler heating element 9000W 230V
L=475 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm; O-ring 5,34x46,99 mm

0101166

9504240

9708877

319958



Boiler heating element 10500W 230V
L=485 mm; flange 83,5x78,5 mm; Øint. 47 mm; with bulb house L=120 mm

9605102

308664



Boiler heating element 4500W 230V
L=260 mm; triangular flange 83,5x78,7 mm; Øint. 50 mm; bulb housing L=120 mm

9637189

ME9637189

380513



Boiler heating element 4500W 230V
L=255 mm; triangular flange 83,5x78,7 mm; bulb housing L=150 mm

9519587

Heating Elements

380505



Boiler heating element 3000/3265W 230/240V
L=185 mm; flange 83,5x78,7 mm; Øint. 48 mm; bulb house L=150 mm

9519586

380503



Boiler heating element 6000/6533W 230/240V
L=330 mm; triangular flange 83,5x78,5 mm, Øint. 47 mm; with bulb house L=120 mm

9519588

380502



Boiler heating element 7500W 230V
L=410 mm, triangular flange 73x73 mm with bulb house Øint 6 mm

0280250

9519590

ME0280250

380501



Boiler heating element 9000W 230V
L=485 mm, flange 83x78,3 mm; bulb house L=150 mm

9519591

9546196

379755



Heating element 1300W 230V
dim. 180x125 mm; thread M14

9546104

379738



Heating element 2200W 200-240V
dim. 180x130 mm; thread M14

9546105

379346



Tank heating element 2000W 230V
dim. 280x39,5 mm; flange Ø 35 mm; faston 6,3x0.8 mm, connection M5, with flange connection and seal

0101152

9708856

ME9708856

379352



Heating element gasket Ø 35 mm

0101175

379550



Heating element gasket Ø 14x25x1,5 mm (5 pcs)

0408008

379366



Heating element gasket Ø 46x57x9 mm

0101197

Heating Elements

379709



Heating element connection protection
 Øint. 18/ext. 22xh50mm; M13 thread

9548754

379916



Heating element connection protection (5 pcs.)
 Øint. 10/est. 14xh27 mm

9543319

379339



Boiler heating element fixing bracket
 dim. 26.4x11x4,5/10,5 mm; hole Ø 5.5 mm

0101183

378757



Heating element with flange Ø 48x71x1,2 mm
 cover Ø 65x71x56 mm

0620312

Transformers

379880



Transformer 250VA 50/60Hz
 PRI.: 230-400-420-440-460V; SEC.: 24Vdc
 6,3A; dim. 97x105x140 mm

9534796

500805



Transformer 250VA 50/60Hz
 PRI.: 460V, SEC.: 230V; cavi L=1450 mm;
 support 153x130x29 mm

9681187

ME9681187

490261



Control transformer 250VA 50/60Hz
 PRI.: 460V, SEC.: 230V; cable L=1450 mm

9676386

ME9676386

Cables

322148



Cable RJ45 L=1000 mm

9635757

ME9635757

308636



Adapter Cable L=200 mm

9631937

Cables

379835



Connector 4P M12

9537327

Thermostats

379368

Bath safety thermostat 110°C
1NC; faston 6,3x0,8 mm

0108043

9747923

ME9747923

379356

Safety thermostat gasket
Ø 18x40xh19 mm

0108040

Wash units

380532

Wash arm L=500 mm
shaft Ø 22/16 mm; till 12/2010

9517391

379111



Upper wash arm L=500 mm

8000147

358248

Wash arm with shaft L = 500 mm
shaft Øest. 22 mm; as of 01/2011

9659321

9752203

ME9659321

308652



Wash ramp

9635598

379746

Rins arm L=490 mm
till 12/2010

9517399

9544634

9547257

ME9544634

324582

Final rinse arm with shaft L = 500 mm
shaft M12; as of 01/2011

9679331

ME9679331

Wash units

308842



Final rinse arm L=500 mm

9663288

379902



Lower rinse arm L=475 mm

3743335

8000046

9542559

379803



Bushing turning arm
Øint. 17/19 mm, dim. 80x50 mm

9600673

379448



Fixing reel rinse pin Ø2x20 mm

0354000

378653



Centering bush L=120 mm

0620233

379903



Upper rinse arm L=470 mm

8000047

9542558

379791



Rinse arm L=620 mm

9601025

380707



Wash arm axe
Ø 16 mm Ltot=81,5 mm

9514453

379117



Shaft Ø 16x20 mm L=165 mm

8000174

379844



Pivot for reel Ø 16 mm

9538645

Wash units

379855



Wash arm support \varnothing 40,5/50x55/70x90 mm

9538625

378964



Rinse arm shaft
dim. 76x54 mm

8002880

379087



The reel support

0620443

379813



Wash arm support
dim: 80x50x20 mm; \varnothing 30mm

9600764

309045



Nozzle support

9701475

379108



Upper wash arm support \varnothing 21 mm
H=108 mm

0620506

379704



Riser pipe
DV80.2

9550244

379851



Wash pipe

9538681

487780



Ascending pipe

9621462

9646027

ME9646027

459625



Wash nozzle support

9600982

ME9600982

Wash units

379795



Washing arm plug Ø 17/45/50 mm
L=44,5 mm

9600446

380202



Nozzle support 25° Ø 9,70 mm

0620466

9601608

379101



Nozzle support 25° Ø 9,70 mm

0620467

308563



Steam nozzle
hole Ø 5,50 mm; M12

9614646

380496



Rinsing nozzle

9517406

379910



Wash nozzle Ø 33 mm

9601668

379790



Wash nozzle Ø 80 mm

9601177

378659



Rinsing nozzle

0620157

9753799

380495



Screw for rinsing arm M12x1
Ø 16/24xLtot.36,5 mm

9517409

378764



Superior hub for wash arm Ø 21x28
mm
dim. 53,5x53,5x26 mm

0620282

Wash units

378756



Inferior hub for wash arm \varnothing 20,5x28 mm
dim. 53,5x53,5x26 mm

0620281

378675



Half disk \varnothing 62 mm

0620211

ME0620211

379700



Fixing nut 1/2" L=25 mm INOX
CH27 - for wash ramp

9550206

379814



Coupling connection
 \varnothing int 41 mm; h=33 mm

9600763

308790



Spacer M12x1
dim. 30x27x4 mm

9657135

378715



Watersaving aerator for nozzle \varnothing 12 mm

0620121

380545



Wash arm fixing Nut 3/4"
H=13 mm; WS30

9517398

380600



Rinse arm bushing \varnothing 16x20/24x6,5 mm

9522439

308948



Washing arm bushing \varnothing 42x47,5/51x9 mm

9520931

9679658

378931



Spacer \varnothing 21x30x4 mm

8004468

Wash units

379167



Ring nut, right thread Ø 50 mm

8000048

379150



Ring nut, left thread Ø 50 mm

8000049

380506



Bushing for washing arm Ø 22 mm -
H=34,5 mm
Øint. 16,2 mm

9517397

9671628

ME9671628

308881



Rinse arm shaft H=39 mm

9669732

379563



Flat washer Ø 17x26x1mm - TEFLON

0403303

379802



Washer Ø 30x40x2 mm

9600453

380524



Gasket Ø 41x57 mm

9515334

379641



Knurled screws M10x10 mm Ø 22 mm
INOX

0310010

8001631

ME0310010

ME8001631

Air-gaps

378763



Air brake
Elbow fitting Ø 6,4 mm

0620244

380542



Air brake 52x56 mm
fitting Øext. 6,5 mm

9515955

Air-gaps

380597



Air break

9523195

379025



Water baffle

8000609

379782



Pipe support
dim. 36x64,5x21 mm

9601265

379065



Gasket Ø 13x17/20x14 mm

0650001

Dispensers and Peristaltic pump

379913



Rinse aid peristaltic pump fixed capacity
mod. PP; fixed flow rate 1,25 L/h; 0,5 bar; 24V 3,5W; hose in sekobrill with rubber holder Øext. 6,5 mm; Cable L=205mm

9544293

9625978

380482



Rinse aid peristaltic pump fixed capacity (internal use)
mod. PG0,4; fixed capacity 0,4 L/h; 0,5 bar; 230V 8W; tubo in sekobrill con portagomma Øest. 6,3 mm

9518514

610871



Rinse aid peristaltic pump w/speed adj. (external use)
mod. PR-1; flow rate adj. from 0,15÷1 lt/h press. 3 bar; 230V 50Hz; protection IP65; cable L=1200 mm; Hose in sekobrill; installation kit included

9503331

379914



Detergent peristaltic pump fixed capacity
mod. PP; fixed flow rate 7 L/h; 0,1 bar; 24V 3,5W; hose in Santoprene ; Cable L=205mm

9544292

700433



Detergent peristaltic pump w/speed adj. (external use)
mod. PR-7; flow rate from 1÷7 lt/h press. 0,1 bar; 230V 50Hz; protection IP65; hose in Santoprene with rubber holder Ø 5x8 mm; cable L=2750 mm; installation kit included

9504802

9533323

700434



Detergent peristaltic pump w/speed adj. (external use)
mod. PR-7; flow rate from 1÷7 lt/h press. 0,1 bar; 230V 50Hz; protection IP65; hose in Santoprene with rubber holder Ø 6,2x10,2 mm for hose clamp; cable L=2750 mm; installation kit included

9511667

Dispensers and Peristaltic pump

380193



Detergent pump 24V 0,5Bar ADT
rubber holder Øext 6.5 mm

9609173

9665425

309090



Detergent peristaltic pump fixed capacity (Internal use)
mod. NPG-3; fixed capacity 7 L/h; 0,1 bar;
24V 50Hz; cable L=390 mm; hose in Santoprene

9710009

9746647

379597



PVC transparent hose Ø 5x8 mm (sold by meter)

0260006

379849



Transparent blue hose for rinse aid dispenser Ø 6x9x1050 mm

9538712

582141



Beige silicon hose Ø 6x12 mm (sold by meter)

9647876

ME9647876

380218



Detergent pump Coil 24Vdc

9611095

308829



Elbow fitting 90° for hose Ø 6 mm -white
dim. 22,5x32,5 mm

9661146

308853



Elbow fitting 90° for hose Ø 6 mm -blue

9665221

316014



Hose for detergent pump Santoprene Ø 6,2x10,2 mm
L=180 mm - rubber holder Ø 6x8 mm

9505651

9511675

309115



Detergent peristaltic hose 6,25x10,65 mm
L=190 mm - Elbow fitting Ø 6 mm

9720478

9747203

Dispensers and Peristaltic pump

379919



Hose for rinse aid pump sekobrill Ø 3,0x7,4 mm
L=180 mm - rubber holder Øext 6,5 mm

9505652

9544088

378920



Rinse aid container
dim. 80x90x145 mm; rubber holder Ø 6.4 mm

8003830

379861



Peristaltic pump Roller

9533450

379514



Flat gasket Ø 13x24x3 mm

0408225

Solenoid Valves and Reducers

584397



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; inlet reducer 5 L/min; Tmax 90°C

9541819

349150



Solenoid valve 90° - 1 way - 24Vac 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

9623762

349160



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter and inlet reducer 20 lt/min; Tmax 90°C

9000006

411813



Solenoid valve 180° - 1 way - 24Vac 50Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9623108

9686159

ME9686159

432364



Solenoid valve 180° - 1 way - 24Vac 50Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

9734082

ME9734082

200270



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

9505869

Solenoid Valves and Reducers

310862



**Inlet pressure reducer 16 lt/min
[black-Elbi]**

9506227

380055



**Solenoid valve 90° - 1 way - 24Vac/dc
50Hz - Ø 10,5 mm**
with fastons; inlet Ø 3/4" with filter and reducer

9625747

9686158

380060



**Solenoid valve 90° - 2 ways - 24Vac/dc
50/60Hz - Ø 14 mm**
with fastons; inlet Ø 3/4" with filter and pink reducer; Tmax. 90

9623793

9740784

379911



**Solenoid valve 180° - 1 way - 24Vac/dc
50Hz - Ø 6,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9544641

9727359

ME9727359

380024



**Solenoid valve 180° - 1 way - 24Vac/dc
50Hz - Ø 6,5 mm**
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9627207

9727394

309124



**Solenoid valve 180° - 1 way - 24Vac
50/60Hz - Ø 10,5 mm**
with fastons faston; inlet Ø 3/4" with filter and pink reducer; Tmax 90°C

9683829

9727401

379307



**Coil for solenoid valve 24V 50/60 Hz
faston 6,3 mm**

0113128

379336



**Coil for solenoid valve 220-240V
50/60Hz
faston 6,3 mm**

0113223

379326



Solenoid valve coil spring

0113224

379305



Filter for solenoid valve Ø 19x10 mm

0113098

Solenoid Valves and Reducers

379331



Solenoid valve filter
Ø 11,50x24 mm

0113218

379308



Solenoid valve 90° - 2 input 3/4" - 1 outlet Ø 14 mm
without coils

0113127

379309



Solenoid valve 90°- 2 way
inlet Ø 3/4" with filter

0113125

379313



Solenoid valve 180° - 1 via - Ø 14 mm
inlet Ø 3/4" with filter; Tmax 90°C

0113202

Ball valves, Pipe fittings

379107



Rubber holder 90° - F3/4" - outlet Ø 13,5 mm
rubber holder Ø 13,5 mm

0621026

9505201

379077



Rubber holder 90° 3/4" F - outlet Ø 21 mm

0620463

378771



Rubber holder 90° - outlet Ø 14 mm

0620342

489984



Rubber holder 1/4"F - outlet Ø 13 mm

9622314

ME9622314

700462



T-connection Ø 13-13-13 mm

0621035

410244



Y-connection Ø 10-10-10 mm - brass

0621040

Ball valves, Pipe fittings

438482



Y-connection Ø 12-12-12 mm

0621036

ME0621036

378765



Backflow preventer
rubber holder Ø 13 mm

0620334

378969



Backflow preventer, complete
rubber holder Ø 13 mm

8002731

379792



Flap trap Øext. 35,5 mm

9601016

Hoses

325222



EPDM Formed hose Ø24 mm
dim. 550x450x125 mm

9539185

ME9539185

494207



Formed hose Øest. 27 mm EPDM

9600844

ME9600844

379794



Formed hose Ø 27 mm EPDM
Ø 24x31 mm; dim. 390x390x70 mm

9601260

494210



Formed hose Ø 23x30 mm EPDM
dim. 315x190 mm

9602672

ME9602672

379772



Formed hose Ø 70x80x180 mm

9600818

379923



Formed hose 70x46 mm EPDM
Ø ext 85mm; Ø80 mm ; H = 46mm ; Rubber thickness 4 mm

9543879

Hoses

379763



Formed hose Ø 45x54x55 mm EPDM

9600820

380702



Formed hose 90° Ø 24 mm

9514680

581952



Formed hose 90°

9635615

ME9635615

494196



Formed hose 90° Ø 15x20 mm

9601261

ME9601261

612360



Hose EPDM Ø 10x17 mm (sold by meter)
Pmax 10 bar; working temp. -35°C+110°C; non-toxic

9608607

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar - working temp -35°C+120°C

0640012

9608600

9637774

700541



Hose EPDM Ø 35x43 mm (sold by meter)
working temp. -35°C+110°C; Pmax 6 bar

0640048

379596



PVC transparent hose Ø 6x9x1050 mm

0260007

378971



PVC transparent hose Ø 35x45x90 mm

8002454

522456



Silicone hose Ø 5x8 mm
Line CPC/SCC Dal 10/97

8303804

Hoses

582140



Blue silicone hose Ø 6x12 mm (sold by meter)

9681110 ME9681110

380146



Aquastop loading device WRC 5l/min - G3/4" 24Vdc
0,2-10 bar/3-145 psi; hose L=2200 mm; mounting flange 75x130 mm

9546090 9604286 9604364 9693190
ME9693190

380138



Aquastop loading device 60°C 5l/min - G3/4" 24Vdc
0,2-10 bar/3-145 psi; hose L=2200 mm; mounting flange 75x130 mm

9604363

380067



Float switch for aquastop
dim: 90x90x60 mm

9518634 9519580 9622935

380327



Drain hose Ø 22x29 mm L=3000 mm

9007232

581951



Drain pipe Ø 22x29 mm L=1650 mm

9641540 ME9641540

491473



Drain hose Ø 22x29 mm L=2500mm

9649684 ME9649684

493971



PVC hose with rigid spiral Ø 50x57,4 mm (sold by meter)

0630233 ME0630233

Water conditioning

308936



Blue filter key Ø 116 mm

9677393

308976



Filter cartridge for reverse osmosis 5 micron
Ø 27,5x64/68x180 mm

9651178 9684118 9695683

Water conditioning

322169



Storage tank without pump
dim. 280x220x90 mm

9603362

379584



Softener 8 columns
dim. 360x340 mm

0270063

379739



Solenoid valve 90° - 1 way - 24Vdc - Ø 14 mm
with fastons; inlet Ø 24 mm; DN10

9545436

380017



Set de joints with flow regulator [Kit]

9617744

Drain components

581953



Manifold Ø 240 mm

9634338

ME9634338

379778



Manifold Ø 13 mm - Ø 31 mm
dim. 120x82 mm

9600841

380525



Gasket for vent valve Ø 14x1,5 mm

9515234

380614



Drain pump vent valve Ø 19x23x74,5 mm

9515229

379079



Overflow pipe Ø 30x255 mm

0620457

380039



Flanged overflow pipe Ø 46x270 mm

9628526

Drain components

379021



Intake body

Øint.35 mm - hose connection Ø 40 mm

8004720

Filters

498073



Filter Ø 16x8 mm

9617736

ME9617736

380220



Filter Ø 190 mm H=170 mm
Attach Ø 31 mm

9612003

378769



Filter Ø 195x70 mm

0620346

380026



Filter Ø 80xh56 mm

9630597

380210



Complete filter H=400 mm
Ø 180/230xHtot. 400 mm; FV130.2

9612087

380199



Cap Ø 74 mm

9607788

308772



Cap Ø 34,5/49,5x25,5 mm

9654326

308771



Float protection cap Ø 37x74x34,5 mm

9654323

Filters

308395



Tank filter 300x285 mm

9540865

Transmission components

380295



Belt guide
dim. 25x25x10 mm

9500364

380164



Belt guide
dim. 24,5x42x11 mm

9613964

Handles

379589



Handle L=690 mm

0251103

8004146

9546976

380135



Bearing for handle
Ø 15x44xh40 mm

9601769

379083



Support handle

0620449

Rollers

380250



Wheel Ø 8/20x40x16,5 mm

8660138

Thermostatic steam trap

379602



Steam trap

0232043

Small Mechanical Parts

379826



Snap-ring
dim: 27x31x2 mm

9600784

584320



Hexagonal nut M5 self-locking - INOX

0337001

524924



Hexagonal nut M4 - H=3,2 mm INOX (10 pcs)
CH7

0335005

378941



Hexagonal nut for tie rod
M8x30 mm
M8x30 mm - CH14

8004147

511949



Hexagonal nut 3/8" H=6 mm
WS25

0360211

9515957

519321



Hexagonal Flanged nut M5 INOX

0335300

380105



Spacer M12x1
dim. 30x27x6 mm

9517408

9604483

310306



Double wire clamp Ø 7,8÷8,3 mm

9500044

Small Mechanical Parts

359717



Double wire clamp Ø 8,8÷9,3 mm

9500045

438480



Hose clamp Ø 12÷22/9 mm - INOX

0233043

9607418

324768



Hose clamp Ø 23÷35/9 mm - INOX

0233034

0233045

438464



Hose clamp Ø 32÷50/9 mm - INOX

0233046

518655



Hose clamp Ø 40÷60/9 mm - INOX

0233041

433052



Hose clamp Ø 16÷27/12 mm - INOX

0233037

329931



Hose clamp Ø 70÷90/12 mm - INOX

9513277

9546093

359706



Hose clamp 80÷100/12 mm

9534072

9546094

380507



V-clamp Ø 170÷178/22 mm

9519356

9640601

380085



Hose clamp Ø 50÷53,5/12 mm

9624003

Small Mechanical Parts

380031



Hose clamp \varnothing 9÷11/8,5 mm

9627394

378790



Rope \varnothing 4 mm L=310 mm
polyamide

0435151

ME0435151

379508



copper Gasket
 \varnothing 4,4x7,7x0,8 mm (5 pcs)

0409000

379496



Flat washer \varnothing 8,5x18x2 mm INOX (5 pcs)

0340006

379500



Flat washer \varnothing 13,3x36,5x3 mm

0340050

308397



Round head screw M6x45 mm
flange \varnothing 13,5 mm

9541450

379673



Hexagonal head screw M4x25 mm [5 Pz]

0303015

379688



Hexagonal head screw
M6x45 mm INOX (5 pz)

0302065

490406



Screw with slit head M6x30 mm

0307096

ME0307096

379693



Screw TSP M4x6 mm INOX

0306005

0306006

0306115

K0306115

Small Mechanical Parts


- | | |
|---|---|
| <p>379648</p>  <p>Self-tapping screw
Ø 4,2x13 mm</p> <p>0330020</p> | <p>379652</p>  <p>Self-tapping screw
Ø 4,2x22,5 mm FV 40.2 - DV 80.2</p> <p>0330039</p> |
|---|---|

Shaft sealing

- | | |
|---|---|
| <p>412572</p>  <p>Shaft sealing Ø 24x10x14 mm / counter-seal Ø 26x13x8 mm
for pump with shaft Ø 11 mm</p> <p>0501162 9519539</p> | <p>412573</p>  <p>Shaft sealing Ø 24x11x15,5 mm / counter-seal Ø 26x13x8 mm
shaft sealing in graphite; for pumps FIR 0254-0257-2254/S</p> <p>0501095 0501161</p> |
|---|---|

- | | |
|--|--|
| <p>379956</p>  <p>Shaft sealing Ø 35x12x20 mm
Gegenring Ø 21x35,5x7,5 mm</p> <p>9541785</p> | <p>324697</p>  <p>Sealing ring
Ø7x20x9 mm; Ø7x18x5 mm</p> <p>9523844 9662632 ME9523844 ME9662632</p> |
|--|--|

Boilers

- 380233**
- 
- Boiler 1 heating element Ø 150x530 mm**
- 8400269

Safety groups

- | | |
|---|---|
| <p>379614</p>  <p>Pressure reducer MM 1/2" 1÷8 bar
L=138 mm; DN 15</p> <p>0232012</p> | <p>308751</p>  <p>Pressure reduction 3/4" MM
L=103 mm; 1÷4bar; DN 20, PN15</p> <p>9651193</p> |
|---|---|

Springs

499646



Spring Ø 14 mm L=25 mm
wire Ø 1,6 mm

9500400

ME9500400

379531



Tension spring Ø 15x36xLtot. 66 mm
wire Ø 1,2 mm

0430002

308494



Tension spring Ø 18x40,5xLtot. 66 mm
wire Ø 1,4 mm

9601690

380604



Tension spring Ø 21,5x73xLtot. 110 mm
wire Ø 1,7 mm

9521470

9521764

ME9521764

500453



Tension spring Ø 22x114 mm
wire Ø 1,7 mm

9681062

ME9681062

379530



Tension springs Ø 45x310 mm
DV80.2

0430006

379091



Roller guide Ø 12,5x45x39 mm

0620451

379135



Bolt for roller Ø 12x45mm - M8
CH17; Ltot. 51 mm

8000220

8000230

9005062

378942



Spring support
dim. 107x35x25 mm

8004144

379042



Plug Ø 32 mm

8004480

Springs

379086



Sliding bearing lifting spring
dim. 30,5x33x18,5 mm

0620445

378929



spring compressor
M8x170 mm Ltot=785 mm

8004425

Slide Ways - Shelf Supports

378892



Right guide L=630 mm

0463052

378891



Left guide L=630 mm

0463053

Printed Circuit Boards

380021



Pcb MIKE2-E/A1
dim. 75x150 mm

9533501
9715033

9617235
9735526

9645493
9735528

9678638
9764917

380020



Pcb MIKE2-E/A1
dim. 75x150 mm

9537737

9617237

9726345

9752774

379212



Pcb
dim. 240x85 mm

0124190

0124191

380013



Pcb
dim. 75x150 mm

9618195

9645495

ME9645495

379718



Pcb
dim. 240x86 mm; SPUL6 VERSION B MSPL6

0124121
ME0124121

9519719
ME9519719

9534029
ME9552914

9552914

308708



Power supply pcb
dim. 80x80 mm

9533502

9626264

9643652

Printed Circuit Boards

379860



Pcb
dim. 57x130 mm

9532115

379927



Pcb Mike E2-CPU1

9533503

9541525

9608942

379999



Pcb Mike
dim. 140x55 mm; cable L=135 mm

9617233

379946



Pcb Mike 2-LED1
dim. 140x55 mm; cable L=135 mm

9536332

9542049


379397



Display pcb
dim. 57x131 mm

0124120

380149



Eprom M1-STD V4.4b
MIKE2

9604262

379988



Eprom M1-STD V2.2b
MIKE1

9621015

379190



Eprom MSPL6-STD

0124351

380731



E-eprom
dim. 23x16,5 mm

9510399

379878



E-eprom M1-6 EE not programmed
dim. 23,5x17 mm

0124123

9534803

Printed Circuit Boards

379246



Flat connection cable
L=800 mm; spuel 3 ; 14-pole connector

0180507

9519723

9533514

380113



Cable tie holder

9607101

Probes

321878



Temperature probe PT1000
bulb Ø 7x32 mm, PVC cable L=400 mm

9640338

9642325

MA9640338

ME9605615

309025



Temperature probe PT1000 [KIT]
bulb Ø 6,80x33 mm; cable L=500 mm

9656868

9697140

380119



Temperature probe PTC
bulb Ø 3x13 mm - cable L=400 mm

9605615

319962



Temperature probe PTC
bulb Ø 6,7x32 mm; cable L=500 mm

9548993

9614610

9614768

9640339

308690



Temperature sensor holder
dim. 24x24,5 mm

9639363

308689



Temperature probe cable clamp

9639301

Membranes

324706



Adhesive membrane DV 80.2
560x52 mm

9541543

ME9541543

379945



Adhesive membrane DV 80.2
560x53 mm

9542078

Membranes

380126



Adhesive membrane DV 200.2
560x50 mm

9603164

379833



Adhesive membrane
FV130.2/FV250.2/DV270.2
335x60 mm

9537365

378907



Adhesive membrane
200x53 mm; flat cable L=72 mm - FV130B;
FV250B; FV40T; DV120T

0467249

379904



Adhesive membrane EcoStar 545D
560x53 mm; flat cable L=50 mm

9542402

378884



Adhesive membrane
dim. 200x50 mm

0467221

O-rings

379546



O-ring 1,50x19,00 mm NBR

0401063

379454



O-ring 1,50x50,00mm EPDM

0401030

317704



O-ring 2,00x6,00 mm NBR

9541531

379452



O-ring 2,00x18,00 mm EPDM

0401014

O-rings

379459



O-ring 2,00x21,00 EPDM

0401016

379545



O-ring 2,00x84,00 mm EPDM

0401065

379934



O-ring 3,00x46,00 mm EPDM

9541533

380557



O-ring 3,00x48,00 mm NBR

9523850

379951



O-ring 3,00x54,5 mm EPDM

9541532

380034



O-ring 3,00x143,00 mm

9627180

379455



O-ring 3,53x32,93 mm EPDM

0401029

9659174

379547



O-ring 3,53x206,5 mm EPDM

0401061

380521



O-ring 4x145 mm EPDM

9515339

309121



O-ring 5,00x65,00 mm EPDM

9656004

9725439

O-rings

435303



O-ring 5,34x46,99 mm NBR

0101176

9726489

ME9726489

Flat gaskets

379561



Flat gasket Ø 10x17x1,5 mm - Fiber

0408002

492620



Flat gasket Ø 13x24,5x3 mm

9616021

ME9616021

379258



Flat gasket Ø 17x24x2 mm EPDM

0217433

380540



Flat gasket Ø 17,5x26x2 mm - EPDM

9515964

379151



Flat gasket Ø 31,2x38,5/44x5,3 mm - EPDM

0650076

9750899

379501



Flat gasket Ø17x24x2 mm (5 pz)

0408238

Dishwashing Baskets


308754



Corner support for rilsan wire baskets
dim. 170x170 mm

9651361

585886



Grid 500x500 mm NHG500

ZH100056

Dishwashing Baskets

586373



Container cutlery 110x110xh130 mm

CBS

585885



Basket 500x500x100 mm - for 25 glasses

A3R500

586080



Basket 500x500xh100 mm - for cups and glasses

VKV/2

586120



Basket 500x500xh100mm - for cutlery

NK75

586119



Basket 500x500xh100 mm - plastic 18 dishes or 12 soup plates

586121



Basket 500x500 mm - plastic Tray rack T06-09 grey

351274



Basket 500x500xh105 mm - UK16

UK16

Baskets Holder

379917



Basket support
dim. 557x502 mm; DV80.2

9544199

Utensil Washer



**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Switches, Push Buttons, Selectors

379926



Circuit breaker 1P 230/400V 50Hz 10A
dim. 62x17,5x90 mm

9540605

380142



Auxiliary contact 1 NO
6A 230V 50Hz

0121032

9604392

9732449

487937



Auxiliary contact 1 NC
10A/240V

9531467

ME9531467

380141



Contact 1 NC
10A/400V

9604393

379747



Contact 1 NO
10A/400V

0121052

9555314

500323



Auxiliary contact 1 NC 6A 230V 50Hz

9732450

ME9732450

Lamps and Lamp Holders

340400



Orange pilot lamp Ø 13 mm 24V - L=60 mm
fluorescent lamp Ø 9 mm, with nut and silicon O-ring

9668046

ME9668046

584450



Red pilot lamp 230V Ø 13 mm self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm; Tmax 120°C

0150001

584452



Orange pilot lamp Ø 13 mm 230V - self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm; Tmax 120°C

0150000

9690488

ME9690488

Contactors and Relays

379957



Mini contactor B7-30-01
5,5kW 4P; 220-240V 40/450Hz; 3 cont. NO + 1 aux NC; dim. 46,5x48x42 mm

9540220

612338



Contactor BF0910A
4,2kW 3P; 230V 50/60Hz 400V 3 cont. NO + 1 aux NO

0135204

9520025

379894



Mini contactor 3TG1010
3NO+1NO; dim. 60x36x62 mm

9543079

309004



Contactor 3RT2016-2AB01
4kW 400V 3P; 24Vdc; 1 NO; dim. 74x45x70 mm

9615786

9690949

379897



Contactor 3RT2023-1BB40
4kW 3P 400V; 2,2kW 230V 50/60Hz; 3 cont. NC + 1 aux NO

9542897

9732331

9758795

380173



Contactor 3RT2023-1AC20
4kW 400V 3P; 24V 50/60 Hz; 1 NO+1NC; dim. 97x45x85 mm

9545904

9615788

9690951

9747914

586124



Contactor 3RT2026-1AL20
11kW 230V 50/60 Hz 25A 3 NO

9521016

9521019

9758457

ME9758457

495711



Motor protecting switch 0,35-0,5A
dim. 84x45x98 mm

9531837

ME9531837

495660



Motor protecting switch 1,1-1,6A
dim. 85x45x98 mm

9546245

ME9546245

379935



Motor protecting switch 3RV2011
4,5-6,3A
1NO+1NC; dim. 85x45x98 mm

9515668

9540602

9702046

Contactors and Relays

379720



Auxiliary contact block 3RH1921
1NO+1NC; dim. 71x10x80 mm

9550241

Microswitches

342250



Snap action microswitch 16(6)A 250V T85
faston 6,3x0,8 mm

0122103

0122105

9544800

380068



Snap action microswitch 0,1(0,05)A 125/250V
faston 6,3x0,8 mm

9520085

9622932

379896



Magnetic microswitch 100V 0,25A
Ø 6x30 mm; cable L=5000 mm; 1NO

9542983

379429



Magnetic switch
dim. 29x18x6.4/3.5 mm; cable L=5000 mm

0122052

0122057

ME0122052

ME0122057

380293



Magnetic microswitch
dim. 18x29x6,5 mm; cable L=5000 mm

9500385

379430



Magnetic microswitch
dim. 20x80,5x15 mm; 250V 3,0A 100VA;
cable L=5000 mm

0122024

0122056

379435



Magnetic microswitch
dim. 29x19x6.4/3.5 mm; cable L=300 mm

0122070

380279



Magnetic microswitch
dim. 29x19x6.3/3.3 mm; cable L=290 mm

8302780

9519952

Microswitches

492693



Floating level switch Ø 18x64 mm
cable L=860 mm; screw M16x2

9669683

9741117

ME9669683

ME9741117

585812



Lever L=25 mm

0122106

Pressure Switches

316549



Pressure switch 1 level 0÷30 mbar
0,5÷3,5 VDC
Pmax 200 mbar

9537961

319955



Pressure switch 1 level
250V; connection 15x20 mm

9207519

9519033

9622898

9683764

9683764+0401014

379977



Pressure switch 1 level 40/15 mbar
contacts capacity 16A 250V; Tmax 85°C

9622397

9741392

379204



Pressure switch 1 level 40/15 mbar
contacts capacity 16A 250V; Tmax 85°C

0130019

0130026

379181



Pressure switch 1 level 62/30 mbar
contacts capacity 16A 250V; Tmax 85°C

0130008

Fuses, Capacitors, RFI Filters

418004



Capacitor for power factor correction 5
µF 400V 50/60Hz
Ø 30x51 mm; with screw M8

9520030

308757



Capacitor for power factor correction
1µF 420/470V
Ø 25x48 mm; with screw M8

9538345

9652126

Fuses, Capacitors, RFI Filters

339523



Capacitor for power factor correction
12,5µF 450V 50/60Hz
 Ø 40x70 mm; with screw M8

0501090

379879



Anti-noise filter 250V 50/60Hz 10A
 dim. 169x70x44 mm

9534799

435368



Fuse Ø 5x20 mm 4A 250V fast

0145013

312599



Fuse Ø 5x20 mm 1A 250V slow

0145045

320017



Fuse Ø 5x20 mm 2A 250V slow (10 pcs)

0145047

380204



Fuse Ø 5x20 mm 16A 250V slow

9611761

Motors

379766



Gearmotor monophas 15W 220-230V
50/60Hz
 0,16/0,17A; cable L=300 mm

9600957

9651040

ME9651040

379955



Motor shaft gasket set

9541786

379004



Flange with spacers Ø 70x150 mm

8100135

8101063

378775



Motor flange Ø 29x170 mm

0620333

8100132

Pumps

380083



Drain pump 70W 200/240V 50Hz
suction Ø 24 mm, outlet Ø 24 mm; faston 6.3x0,8 mm; fan Ø 45 mm

9624073

378689



Drain pump 70W 220-240V 50Hz
inlet Ø 24 mm; outlet Ø 24 mm; faston 6.3x0,8 mm; fan Ø 62 mm

0535502

0535509

582463



Drain pump 90W 230V 50/60Hz
suction Ø 24 mm, outlet Ø 24 mm - faston 6,3 mm

9500295

ME9500295

379839



Drain pump 1 phase 220W 200-240V 50Hz 1,5A
inlet Ø 30 mm, outlet Ø 24 mm - faston 6,3x0,8 mm; cable L=250 mm; C=5µF/400V

9535710

9638041

ME9638041

380072



Wash pump 1 phase 550W 180+253V 3,2A
inlet Ø 45 mm, outlet Ø 40 mm; 2800rpm; cable L=410 mm

9547992

9623417

379806



Wash pump 3 phase 2200W 220/240V - 380/420V 50/60Hz
inlet Ø 82 mm, outlet Ø 70 mm; sleeve EPDM Ø 70x82x180 mm; automatic switch 3RV1021-1FA10

9600380

9731451

9764940

ME9731451

380082



Wash pump 1 phase 550W 180-253V 50Hz
inlet Ø 45 mm; outlet Ø 40 mm; C=12,5µF/450V; cable L=410 mm

0501085

0501130

9623861

324702



Rinse pump 1 phase 190W 200-240V 50Hz
inlet Ø 28 mm; outlet Ø 24 mm; cable L= 245 mm

9544228

9638029

ME9638029

342610



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

0501097

324704



Water pump cover
dim. 135x90x55 mm; inlet Ø 28 mm; outlet Ø 24 mm

9643335

ME9643335

Pumps

380297



Shell for pump
inlet Ø 45 mm, outlet Ø 40 mm

0501091 0501105 9500311

379816



Drain valve Ø 31x72,5 mm

9600744

322713



Impeller Ø 74 mm

9523267 9643336 ME9523267 ME9643336

378874



Pump wheel Ø 96 mm
D-hole Ø 9x8,2 mm; Htot=23 mm

0501092 0501137

342290



Gasket for pump FIR H=3,5x4,5 mm

9500310

342464



Gasket for pump FIR H=4x4 mm
EPDM

0501101

380578



O-ring Ø 3,00x78 mm EPDM

9523260 ME9523260

378851



Gasket Pump housing

0501094

379616



Sleeve 50x42,5 mm EPDM [Kit]
Hose clamp DN 50x48 mm

0296002 9649894

379090



Ring Øext.125 mm
wire Ø 3 mm

0431051

Pumps

379780



Flap
dim. 47x32 mm

9601543

Heating Elements

380641



Boiler heating element 3000W 230V
L=220 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm

0101150

9504228

9708862

380639



Boiler heating element 6000W 230V
L=410 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm

0101143

9504236

9708870

380636



Boiler heating element 9000W 230V
L=475 mm; flangia Ø 64 mm; Øint. 50 mm; 2 x bulb housing L=195 mm; O-ring 5,34x46,99 mm

0101166

9504240

9708877

380663



Boiler heating element 9000W 230V
L=520 mm; flangia Ø 57 mm; connection M47; bulb housing L=200 mm

0101148

9502872

308664



Boiler heating element 4500W 230V
L=260 mm; triangular flange 83,5x78,7 mm; Øint. 50 mm; bulb housing L=120 mm

9637189

ME9637189

380513



Boiler heating element 4500W 230V
L=255 mm; triangular flange 83,5x78,7 mm; bulb housing L=150 mm

9519587

380505



Boiler heating element 3000/3265W 230/240V
L=185 mm; flange 83,5x78,7 mm; Øint. 48 mm; bulb house L=150 mm

9519586

379367



Boiler heating element 3600W 230V
L=280 mm; flange 73x73 mm with 2 bulb house Øint 7 mm

0101195

Heating Elements

380503



Boiler heating element 6000/6533W 230/240V
L=330 mm; triangular flange 83,5x78,5 mm, Øint. 47 mm; with bulb house L=120 mm

9519588

380502



Boiler heating element 7500W 230V
L=410 mm, triangular flange 73x73 mm with bulb house Øint 6 mm

0280250

9519590

ME0280250

493556



Boiler heating element 7500W 230V UL
L=415 mm; flangia triangolare 83,5x78,7 mm; Øint. 48,5 mm; with bulb house L=150 mm

9546194

ME9546194

380501



Boiler heating element 9000W 230V
L=485 mm, flange 83x78,3 mm; bulb house L=150 mm

9519591

9546196

379346



Tank heating element 2000W 230V
dim. 280x39,5 mm; flange Ø 35 mm; faston 6,3x0.8 mm, connection M5, with flange connection and seal

0101152

9708856

ME9708856

379352



Heating element gasket Ø 35 mm

0101175

379550



Heating element gasket Ø 14x25x1,5 mm (5 pcs)

0408008

379916



Heating element connection protection (5 pcs.)
Øint. 10/est. 14xh27 mm

9543319

379339



Boiler heating element fixing bracket
dim. 26.4x11x4,5/10,5 mm; hole Ø 5.5 mm

0101183

378757



Heating element with flange Ø 48x71x1,2 mm
cover Ø 65x71x56 mm

0620312

Transformers

500805



Transformer 250VA 50/60Hz
 PRI.: 460V, SEC.: 230V; cavi L=1450 mm;
 support 153x130x29 mm

9681187

ME9681187

490261



Control transformer 250VA 50/60Hz
 PRI.: 460V, SEC.: 230V; cable L=1450 mm

9676386

ME9676386

490233



Control transformer
 PRI.:460V, SEC.:120-230V; dim. 100x98x100 mm

9546868

ME9546868

Cables

322148



Cable RJ45 L=1000 mm

9635757

ME9635757

Thermostats

379343



Contact thermostat 59°C
 1NC; faston 6,3x0,8 mm

0108047

379368



Bath safety thermostat 110°C
 1NC; faston 6,3x0,8 mm

0108043

9747923

ME9747923

379319



Contact thermostat 175°C 10A 250Vac
 1NC; faston 6,3x0,8 mm

0108053

379356



Safety thermostat gasket
 Ø 18x40xh19 mm

0108040

Wash units

378947



Wash/rinse arm 500x420 mm

8001814

378745



Wash arm - lower left
Ø30x174 mm

0620387

378744



Wash arm - lower right
Ø30x174 mm

0620388

378746



Wash arm L=222
straight interior carving

0620386

378747



Braccio di lavaggio L=222 mm
oblique interior carving

0620385

380548



Wash arm L=550 mm

9525862

380549



Lower wash arm L=585 mm

9525861

380029



Wash arm Ø 45xLtot. 725 mm

9629169

379893



Upper rinse arm L=532 mm

8000097

9542572

379900



Lower rinse arm L=537 mm

8000096

9542573

Wash units

379820



Rinse arm L=720 mm
FV130.2

9600672

378742



Rinse arm L=155 mm

0620390

378743



Rinse arm L=210 mm

0620389

380551



Lower wash arms support Ø 77xL120 mm

9525702

380550



Upper wash arms support Ø 77xL120 mm

9525703

378720



Rinse/washarm support

0620380

379803



Bushing turning arm
Øint. 17/19 mm, dim. 80x50 mm

9600673

379448



Fixing reel rinse pin Ø2x20 mm

0354000

378964



Rinse arm shaft
dim. 76x54 mm

8002880

379813



Wash arm support
dim: 80x50x20 mm; Ø 30mm

9600764

Wash units

378701



Wash arm axle support
Elbow fitting Ø 13 mm

0620235

378725



Plug Ø 23,40 mm

0620384

378736



Plug Ø 45x16 mm

0620422

379795



Washing arm plug Ø 17/45/50 mm
L=44,5 mm

9600446

380496



Rinsing nozzle

9517406

378659



Rinsing nozzle

0620157

9753799

378864



Wash nozzle Ø 5 mm
dim. Ø 30xh20 mm

0620435

9753792

ME0620435

ME9753792

378675



Half disk Ø 62 mm

0620211

ME0620211

379814



Coupling connection
Øint 41 mm; h=33 mm

9600763

378715



Watersaving aerator for nozzle Ø 12 mm

0620121

Wash units

379089



Watersaving aerator for nozzle Ø 14,5 mm

0620436

379167



Ring nut, right thread Ø 50 mm

8000048

379150



Ring nut, left thread Ø 50 mm

8000049

379563



Flat washer Ø 17x26x1mm - TEFLON

0403303

379802



Washer Ø 30x40x2 mm

9600453

379641



Knurled screws M10x10 mm Ø 22 mm INOX

0310010

8001631

ME0310010

ME8001631

Air-gaps

378763



Air brake
Elbow fitting Ø 6,4 mm

0620244

380542



Air brake 52x56 mm
fitting Øext. 6,5 mm

9515955

380597



Air break

9523195

379025



Water baffle

8000609

Air-gaps

379782



Pipe support
dim. 36x64,5x21 mm

9601265

379065



Gasket Ø 13x17/20x14 mm

0650001

Dispensers and Peristaltic pump

308888



Rinse aid hydraulic dispenser N6
Pmin 0,5 bar, IN 90° Ø 6x8 mm / OUT 90° Ø 6x8 mm

0260070

9671455

379913



Rinse aid peristaltic pump fixed capacity
mod. PP; fixed flow rate 1,25 L/h; 0,5 bar; 24V 3,5W; hose in sekobrill with rubber holder Øext. 6,5 mm; Cable L=205mm

9544293

9625978

380482



Rinse aid peristaltic pump fixed capacity (internal use)
mod. PG0,4; fixed capacity 0,4 L/h; 0,5 bar; 230V 8W; tubo in sekobrill con portagomma Øest. 6,3 mm

9518514

610871



Rinse aid peristaltic pump w/speed adj. (external use)
mod. PR-1; flow rate adj. from 0,15+1 lt/h press. 3 bar; 230V 50Hz; protection IP65; cable L=1200 mm; Hose in sekobrill; installation kit included

9503331

379914



Detergent peristaltic pump fixed capacity
mod. PP; fixed flow rate 7 L/h; 0,1 bar; 24V 3,5W; hose in Santoprene ; Cable L=205mm

9544292

700433



Detergent peristaltic pump w/speed adj. (external use)
mod. PR-7; flow rate from 1+7 lt/h press. 0,1 bar; 230V 50Hz; protection IP65; hose in Santoprene with rubber holder Ø 5x8 mm; cable L=2750 mm; installation kit included

9504802

9533323

379597



PVC transparent hose Ø 5x8 mm (sold by meter)

0260006

379849



Transparent blue hose for rinse aid dispenser Ø 6x9x1050 mm

9538712

Dispensers and Peristaltic pump

582141



Beige silicon hose Ø 6x12 mm (sold by meter)

9647876

ME9647876

308829



Elbow fitting 90° for hose Ø 6 mm
-white
dim. 22,5x32,5 mm

9661146

308853



Elbow fitting 90° for hose Ø 6 mm
-blue

9665221

316014



Hose for detergent pump Santoprene
Ø 6,2x10,2 mm
L=180 mm - rubber holder Ø 6x8 mm

9505651

9511675

379919



Hose for rinse aid pump sekob Brill Ø
3,0x7,4 mm
L=180 mm - rubber holder Øext 6,5 mm

9505652

9544088

378920



Rinse aid container
dim. 80x90x145 mm; rubber holder Ø 6.4 mm

8003830

308629



Rinse aid container
dim. 80x90x120 mm

9630379

308628



Detergent container
dim. 90x80x120 mm

9630369

379861



Peristaltic pump Roller

9533450

379514



Flat gasket Ø 13x24x3 mm

0408225

Solenoid Valves and Reducers

349160



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter and inlet reducer 20 lt/min; Tmax 90°C

9000006

411813



Solenoid valve 180° - 1 way - 24Vac 50Hz - Ø 10,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9623108

9686159

ME9686159

200270



Solenoid valve 180° - 1 way - 220/240V 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter; Tmax 90°C

9505869

310862



Inlet pressure reducer 16 lt/min [black-Elbi]

9506227

376125



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 14 mm
with fastons; inlet Ø 3/4" with filter and reducer

0113001

0113200

379320



Solenoid brass valve 6407 - G3/4" - 16W 230-240V 50/60Hz
L=100 mm - PN=0-145psi

0113100

9761188

379911



Solenoid valve 180° - 1 way - 24Vac/dc 50Hz - Ø 6,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9544641

9727359

ME9727359

380024



Solenoid valve 180° - 1 way - 24Vac/dc 50Hz - Ø 6,5 mm
with fastons; inlet Ø 3/4" with filter; Tmax. 90°C

9627207

9727394

309124



Solenoid valve 180° - 1 way - 24Vac 50/60Hz - Ø 10,5 mm
with fastons faston; inlet Ø 3/4" with filter and pink reducer; Tmax 90°C

9683829

9727401

379336



Coil for solenoid valve 220-240V 50/60Hz
faston 6,3 mm

0113223

Solenoid Valves and Reducers

379326



Solenoid valve coil spring

0113224

379305



Filter for solenoid valve Ø 19x10 mm

0113098

379313



Solenoid valve 180° - 1 via - Ø 14 mm
inlet Ø 3/4" with filter; Tmax 90°C

0113202

Ball valves, Pipe fittings

320672



Rubber holder 90° 1/8" - outlet Ø 6 mm

0260049

378771



Rubber holder 90° - outlet Ø 14 mm

0620342

700462



T-connection Ø 13-13-13 mm

0621035

438482



Y-connection Ø 12-12-12 mm

0621036

ME0621036

378765



Backflow preventer
rubber holder Ø 13 mm

0620334

378969



Backflow preventer, complete
rubber holder Ø 13 mm

8002731

Hoses

494207



Formed hose Øest. 27 mm EPDM

9600844

ME9600844

379772



Formed hose Ø 70x80x180 mm

9600818

379923



Formed hose 70x46 mm EPDM
Ø ext 85mm; Ø80 mm ; H = 46mm ; Rubber thickness 4 mm

9543879

379763



Formed hose Ø 45x54x55 mm EPDM

9600820

612360



Hose EPDM Ø 10x17 mm (sold by meter)
Pmax 10 bar; working temp. -35°C+110°C; non-toxic

9608607

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar - working temp -35°C+120°C

0640012

9608600

9637774

378972



Hose EPDM Ø 12,5x20 mm L=305 mm
Pmax 10 bar; T=95°C

8002419

379596



PVC transparent hose Ø 6x9x1050 mm

0260007

378971



PVC transparent hose Ø 35x45x90 mm

8002454

582140



Blue silicone hose Ø 6x12 mm (sold by meter)

9681110

ME9681110

Hoses

380146



Aquastop loading device WRC 5l/min - G3/4" 24Vdc
0,2-10 bar/3-145 psi; hose L=2200 mm; mounting flange 75x130 mm

9546090 9604286 9604364 9693190
ME9693190

380067



Float switch for aquastop
dim: 90x90x60 mm

9518634 9519580 9622935

380327



Drain hose Ø 22x29 mm L=3000 mm

9007232

325264



Drain hose PPE Ø 21 mm 180°+ Ø 20 mm 180° L=2500 mm
sleeves Øint/ext 21/28 mm e 20/24 mm, Øext 24,5 mm

0640037 9609672

493971



PVC hose with rigid spiral Ø 50x57,4 mm (sold by meter)

0630233 ME0630233

Water conditioning

308936



Blue filter key Ø 116 mm

9677393

308976



Filter cartridge for reverse osmosis 5 micron
Ø 27,5x64/68x180 mm

9651178 9684118 9695683

380017



Set de joints with flow regulator [Kit]

9617744

Drain components

379778



Manifold Ø 13 mm - Ø 31 mm
dim. 120x82 mm

9600841

380525



Gasket for vent valve Ø 14x1,5 mm

9515234

380614



Drain pump vent valve Ø 19x23x74,5 mm

9515229

378673



Drain plate 1 1/2" - H=41,70 mm

0620219

379271



Ring nut 1 1/2"

0212005

379578



Ring nut 2" Ø 88 mm

0237008

378741



Overflow pipe Ø 30x140 mm

0620347

9753785

ME0620347

ME9753785

379097



Overflow pipe Ø 40x115 mm

0620601

Filters

378769



Filter Ø 195x70 mm

0620346

379092



Pump filter Ø 134x75 mm

0620501

Filters

380210



Complete filter H=400 mm
 Ø 180/230xHtot. 400 mm; FV130.2

9612087

380199



Cap Ø 74 mm

9607788

Rollers

380250



Wheel Ø 8/20x40x16,5 mm

8660138

Thermostatic steam trap

379602



Steam trap

0232043

Small Mechanical Parts

379826



Snap-ring
 dim: 27x31x2 mm

9600784

308968



door stopper
 Ø 14 mm

9682592

584320



Hexagonal nut M5 self-locking - INOX

0337001

524924



Hexagonal nut M4 - H=3,2 mm INOX (10 pcs)
 CH7

0335005

Small Mechanical Parts

511949



Hexagonal nut 3/8" H=6 mm
WS25

0360211

9515957

519321



Hexagonal Flanged nut M5 INOX

0335300

310306



Double wire clamp Ø 7,8÷8,3 mm

9500044

359717



Double wire clamp Ø 8,8÷9,3 mm

9500045

438480



Hose clamp Ø 12÷22/9 mm - INOX

0233043

9607418

324768



Hose clamp Ø 23÷35/9 mm - INOX

0233034

0233045

438464



Hose clamp Ø 32÷50/9 mm - INOX

0233046

518655



Hose clamp Ø 40÷60/9 mm - INOX

0233041

433052



Hose clamp Ø 16÷27/12 mm - INOX

0233037

329931



Hose clamp Ø 70÷90/12 mm - INOX

9513277

9546093

Small Mechanical Parts

359706



Hose clamp 80÷100/12 mm

9534072

9546094

380085



Hose clamp Ø 50÷53,5/12 mm

9624003

380031



Hose clamp Ø 9÷11/8,5 mm

9627394

311116



Hose adapter M16xM10

0260052

378790



Rope Ø 4 mm L=310 mm
polyamide

0435151

ME0435151

378788



Hook for rope
Ø fil 2 mm

0435150

ME0435150

379508



copper Gasket
Ø 4,4x7,7x0,8 mm (5 pcs)

0409000

379496



Flat washer Ø 8,5x18x2 mm INOX (5 pcs)

0340006

379673



Hexagonal head screw M4x25 mm [5 Pz]

0303015

522497



Hexagonal head screw
TE M5x10 mm - INOX [10 pz]

0306173

Small Mechanical Parts

379688



Hexagonal head screw
M6x45 mm INOX (5 pz)

0302065

490406



Screw with slit head M6x30 mm

0307096

ME0307096

379693



Screw TSP M4x6 mm INOX

0306005

0306006

0306115

K0306115

379686



Screw TS M5x20 mm (5 pcs)

0306121

Shaft sealing

412573



Shaft sealing \varnothing 24x11x15,5 mm / counter-seal \varnothing 26x13x8 mm
shaft sealing in graphite; for pumps FIR
0254-0257-2254/S

0501095

0501161

379535



Shaft sealing \varnothing 41x25x25 mm graphite
counter-seal 26x38x9,6 mm ceramic

0403003
9721613

0403009

0403010

9721612

379956



Shaft sealing \varnothing 35x12x20 mm
Gegenring \varnothing 21x35,5x7,5 mm

9541785

324697



Sealing ring
 \varnothing 7x20x9 mm; \varnothing 7x18x5 mm

9523844

9662632

ME9523844

ME9662632

Lockings

379426



Magnet \varnothing 3,5x20x6 mm

0122013

Boilers

380233



Boiler 1 heating element Ø 150x530 mm

8400269

Safety groups

308751



Pressure reduction 3/4" MM
L=103 mm; 1+4bar; DN 20, PN15

9651193

Springs

499646



Spring Ø 14 mm L=25 mm
wire Ø 1,6 mm

9500400

ME9500400

582348



Tension spring Ø 21,5x114xLtot. 147 mm
wire Ø 1,7 mm

9542938

9682387

308967



Tension spring Ø 27x141 mm
wire Ø 1,9 mm

9601445

9682398

ME9601445

494974



Link Ø 15x16,5x1,2 mm

9679504

ME9679504

Slide Ways - Shelf Supports

308455



Door guide L=570 mm
dim. 570x15x32 mm

9600371

Printed Circuit Boards

380021



Pcb MIKE2-E/A1
dim. 75x150 mm

9533501
9715033

9617235
9735526

9645493
9735528

9678638
9764917

379718



Pcb
dim. 240x86 mm; SPUL6 VERSION B MSPL6

0124121
ME0124121

9519719
ME9519719

9534029
ME9552914

9552914

308708



Power supply pcb
dim. 80x80 mm

9533502

9626264

9643652

379989



Pcb with e-prom & ee-eprom
dim. 205x55x25 mm

9621013

379927



Pcb Mike E2-CPU1

9533503

9541525

9608942

379946



Pcb Mike 2-LED1
dim. 140x55 mm; cable L=135 mm

9536332

9542049


379397



Display pcb
dim. 57x131 mm

0124120

380149



Eprom M1-STD V4.4b
MIKE2

9604262

379988



Eprom M1-STD V2.2b
MIKE1

9621015

379190



Eprom MSPL6-STD

0124351

Printed Circuit Boards

380731



Eeprom
dim. 23x16,5 mm

9510399

379878



Eeprom M1-6 EE not programmed
dim. 23,5x17 mm

0124123

9534803

489093



Cable L=1530 mm

9539901

ME9539901

379246



Flat connection cable
L=800 mm; spuel 3 ; 14-pole connector

0180507

9519723

9533514

380113



Cable tie holder

9607101

Probes

321878



Temperature probe PT1000
bulb Ø 7x32 mm, PVC cable L=400 mm

9640338

9642325

MA9640338

ME9605615

319962



Temperature probe PTC
bulb Ø 6,7x32 mm; cable L=500 mm

9548993
9642324

9614610

9614768

9640339

308690



Temperature sensor holder
dim. 24x24,5 mm

9639363

308689



Temperature probe cable clamp

9639301

Membranes

379833



Adhesive membrane
FV130.2/FV250.2/DV270.2
 335x60 mm

9537365

378907



Adhesive membrane
 200x53 mm; flat cable L=72 mm - FV130B;
 FV250B; FV40T; DV120T

0467249

379831



Adhesive membrane START 60x30 mm
 dim. 60x30 mm; flat cable L = 1540 mm

9537572

9678405

Gaskets for dishwashers

379154



Flat gasket L=200 mm

0650050

O-rings

379546



O-ring 1,50x19,00 mm NBR

0401063

379454



O-ring 1,50x50,00mm EPDM

0401030

200257



O-ring 2,00x16,00 mm NBR

0260051

379452



O-ring 2,00x18,00 mm EPDM

0401014

O-rings

379459



O-ring 2,00x21,00 EPDM

0401016

380034



O-ring 3,00x143,00 mm

9627180

379455



O-ring 3,53x32,93 mm EPDM

0401029

9659174

379547



O-ring 3,53x206,5 EPDM

0401061

309121



O-ring 5,00x65,00 mm EPDM

9656004

9725439

435303



O-ring 5,34x46,99 mm NBR

0101176

9726489

ME9726489

Flat gaskets

379561



Flat gasket Ø 10x17x1,5 mm - Fiber

0408002

379507



Flat gasket Ø 48x60x2 mm

0408214

379577



Flat gasket Ø 59x85x2 mm

0237009

379258



Flat gasket Ø 17x24x2 mm EPDM

0217433

Flat gaskets

380540



Flat gasket Ø 17,5x26x2 mm - EPDM

9515964

379151



Flat gasket Ø 31,2x38,5/44x5,3 mm - EPDM

0650076

9750899

379501



Flat gasket Ø17x24x2 mm (5 pz)

0408238

Dishwashing Baskets

308754



Corner support for rilsan wire baskets
dim. 170x170 mm

9651361

584763



Basket 400x395x225 mm

8500064

ME8500064

Conveyor Dishwasher



**ELECTRICAL
PARTS**

**WATER
PARTS**

**MECHANICAL
PARTS**

**ELECTRONIC
PARTS**

GASKETS

ACCESSORIES

Switches, Push Buttons, Selectors

380153



Illuminated white push button Ø 22 mm - unstable
without lamp; dim. 30x30 mm

0150026

9604403

379809



Black push button Ø 22 mm - unstable
contactless; dim. 30x30 mm

9555317

380104



Emergency push button cut out Ø 22 mm
contactless - mushroom 40x35 mm

0121036

9604418

9604418CPL

ME9604418

380114



Black selector Ø 22 mm 1-0-1 positions - stable
contactless; dim. 30x30 mm

0121029

9604398

379409



Main switch 32A [KIT]
dim. 100x60x55 mm

0123220

380142



Auxiliary contact 1 NO
6A 230V 50Hz

0121032

9604392

9732449

487937



Auxiliary contact 1 NC
10A/240V

9531467

ME9531467

380141



Contact 1 NC
10A/400V

9604393

379747



Contact 1 NO
10A/400V

0121052

9555314

500323



Auxiliary contact 1 NC 6A 230V 50Hz

9732450

ME9732450

Switches, Push Buttons, Selectors

323415



Button Housing
dim 150x85x65 mm

9500335

Lamps and Lamp Holders

417954



Lamp 2W 24V BA9S

0150213

340400



Orange pilot lamp Ø 13 mm 24V - L=60 mm
fluorescent lamp Ø 9 mm, with nut and silicon O-ring

9668046

ME9668046

584450



Red pilot lamp 230V Ø 13 mm self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm; Tmax 120°C

0150001

584452



Orange pilot lamp Ø 13 mm 230V - self-locking
lens Ø 15 mm; L=33 mm; faston 6,3x0,8 mm; Tmax 120°C

0150000

9690488

ME9690488

Contactors and Relays

309004



Contactor 3RT2016-2AB01
4kW 400V 3P; 24Vdc; 1 NO; dim. 74x45x70 mm

9615786

9690949

380173



Contactor 3RT2023-1AC20
4kW 400V 3P; 24V 50/60 Hz; 1 NO+1NC; dim. 97x45x85 mm

9545904

9615788

9690951

9747914

586124



Contactor 3RT2026-1AL20
11kW 230V 50/60 Hz 25A 3 NO

9521016

9521019

9758457

ME9758457

379886



Relay 24Vdc
socket PLC-BSC-24Vdc/21; dim. 80x6,2x85 mm

9533893

Contactors and Relays

380537



**Motor protecting switch 2,8/4A Icc=52A
1NO+1NC**

9515662

ME0138405

Microswitches

380073



Limit microswitch 240V 6A

9500490

9624088

380589



**Limit microswitch 300V 10A
dim. 72x36x33 mm**

9520115

379896



**Magnetic microswitch 100V 0,25A
Ø 6x30 mm; cable L=5000 mm; 1NO**

9542983

379429



**Magnetic switch
dim. 29x18x6.4/3.5 mm; cable L=5000 mm**

0122052

0122057

ME0122052

ME0122057

380293



**Magnetic microswitch
dim. 18x29x6,5 mm; cable L=5000 mm**

9500385

379430



**Magnetic microswitch
dim. 20x80,5x15 mm; 250V 3,0A 100VA;
cable L=5000 mm**

0122024

0122056

492693



**Floating level switch Ø 18x64 mm
cable L=860 mm; screw M16x2**

9669683

9741117

ME9669683

ME9741117

309006



**Floating level switch 3/4"
Ltot. 250 mm**

0130024

9649896

9692213

Microswitches

378730



Float with magnet
Ø 40x99 mm

0620351

378994



Cover for float
dim. 200x45/80x45 mm

8101276

308301



Locking plate 136x65 mm

9501087

Pressure Switches

379181



Pressure switch 1 level 62/30 mbar
contacts capacity 16A 250V; Tmax 85°C

0130008

Fans

378705



Fan 3 phase 340/370W 230-460V 50/60Hz
Ø 250x320 mm; cable L=2150 mm

0550056

378704



Radial fan 3 phase 2200W 230/400V 50Hz
7,6/4,4A; 2870rpm

0550061

9743377

380158



Axial fan 110/170W 230/400V 50/60Hz
fan Ø 320 mm; 1340/1460rpm

0550057

9615004

531364



Compact fan 120x120x38 mm - 20W
230V 50/60Hz
no cable; faston connection 2,8x0,5 mm;
2550 rpm; ball bearing

0190032

Fuses, Capacitors, RFI Filters

379879



Anti-noise filter 250V 50/60Hz 10A
dim. 169x70x44 mm

9534799

Motors

378886



Motor 3 phase 1700W 220-240V/380-420 50Hz
shaft Ø 24/25x101 mm, flange Ø 152 mm

0501018
ME9735736

9553209

9735735

9735736

378860



Motore trifase 2200W 220/420V 50Hz 4,60/8,00A
220-460V 60Hz 4,45/7,70A - dim. 340x160x230 mm; shaft Ø 24x100 mm M5

0501038

9735738

ME0501038

379961



Motor 3phase 120W 200-280/380-480V 50/60Hz 1,22/0,7A
shaft Ø 20 mm; 52/62 rpm

9620376

9663225

378694



Gearmotor 3 phase 90/120W 380/440V 50/60Hz
shaft Ø 20x35 mm; n1: 960/1460//1160/1760rpm, n2: 6,10/9,20//7,30/11,10rpm

0530091

0530106

378684



Gearmotor 3phase 120/180W 380-415V 440V 50/60Hz
shaft Ø 20x35 mm

0530102

380307



Fixing plate
dim. 80x65 mm

9501075

380306



Motor coupling Ø 20x35x60 mm

9501086

379967



Motor coupling Ø 20x35x84 mm

9620829

Motors

380081



Ring Ø 20x30x2 mm

9624804

380725



Cover Ø 204x15 mm

9501112

380528



Block 35x50x20 mm
hole Ø 17,2 mm

9501109

380433



Pin Ø 17 mm - M12
Ltot.=41 mm

9501113

380314



Cover Ø 94,5x64,5 mm

9500497

Pumps

582463



Drain pump 90W 230V 50/60Hz
suction Ø 24 mm, outlet Ø 24 mm - faston 6,3 mm

9500295

ME9500295

379979



Wash pump 3 phase 550W 200-240V
346-415V 50Hz 2,5/1,4A
inlet Ø 45 mm; outlet F1" mm; with gasket Ø 44x60x20 mm

9500488

9536331

9621799

9621800

380569



Wash pump 3 phase 550W 200/415V
50Hz
inlet Ø 37,50 mm; outlet Ø 29 mm

9528627

496946



Rinse pump 3 phase 550W
197-292/340-504V 60Hz
inlet Ø 45 mm; outlet 1"

9522739

9621798

ME9621798

Pumps

348299



Wash pump 3 phases 1100W 1,5Hp
220/380V 50Hz
inlet Ø 63 mm, outlet Ø 53 mm

0501129 0501131 0501146

459826



Wash pump 3 phases 2000W 230/400V
50Hz 6,3A
inlet Ø 63 mm, outlet Ø 52 mm

0501086 ME0501086

378847



Rinse pump 3 phase 550W
200-240V/346-415V 50Hz
inlet Ø 45 mm, outlet Ø 40 mm

0501088

308877



Rinse pump 3 phase 550W
200-265/346-460V 50/60Hz
inlet Ø 45 mm; outlet Ø 44 mm, Øint. 1"; cable
L=600 mm

9669574

362745



Shell for pump
inlet Ø 63 mm, outlet Ø 47 mm; plug M16

0501103

342610



Shell for pump
inlet Ø 63 mm; outlet Ø 53 mm

0501097

380297



Shell for pump
inlet Ø 45 mm, outlet Ø 40 mm

0501091 0501105 9500311

378874



Pump wheel Ø 96 mm
D-hole Ø 9x8,2 mm; Htot=23 mm

0501092 0501137

380694



Impeller Ø 103 mm
for axe Ø 9x8 mm

9514646

378998



Girante meiko
axe Ø 24 mm

8101625

Pumps

378700



Impeller Ø 125 mm 50Hz
hole Ø 25 mm; 6 vanes

0550046

9657664

379975



Pump impeller Ø 88 mm (2 pcs)

9522401

9621792

342464



Gasket for pump FIR H=4x4 mm
EPDM

0501101

380350



O-ring 3,00x161,00 mm NBR
for motor flange

9500177

378851



Gasket Pump housing

0501094

585502



Pump gaskets [Kit]

9016192

379616



Sleeve 50x42,5 mm EPDM [Kit]
Hose clamp DN 50x48 mm

0296002

9649894

379152



Sleeve Ø 44x60x20 mm EPDM

0650066

379090



Ring Øext.125 mm
wire Ø 3 mm

0431051

Heating Elements

308814



Boiler heating element 23100W 240-415V
L=390 mm; flange Ø 150 mm; cable L=1900 mm

9659501

380179



Boiler heating element 32300W 240-415V
L=440 mm; flange Ø 150 mm; cable L=1900 mm

9615643

9658978

493491



Boiler heating element 36000W 415V
L=415 mm; flange Ø 150 mm; cable L=2000 mm

9514192

ME9514192

379338



Boiler heating element 36000W 415V
L=420 mm; flange Ø 150 mm; cables L=1900 mm; with gasket

0101184

9737115

380171




Tank heating element 10500W 230V
L=640 mm; flange 90x90 mm, Øint. 60 mm; thread M5x80 mm

9615641

9658977


380137



Heating element 1100W 240V
dim. 294x193 mm; cables L=250 mm; K160 / K200 / K400

9602971


379349



Heating element 2000W 230V
dim. 293x165 mm; connection M10; cables L=250 mm

0101136

379350



Heating element 3000W 230V
dim. 170x293mm; connection M10; cables L=250 mm

0101135

308800



Tank heating element 6500W 380V
L=375 mm; triangular flange 92,5x90 mm; Øint. 61 mm; cable L=850 mm

9658456

308801



Tank heating element 8300/9900W 380/415V
L=510 mm; triangular flange 92,5x90 mm; Øint. 61 mm; cable L=850 mm

9658457

Heating Elements

582445



Tank heating element 6300W 240V
dim. 410xh73 mm; triangular flange
92,5x89,6 mm; Øint. 60 mm; connection
screw M4

9531741

493575



Tank heating element 9500W 240V
dim. 410xh73 mm; triangular flange
92,5x89,6 mm; Øint. 60 mm; connection
screw M4

9531748

ME9531748

379345



Tank heating element 8000W 240V
dim. 73x410 mm; triangular flange 92,5x89,4
mm; Øint. 60 mm

0101187

379362



Heating element 90° - 11000W 240V
L = 500 mm, H = 75 mm, triangular flange
90x90 mm Øint. 60 mm, M5x80 mm threaded
rod

0101186

379360



Heating element 90° - 15000W 240V
L=590 mm, H=70 mm; triangular flange
92,5x90 mm; Øint. 60 mm; threaded rod
M5x80 mm

0101185

ME0101185

379550



**Heating element gasket Ø 14x25x1,5
mm (5 pcs)**

0408008

379865



Heating element cover
Øint. 56 mm L=70 mm

0620316

9532401

Transformers

500805



Transformer 250VA 50/60Hz
PRI.: 460V, SEC.: 230V; cavi L=1450 mm;
support 153x130x29 mm

9681187

ME9681187

490261



Control transformer 250VA 50/60Hz
PRI.: 460V, SEC.: 230V; cable L=1450 mm

9676386

ME9676386

Cables

308636



Adapter Cable L=200 mm

9631937

380547



Cable gland M25x1,5

9524393

379835



Connector 4P M12

9537327

Thermostats

379329



Thermostat range 1P
Bulb Ø 6x115 mm

0108042

379355



Operating thermostat 1P 0÷90°C
capillary L=3000 mm; bulbo Ø 6x140 mm;
faston 6.3x0.8 mm

0108041

380294



Safety thermostat 3P 150°C
capillary L=5000 mm; bulbo Ø 6x100 mm; a
riarmo manuale

9500473

380669



double nipple for thermostat M10
Ltot=33,50 mm

9502574

380661



Spacer ring Ø 6,4x10x2 mm

9502573

380666



Nut M12 - H=15 mm
for hose Ø 6 mm

9502591

Curtains

380648



**Double curtain 620xh420/420 mm
with lock flange**

9501826

379721



**Double curtain 522xh325/352 mm
with lock flange**

9552441

380203



**Double curtain 530xh380 mm
with lock flange**

9608813

380195



**Double curtain 610xh385 mm
with lock flange**

9608811

380400



**Double curtain 610xh440 mm
with lock flange**

8132556

380672



Curtain - outlet zone 610xh480 mm

9502517

380743



**Curtain 4 layers 650x350/430/500 mm
with fixing flange**

9510269

380673



**Double curtain 650xh410/410 mm
with lock flange**

9502516

380480



Double curtain 650xh460/460 mm

8132550

380674



**Double curtain 650xh480/480 mm
with fixing flange**

9502513

Curtains

380388



Curtain 660x400 mm - entrance
with lock flange

8102531

379874



Curtain 660x400 mm
with lock flange

8101676

379043



Double curtain 680xh420/420 mm
with lock flange 45x640 mm - outlet zone

8100244

378828



Double curtain 700xh410/410
with lock flange

8101679

499475



Double curtain 770xh345/345 mm
with lock flange

8101682

ME8101682

378996



Double curtain 770x400 mm
with lock flange

8101673

380253



Double curtain 820xh620 mm

8259315

308527



Curtain support 75,5x20x50,5 mm

9606923

Wash units

308309



Lower wash arm L=645 mm INOX

9504224

9504250

380407



Lower wash ramp L tot. 665 mm

8103339-01

Wash units

380399



Upper wash ramp 588x470 mm

8103338-01

497742



Lower rinse arm

9661270

ME9661270

497753



Rinse arm L=645 mm

9659319

ME9659319

379964



Lower rinse arm L=503 mm
6 nozzle

9619830

380058



Upper pre-rinse arm L=535 mm
4 nozzles 2.0; k-tronic

9623824

308207



Rinse arm L=540 mm
nozzles Ø 0,3 mm

8133085

379699



Rinse arm L=604 mm
4 nozzles Ø 0,5 mm

8103323

9554942

380409



Lower rinse arm L=710 mm
4 nozzles 2.0

8103318

379741



Final rinse arm L=709 mm

954522502

9545225-02

308900



Wash arm support L=753 mm
VA800-DB750

9672604-03

Wash units

308901



Wash arm support L=754 mm
VA800-DB750

9672604-04

487749



Water pipe Ø 22x890 mm

8133102

ME8133102

380321



Plug washing arm Ø 62x22 mm

9500040

378772



Plug Ø 41x12 mm

0620292

378736



Plug Ø 45x16 mm

0620422

378666



Plug Ø 40,5x12 mm

0620127

308846



Blue cap for wash arm Ø 62 mm

9664242

584436



Plug washing arm
dim. 60x70x20 mm

9500041

492558



Rinse nozzle H=9,5 mm - Ø 0,2 mm

9665861

ME9665861

378912



Rinse nozzle 1/16" NPT - H=9,6 mm - Ø 0,3 mm

0472030

Wash units

378902



Rinse nozzle 1/16" NPT - H=9,6 mm - Ø 0,5 mm

0472031

378899



Rinse nozzle 1/16" NPT - H=9,6 mm - Ø 2,0 mm

0472035

378901



Rinse nozzle 1/16" 2,6 l/min
H=9,6 mm

0472032

378677



Nozzle 1/2" 4,7 mm
K 106/7

0620207

378660



Nozzle frame

0620172

378658



Nozzle connexion Ø 20,7x9 mm

0620171

380326



Connection 90°
Øint. 90/ext. 95,5 mm; dim. 124x114x90 mm

9500051

378681



T-connection Ø 19-3/8"-19 mm
dim. 55x32 mm

0620179

380320



Adapter for rinse arm front Ø 55x33 mm

9500042

9747787

ME9747787

380319



Adapter for rinse arm rear Ø 54,5x21 mm

9500043

Wash units

500992



Hexagonal nut 2" - H=14,50 mm

0212011

ME0212011

380347



Wash arm Gasket Ø 10x25 mm H=5,2/8,2 mm

9500057

380414



Front Joint Ø 26x64x36 mm

8103387

380389



Rear Joint Ø 64x25 mm
holes Ø 7 mm

8103388

380634



Cyclone housing 3/4"
dim. 210x110 mm

9504629

308685



Rinse arm gasket Ø 19x45x14 mm

9638087

380642



Wash arm gasket Ø 17x40x14 mm

9504066

380738



Support ring Ø 83.5x89x15 mm

9507883

380322



Cover 60x114x23,5 mm

9500037

308718



Gasket Ø 48,2x76,5x25 mm NBR

9645886

Wash units

304537



Flat rubber gasket Ø 10x20x4 mm

0408221

380349



Gasket Ø 20x34x12 mm

9500269

379641



Knurled screws M10x10 mm Ø 22 mm
INOX

0310010

8001631

ME0310010

ME8001631

Drain valves

380719



Valve 90° - 1 way - with floating - Ø 14 mm
inlet Ø 3/4" with filter and reducer 9 lt/min.

9507283

380554



Float for valve Ø 55x60 mm

9525213

Air-gaps

378763



Air brake
Elbow fitting Ø 6,4 mm

0620244

380542



Air brake 52x56 mm
fitting Øext. 6,5 mm

9515955

379065



Gasket Ø 13x17/20x14 mm

0650001

Steam element/Condenser and Evaporator

380064



Heat exchanger 270x555x525 mm

0254025

9517229

9623385

379575



Heating register / CU
dim. 466x250x100 mm

0252028

Dispensers and Peristaltic pump

380482



Rinse aid peristaltic pump fixed capacity (internal use)
mod. PG0,4; fixed capacity 0,4 L/h; 0,5 bar;
230V 8W; tubo in sekobrill con portagomma
Øest. 6,3 mm

9518514

309091



Rinse aid peristaltic pump fixed capacity (internal use)
mod. PP; fixed capacity 0,5 L/h; 1,25 bar;
24V 50/60Hz; cable L=390 mm; tube in SBR

9710011

9746646

309090



Detergent peristaltic pump fixed capacity (Internal use)
mod. NPG-3; fixed capacity 7 L/h; 0,1 bar;
24V 50Hz; cable L=390 mm; hose in Santoprene

9710009

9746647

379597



PVC transparent hose Ø 5x8 mm (sold by meter)

0260006

309115



Detergent peristaltic hose 6,25x10,65 mm
L=190 mm - Elbow fitting Ø 6 mm

9720478

9747203

380685



Mixing chamber
M24; dim Ø 56x125mm

9513107

380724



Rinse aid mixing chamber
Ø 55 mm; H=102 mm; in/out Ø 22 mm; Elbow fitting Ø 14 mm

9505394

379651



mixing chamber Screw 1/8" L=17 mm

0330200

Dispensers and Peristaltic pump

379514



Flat gasket Ø 13x24x3 mm

0408225

380269



Ring Ø 28,5x32x4 mm

8302895

379327



Ring nut F3/4"

0113129

Solenoid Valves and Reducers

349160



Solenoid valve 90° - 1 way - 220/240V 50/60Hz - Ø 14 mm with fastons; inlet Ø 3/4" with filter and inlet reducer 20 lt/min; Tmax 90°C

9000006

379624



Pressure reducer 8 lt/min

0232067

380338



Solenoid brass valve 6213EV - G1/2" - 8W 230V 50Hz

0113013

9500227

9737673

379307



Coil for solenoid valve 24V 50/60 Hz faston 6,3 mm

0113128

379326



Solenoid valve coil spring

0113224

379308



Solenoid valve 90° - 2 input 3/4" - 1 outlet Ø 14 mm without coils

0113127

Solenoid Valves and Reducers

380290



Solenoid valve 90° - 1 way - 3/4" - Ø 14 mm

9500402

379309



Solenoid valve 90° - 2 way inlet Ø 3/4" with filter

0113125

379321



Solenoid valve 180° - 1 way - Ø 3/4" DN10 inlet Ø 3/4" with filter; Tmax 90°C

0113220

379328



Solenoid valve 180° - 1 way - Ø 3/4" inlet/outlet Ø 3/4" with filter; outlet DN 17 mm; Tmax 90°C

0113222

9695536

Ball valves, Pipe fittings

379107



Rubber holder 90° - F3/4" - outlet Ø 13,5 mm rubber holder Ø 13,5 mm

0621026

9505201

380660



Rubber holder 90° G3/4" - outlet Ø 20 mm EPDM Flat gasket

9501740

380692



Rubber holder 3/4" - outlet Ø 14 mm

9505200

379082



Rubber holder G3/4" - outlet Ø 19 mm EPDM Flat gasket

0621028

700462



T-connection Ø 13-13-13 mm

0621035

438482



Y-connection Ø 12-12-12 mm

0621036

ME0621036

Ball valves, Pipe fittings

379622



Non-return valve Ø 20x17,5 mm

0232065

380191



Adapter with non-return valve
L=55 mm

9011022

9609359

Hoses

459658



Formed hose Ø 38x47x210 mm

9523739

ME9523739

200002



Hose EPDM Ø 12x19,5 mm (sold by meter)
for hot water - not toxic - Pmax 10 bar -
working temp -35°C+120°C

0640012

9608600

9637774

499965



Drain pipe 90° Ø 40,50 mm

8101337

ME8101337

491509



Drain pipe Ø 44x50 mm
dim. 250x210x80 mm

9520062

ME9520062

491520



Drain pipe Ø 44x50x935 mm

8102898

ME8102898

491522



Drain pipe Ø 44x50x1015 mm

8102900

ME8102900

493971



PVC hose with rigid spiral Ø 50x57,4 mm (sold by meter)

0630233

ME0630233

Drain components

380525



Gasket for vent valve Ø 14x1,5 mm

9515234

380614



Drain pump vent valve Ø 19x23x74,5 mm

9515229

379572



Drain plate Ø 2" H=36 mm
Overflow pipes hole Ø 49 mm

0237100

379578



Ring nut 2" Ø 88 mm

0237008

308743



Overflow pipe Ø 50x250 mm

9616470

9649516

379002



Overflow pipe Ø 50x300 mm

8101478

380063



Overflow pipe Ø 50x300 mm

9626035

380586



Overflow pipe Ø 70x140 mm INOX

9523271

380699



Plug for overflow pipe 50x150 mm

9514931

378655



Plug 3/4"

0620163

Filters

308930



Pump filter gasket 46,5x95x4,7 mm NBR

9676840

308931



Pump filter gasket 95x114,5x4,7 mm NBR

9676879

397806



Water filter 3/4"
plastic body L=120 mm

9500489

380555



Filter Ø 24x50 mm

9526275

378729



Filter for overflow pipe
Øint. 56 mm, H=98 mm

0620358

379092



Pump filter Ø 134x75 mm

0620501

380659



Drain filter
Ø 135 mm

9633969

582464



Filter
H=92,5 mm

9500083

ME9500083

492035



Filter 110x404x130 mm

9634348

ME9634348

492075



Filter 850x465x55 mm

9687134

ME9687134

Filters

492069



Tank filter with handle
dim. 610x310 mm

9515674

ME9515674

498110



Tank filter 610x460 mm

9625232-02

ME9625232-02

Transmission components

380658



Drive shaft Ø 20x352 mm
Ø 195 mm

9501143

308744



Transmission Ø 20xLtot. 384.5 mm

9612598

9612603

9649831

378794



Chain link 1/2x5/16"

0435066

378793



False chain link 1/2x5/16"

0435067

Structural components

582788



Door catch

8100914

ME8100914

379005



Door stop

8100915

Finger Links

378672



Finger link
dim. 123x53x81 mm; hole spacing 108 mm

0620223

ME0620223

378759



Finger link
dim. 126x53x73 mm; hole spacing 108 mm;
holes Ø 8,6 mm

0620270

Finger Links

378722



Finger link
dim. 126x44x72 mm; hole spacing 110 mm

0620377

583069



Finger link
dim. 123x53x82 mm; hole spacing 108 mm

0620337

378758



Finger link
dim. 126x50x73 mm; hole spacing 110 mm

0620271

584790



Finger link
dim. 126x50x75 mm

0620336

378773



Finger link
dim. 126x56x74,5 mm; hole spacing 110 mm

0620335

380455



Shaft Ø 8x610 mm
trous Ø 2 mm

8155035

380317



Supporto profilo

0620314

0620370

0620453

9500892

378703



Connector for tappet
dim. 123x20x28,5 mm; hole spacing 108 mm

0620111

379972



Sliding block
50x40x25 mm - Ø 20 mm

9619287

379845



Roller support
dim. 17x38x10 mm

9539613

Finger Links

380473



Support Ø 40x71 mm

8135098

379846



Support Ø 37,5x35x10 mm

9539607

380371



Hook

8130077-01

Rollers

378652



Roller Ø 8,6x30xh15 mm

0620149

MEK0620149

Thermostatic steam trap

379602



Steam trap

0232043

Small Mechanical Parts

325128



Snap-ring Øint. 18,5x1,2 mm - INOX

0343048

378670



Bushing Ø 8,7x12,6x10 mm

0620231

MEK0620231

Small Mechanical Parts

380556



Bushing Ø 21x25x6 mm

9523996

379365



Bushing Ø 11x17,5/25x12 mm

0101401

334291



Wedge 6x6x20 mm [10 pcs]

0355101

379445



Wedge 6x6x22 mm INOX

0355107

379447



Wedge 8x7x22 mm

0355105

379449



Cotter pin Ø 2x25 mm INOX (5 pcs)

0351002

0351004

MEK0351004

584320



Hexagonal nut M5 self-locking - INOX

0337001

373140



Hexagonal nut M5 - H=10 mm

0336050

524924



Hexagonal nut M4 - H=3,2 mm INOX (10 pcs)
CH7

0335005

380667



Hexagonal nut 1/8"
H=6,2 mm

9502589

Small Mechanical Parts

378664



Hexagonal nut 3/4" - H=8 mm

0620133

511949



Hexagonal nut 3/8" H=6 mm
WS25

0360211

9515957

380366



Ring nut 3/4" - Ø 50 mm
H=7,5 mm

8104009

308871



Spacer Ø 8,5x12,5x1000 mm

0630206

9504832

9668688

ME0630206

359717



Double wire clamp Ø 8,8÷9,3 mm

9500045

438480



Hose clamp Ø 12÷22/9 mm - INOX

0233043

9607418

324768



Hose clamp Ø 23÷35/9 mm - INOX

0233034

0233045

438464



Hose clamp Ø 32÷50/9 mm - INOX

0233046

518655



Hose clamp Ø 40÷60/9 mm - INOX

0233041

433052



Hose clamp Ø 16÷27/12 mm - INOX

0233037

Small Mechanical Parts

329931



Hose clamp \varnothing 70÷90/12 mm - INOX

9513277

9546093

380014



Cover \varnothing 94 mm
hole \varnothing 20 mm

9616587

379487



Toothed washer \varnothing 5,8x11,7x0,7 mm

0341050

350452



Grower washer
M8 \varnothing 8,4x14,5x2 mm

0341037

379496



Flat washer \varnothing 8,5x18x2 mm INOX (5 pcs)

0340006

379498



Flat washer M10 - INOX (5 pcs.)
 \varnothing 10,6x19,5x1,88 mm

0340002

379500



Flat washer \varnothing 13,3x36,5x3 mm

0340050

379019



Flat washer \varnothing 24x39x1 mm

8100131

379660



Round head screw M5x25 mm
with square neck 5,2x5,2 mm

0325056

379677



Hexagonal head screw
M6x10 mm INOX [5pz]

0302000

Small Mechanical Parts

379688



Hexagonal head screw
M6x45 mm INOX (5 pz)

0302065

379644



Flat-headed bolts TC M4x30 mm (5 pcs)

0308204

490406



Screw with slit head M6x30 mm

0307096

ME0307096

379686



Screw TS M5x20 mm (5 pcs)

0306121

379648



Self-tapping screw
Ø 4,2x13 mm

0330020

Shaft sealing

412572



Shaft sealing Ø 24x10x14 mm / counter-seal Ø 26x13x8 mm
for pump with shaft Ø 11 mm

0501162

9519539

412573



Shaft sealing Ø 24x11x15,5 mm / counter-seal Ø 26x13x8 mm
shaft sealing in graphite; for pumps FIR 0254-0257-2254/S

0501095

0501161

379535



Shaft sealing Ø 41x25x25 mm graphite
counter-seal 26x38x9,6 mm ceramic

0403003
9721613

0403009

0403010

9721612

308653



Shaft sealing Ø 27,8x13x16,7 mm
Gegenring Ø 30x16,6x8 mm

9635613

Shaft sealing

380601



Gaskets [Kit]

shaft sealing Ø 39x16,5x16 mm/
counter-seal Ø 42x21,5x8 mm

9522402

Lockings

379426



Magnet Ø 3,5x20x6 mm

0122013

379965



Magnet Ø 34x18 mm

9620695

379196



Door magnet 49x24x8 mm

0140200

378737



Support with magnet
dim. 29,5x91x11 mm

0620420

8101573

Boilers

380362



Boiler 1 heating element

Ø 108x475 mm; flange Ø 103x150 mm

8103633

379441



Pin Ø 6x30/34 mm

0360012

Safety groups

379614



Pressure reducer MM 1/2" 1=8 bar

L=138 mm; DN 15

0232012

379607



Pressure reducer MM 1/2"

L=140 mm; Htot.=205 mm, PN25

0232081

Safety groups

380015



Flow meter G3/4" 2÷40 l/min.
cable L=4900 mm

0130075

9522356

9617958

ME9617958

308830



Flowmeter
L=110 mm; cable L=1220 mm with 4P connector

9661325

379201



Flow switch 1,6 lt/min
L=99 mm; 230V 1,5A 80W; pmax 25bar;
DN15; cable L=2900 mm

0130054

Springs

499646



Spring Ø 14 mm L=25 mm
wire Ø 1,6 mm

9500400

ME9500400

378825



Roll spring W=40 mm Ø 36 mm

0431070

378814



Roll spring W=40 mm Ø 41 mm 70N
L=970 mm

0431074

378824



Roll spring W=40 mm Ø 41,5 mm 70N
L=870 mm

0431071

380621



Roll spring W=40 mm Ø 42 mm 50N
L=920 mm; type 5-1A

9504017

378821



Roll spring W=40 mm Ø 42 mm 90N
L=970 mm

0431075

Springs

378823



Roll spring W=40 mm Ø 43 mm 50N
L=970 mm

0431073

380643



Roll spring W=40 mm Ø 43 mm 70N
L=920 mm; type 7-1A

9504018

378844



Roll spring W=40 mm Ø 44,5 mm 70N
L=1085 mm

0431089

378818



Roll spring W=40 mm Ø 45 mm 90N
L=1120 mm

0431078

378843



Roll spring W=40 mm Ø 45,5 mm 90N
L=1085 mm

0431090

378822



Roll spring W=40 mm Ø 46mm 50N
L=1085 mm

0431088

378826



Roll spring W=40 mm Ø 46 mm

0431069

379192



Roll spring W=40 mm Ø 49 mm

0431065

379531



Tension spring Ø 15x36xLtot. 66 mm
wire Ø 1,2 mm

0430002

379752



Tension spring Ø 15,5x30xLtot. 51,3
mm
wire Ø 1,4 mm

9547710

Springs

378754



Support for spring Ø 45,5x27 mm
 Øint. 9/ext. 35,5/45,5 mm H=27 mm

0620284

378986



Spring support
 dim. 62x60x95 mm

8100868

582790



Door catch

8101476

ME8101476

582789



Door catch

8101475

ME8101475

379007



Pin Ø 8x150 mm

8100909

379006



Shaft Ø 8x79 mm

8100910

Slide Ways - Shelf Supports

380304



Guide 30x80x23 mm

9501095

380303



Guides support R/L
 dim. 34,5x30x70 mm

9501104

308906



Guide 90x35x17 mm

9673086

308907



Guide 240x35x17 mm

9673087

Slide Ways - Shelf Supports

380645



Guide L=690 mm
dim. 690x30x13 mm

9501665

380405



Left guide
dim 680x45x68 mm

8103356-03

8103356-93

Printed Circuit Boards

380038



Pcb M2-NIV1
dim. 89x97 mm

0124313

9622558

380088



Pcb M2-NIV2
dim. 89x97 mm

0124314

9622559

379388



Pcb
dim. 110x188 mm

0124134

379184



Pcb
dim. 97x89 mm

0124323

379238



Display pcb
dim. 72x203 mm; M2-IV-LCD1

0124312

308681



Pcb
dim. 85x50 mm; MIKE2-i3

9638040

Probes

379266



Temperature probe PT1000
bulb Ø 3,6x4,6x5 mm; da -50 a +250°C -
cable L=8500mm

0180635

308827



Temperature probe PTC
bulb Ø 6x50 mm - cable L=8400 mm

9660867

Probes

497357



Temperature probe
bulb Ø 6x40 mm; cable L=5900 mm

9660868

ME9660868

Inverter and motor controls

496646



Inverter 1 phase 200/240V 50/6Hz
7,3/5,5A
3 phases outlet 0-240V 0-400Hz 3,3/3,0A;
dim. 117x65x125 mm

9630519

9691960

ME9691960

Membranes

380184



Adhesive membrane MIKE 3
305x177 mm - K200; BA542; B230

9615252

582346



Adhesive membrane
dim. 160x50 mm

9645913

308665



Adhesive membrane
dim. 50x160 mm

9637221

Gaskets for dishwashers

379062



Rubber strip 600x40x10 mm

0650025

O-rings

339048



O-ring 1,50x12,00 mm EPDM

0401011

379546



O-ring 1,50x19,00 mm NBR

0401063

380677



O-ring 2,00x6,00 mm

9502586

380656



O-ring 2,00x17,00 mm EPDM

9501247

379459



O-ring 2,00x21,00 EPDM

0401016

380034



O-ring 3,00x143,00 mm

9627180

380340



O-ring 3,00x228,00 mm NBR

9500178

380737



O-ring 5,00x35,00 mm EPDM

9508219

379867



Heating element O-ring 5x58 mm

9532356

309121



O-ring 5,00x65,00 mm EPDM

9656004

9725439

O-rings

380342



O-ring 6,00x78,00 mm EPDM

9500176

379485



O-ring 7,00x57,00 mm EPDM

0401048

Flat gaskets

379561



Flat gasket Ø 10x17x1,5 mm - Fiber

0408002

492620



Flat gasket Ø 13x24,5x3 mm

9616021

ME9616021

379558



Gasket Ø 27x38x1,5 mm

0408009

379513



Flat gasket Ø 28x37x1,5 mm

0408226

379566



Flat gasket Ø 32x44x1,6 mm

0408010

379696



Flat gasket Ø 45x57x2 mm

0293010

379577



Flat gasket Ø 59x85x2 mm

0237009

379540



Flat gasket Ø 60x78x2 mm

0408224

Flat gaskets

380077



Filter gasket Ø 87x107x5 mm

9625204

492654



Flat gasket Ø 101x143x3 mm

9660953

ME9660953

380540



Flat gasket Ø 17,5x26x2 mm - EPDM

9515964

379501



Flat gasket Ø17x24x2 mm (5 pz)

0408238

Lubricants and sealants

306790



Silicone adhesive sealant SE 108 XLT
conf. 300 ml

0870001

440719



Conductive silicone compound - 100 gr
for tank contact thermostat

0108024

Dishwashing Baskets

585886



Grid 500x500 mm NHG500

ZH100056

586373



Container cutlery 110x110x130 mm

CBS

585885



Basket 500x500x100 mm - for 25
glasses

A3R500

586080



Basket 500x500x100 mm - for cups
and glasses

VKV/2

Dishwashing Baskets

586120



Basket 500x500xh100mm - for cutlery

586119



Basket 500x500xh100 mm - plastic 18 dishes or 12 soup plates

NK75

586121



Basket 500x500 mm - plastic Tray rack T06-09 grey

351274



Basket 500x500xh105 mm - UK16

UK16
