



PS PROFESSIONAL SPARES

FAGOR
2019

REFRIGERAZIONE - REFRIGERATION - RÉFRIGÉRATION - KÜHLGERÄTE - REFRIGERACIÓN

Interruttori, Pulsanti, Selettori

415728



Interruttore bipolare luminoso arancione
22x30 mm; 0-1
 16(4)A 250V Tmax 120°C - faston 6,35x0,8 mm - con copri pulsante

12037293

6021130001

Lampade e Portalampade

433831



Lampada fluorescente 8W 220-240W
50/60Hz T5/T4
 dim. 344x23x42,5 mm; cavo L=1800 mm; con supporti

12033320

12058986

2040600024

6021290052

Microinterruttori

374077



Microinterruttore magnetico A061 1V NO
250Vac 0,004A
 bulbo Ø 6x29 mm - cavo L= 240 mm

12024477

6021130029

SAVW250030

Z203009000

373899



Supporto interruttore magnetico
 dim. 34,5x19,5x8,5 mm

12024066

Z203010000

Ventilatori

582178



Ventilatore assiale Ø 180 mm 5/29W
220/240V 50/60Hz
 1300/1550rpm; cavo L=1500 mm

12033165

6021050001

319904



Ventilatore assiale Ø 300 mm 75/90W
230V 50/60Hz
 1350/1550 rpm; C=2,5uF/425V - R09R-30SPB-4M-3509

12026785

12037991

6021050019

584034



Ventilatore assiale 5/29W 220-240V
50/60Hz con supporto
 dim. 450x512 mm; 1300/1550rpm; cavo L=1500 mm

12031979

M171010070

531364



Ventilatore compatto 120x120x38 mm -
20W 230V 50/60Hz
 senza cavo; attacco faston 2,8x0,5 mm; 2550 rpm; cuscinetti a sfera

12023862

12031028

12033472

6021050008

RT31011008

Z103066000

Ventilatori

430559



Motore pentavalente 10/36W 220-240V 50/60Hz
1300/1500 rpm; cavo L=600 mm; ventola Ø 254 mm, 22°

12033477

6021050002

430953



Motore pentavalente 5/29W 220-240V 50/60Hz 0,2A
ventola Ø 200 mm; cavo L=2500 mm

12034545

6021050066

Resistenze

584032



Cavo riscaldante 16W 230V L=3800 mm
faston F6,3 mm

12036190

583233



Cavo riscaldante 80W 230V 50Hz L=3000 mm
faston F6,3 mm

12038150

6021250073

324717



Resistenza ETCHEDFOIL 400W 230V
dim. 430x430 mm; cavo L=500 mm

12038086

K012B45004

Termostati

430564



Termostato di lavoro 1P 30±90°C
capillare rivestito L=2000 mm; bulbo Ø 6x88 mm; perno a mezzaluna Ø 6x4,6 mm; manopola Ø 50 mm 30±90°C

12034068

6021350005

318860



Termostato di sicurezza 1P 0±90°C
capillare ricoperto L=2000 mm; bulbo ø 6x70 mm

12034756

6021350079

Tubi

584025



Tubo di scarico PPE Ø 24 mm 180°
L=1000 mm
manicotto Øint/ext 20x26,5 mm, tubo Øext 24 mm

12037263

6003010417

373920



Tubo di scarico PPE Ø 31 mm F 90°+ Ø 24 mm libero L=1500 mm
manicotto 90° Øint/ext 31/39 mm, uscita Øint. 24 mm; tubo Øext. 30 mm

12024114

Z400908000

Componenti di scarico

583350



Piletta di scarico 3/4" H=98 mm [Kit]
foro per troppopieno Ø 20,5 mm

12037489

6003010326

433832



Piletta di scarico 1/2" H=72 mm [Kit]
foro per troppopieno Ø 16 mm

12037617

6003010033

12061086

2061700017

433320



Tappo Ø 20,5xh 23,5 mm

12037989

6003010262

Componenti strutturali

320432



Vaschetta per evaporatore
525x450x98 mm

12033558

6003050037

582179



Copertura
dim. 410x510 mm

12033760

6003050001

433833



Copertura 270x475x380 mm

12067447

6013050141

Porte

459345



Porta 630x510 mm
MRS

12029277

M169010088

Cerniere

459647



Cerniera a molla 22x22x100 mm
con perno dim. 10x10xh7,5 mm; vite M6

12034927
6033010003

12058528

6000300007

582027



Cerniera a molla 22x22x100 mm
con perno dim. 7,6x7,6xh4,5 mm; vite TE
M6x10 mm

12038130

6033010100

582025



Perno Ø 10x30 mm M6

12038076

6033090064

582026



Boccola Øint. 10/est. 16 mm L=54,5 mm

12037723

6003010136

459646



Cerniera

12034798

6033010015

459489



Supporto cerniera inferiore
dim. 100x48 mm - H=6 mm

12036986

6033010129

582024



Supporto cerniera superiore sinistra M6

12036692
A133010002

12102926

6033010112

318759



Cerniera [KIT]

12038100

V169090001

433565



Supporto cerniera superiore sinistra
dim. 100x48x17 mm

12036828
6033010141

12041474

2030800147

433542



Supporto cerniera superiore destra
dim. 100x48x17 mm

12041472

6033010140

Cerniere

431922



Supporto cerniera superiore sinistra
dim. 100x48x17 mm; perno Ø 6x2,5 mm

12036776

A133010000

432273



Cerniera
dim. 100x48x17,5 mm; perno Ø 6x6 mm

12036932

6033010083

Guide - Cremagliere

374400



Guida GN 1/1
dim. 550x24.5x15,5 mm

12036758

6033050011

324292



Guida sx/dx
dim. 662x25,5x15,5mm

12037948

6033050016

Sonde

435228



Sonda NTC, L=3000 mm, nera, bulbo Ø 6x15 mm
cavo con guaina TPE - IP67; campo di lavoro -40 ÷ +110°C

12045530
6021350113

12061673

2090500010

435122



Sonda PTC, L=3000 mm, silicone, bulbo Ø 6x40 mm IP68
Puntalini, cavo con guaina TPE - IP68; bulbo in acciaio inox, campo di lavoro -50+105°C

12032993

12033348

584024



Protezione sonda L=175 mm
dim. 175x32 mm

12073795

M109050033

Termoregolatori

433810



Termoregolatore PYCO1SN50P 230V 50/60Hz

1 uscita relé 12A; 2 ingressi sonda NTC (sonda non compresa); 1 ingresso digitale; dima di foratura 71x29 mm

12047691

6021350018

6021350115

582683



Termoregolatore PMFE1Z0033

3 uscite relé 12A/8A/8A; 2 ingressi sonda; 2 ingressi DI; dima di foratura 29x138,5 mm

12043611

6021350109

433468



Termoregolatore PMFE1Z0055 115-230V

4 uscite relé 12A/10A/8A/8A; 2 ingressi sonda; 2 ingressi DI; dima foratura 29x138,5 mm

12040693

6021350110

433788



Termoregolatore PMFE1Z0037

4 uscite relé 12A/10A/8A/8A; 2 ingressi sonda NTC, 2 ingressi DI; dima di foratura 29x138,5 mm

12045173

6021350120

433787



Termoregolatore PMFE1Z0058

3 uscite relé 12A/10A/8A; 2 ingressi sonda; 2 ingressi DI; dima foratura 29x138,5 mm

12045172

6021350119

438116



Termoregolatore ID961 Plus 230V -50/+99°C

ingresso: 2 sonde NTC o PTC selezionabile; 1 uscita su relé in scambio 2Hp/12(8)A 250V; dim. 74x32x67 mm; dima foratura 71x29 mm

12031127

6021350015

6001507002

6021350006

Membrane comandi

584248



Membrana adesiva 670x160 mm

12040070

6023010491

Filtri deidratatore

519790



Filtro deidratatore GR.40 2 vie Ø 24x160 mm

Ø IN 6,2 mm - OUT 6,2 mm

12036970

6047010003

12048655

2061600001

Evaporatori

321879



Evaporatore 65x330x150 mm [KIT]

12043533

M171010069

582176



Evaporatore
dim. 130x385x90 mm

12031771

6029010015

433604




Evaporatore 90x305x130 mm

12041888

6029010151

433840



Guarnizione coperchio evaporatore
430x335 mm

12068586

6045010172

Compressori

700932



Compressore NE6187Z R134a
220/240V, 50Hz


12046686

12046754

6021010154

Guarnizione magnetiche

322252




Guarnizione magnetica 636x1457 mm

12038148

6045010131

431607




Guarnizione magnetica 375x250 mm

12036161

6045010122

431877




Guarnizione magnetica 378x262 mm

12036435

6045010012

582821



Guarnizione magnetica 370x565 mm

12038156

6045010119

Guarnizione magnetiche

459783



Guarnizione magnetica 445x566 mm

12035412

6045010115

430907



Guarnizione magnetica 1422x565 mm

12034433

6045010161

459782



Guarnizione magnetica 453x584 mm

12035834

6045010009

584749



Guarnizione magnetica 355x371 mm

12036158

6045010152

Griglie e Ripiani

441284



Ripiano grigliato rilsan grigio GN 1/1
dim. 325x530 mm (LxP)

12035781

6027010003

431440




Ripiano grigliato rilsan grigio 460x405 mm

12034975

6027010079

584531




Ripiano grigliato rilsan grigio GN 2/1
dim. 650x530 mm

12037958

6027010009

585082



Ripiano grigliato rilsan grigio
dim. 400x600 mm

12034886

6027010005

Piedini

430561



Piede regolabile INOX Ø 64 mm -
H=130÷200 mm
flangia 82x82x8 mm; interasse fori 65x65 mm

12033566

6007050017